MARMIRO STONES® BY TURAN BEKISOGLU

HARDSCAPE CATALOG







CREATED BY NATURE.












CRAFTED WITH PASSION.®














ABOUT US

Marmiro Stones® has been revolutionizing the future of natural stone since it was founded by Moe Arpacilar and Turgut Bekisoglu in 2000. We pride ourselves in following our core values, allowing us to provide products and services to our clients with honesty, innovation, and passion by working together as one.

From Turan Bekisoglu's family-owned quarries and factories in Turkey since 1959, to our modern facilities in the New York metropolitan area, Marmiro Stones® is an industry vanguard, servicing both residential and commercial clientele worldwide.

Our office, design studio, and state-of-the-art fabrication shop are all under one inclusive roof, allowing us to effectively control every aspect of our business and to ensure the highest quality of production. With four easily accessible distribution centers along the east coast, we provide quick turnarounds for pickups and deliveries to our customers. Our team is also proud to provide a mobile sales service, allowing convenience and support to any project at any location.

Our products are a passionate part of who we are. At Marmiro Stones®, we are with you every step of the way. From the moment the stone is selected, designed, fabricated, and installed, to the finished product, we are proud to be a part of your design for many years to come.





111128

1.162

EN STREE BOARD DO TO BEARING

6

ashing in the

CREMA EDA® SANDBLASTED PAVERS, CAPS, TREADS, & SPLITFACE VENEER

CREMA EDA® MARBLE

A NEUTRAL, CREAMY BEIGE TO MATCH ANY COLOR PALETTE.



ANTIQUED PAVERS



BAMBOO VENEER



SANDBLASTED PAVERS



SPLITFACE VENEER *ALSO AVAILABLE IN CORNERS



BULLNOSE COPING *ALSO AVAILABLE IN STRAIGHT EDGE



ANTIQUED DRIVEWAY PAVERS *ALSO AVAILABLE IN RECLAIMED



SPLITFACE WALL BLOCKS

PAVER SIZES

8"x16"x1 3/16" • 16"x24"x1 3/16" 8" French Pattern x1 3/16"

12"x24"x1 3/16" • 12"x24"x2.25" • 12"x36"x2.25" • 12"x48"x2.25" • 14"x36"x2.25"
14"x48"x2.25" • 16"x24"x2.25" • 16"x36"x2.25" • 16"x48"x2.25" • 24"x24"x2.25"
24"x36"x2.25" • 24"x48"x2.25"

COPING & TREAD SIZES

[BAMBOO SIZE	SPLITFACE SIZES	DRIVEWAY PAVERS SIZES	WALL BLOCK SIZE
	12"x24"x5/8"	4" H x Random • 3"-6"-9" H x Random	6"x12"x2.25" \bullet Gateway Pattern_ $\!\!\!\!$	6" H x 8" D x Random

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.

*ADDITIONAL SIZES ARE CUSTOM ORDERS. FOR AVAILABILITY ON OUR PRODUCTS, PLEASE CONTACT US.









CREMA EDA® ROSA ANTIQUED PAVERS, CAPS & SPLITFACE VENEER

CREMA EDA® ROSA MARBLE

A CREAMY BEIGE WITH WISPS OF RED VEINS.





BULLNOSE COPING *ALSO AVAILABLE IN STRAIGHT EDGE



SPLITFACE VENEER *ALSO AVAILABLE IN CORNERS

ANTIQUED DRIVEWAY PAVERS *ALSO AVAILABLE IN RECLAIMED



BAMBOO VENEER

PAVER SIZES	

16"x24"x1 3/16" • 24"x24"x1 3/16" 8" French Pattern x1 3/16" COPING & TREAD SIZES 12"x24"x2.25" • 12"x36"x2.25" • 12"x48"x2.25" • 14"x36"x2.25" 14"x48"x2.25" • 16"x24"x2.25" • 16"x36"x2.25" • 16"x48"x2.25" 24"x24"x2.25" • 24"x36"x2.25" • 24"x48"x2.25"

DRIVEWAY PAVERS SIZES	BAMBOO SIZE	SPLITFACE SIZE
6"x12"x2.25" • Gateway Pattern	12"x24"x5/8"	4″ H x Random

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.







CREMA EDA® ROSA ANTIQUED PAVERS, CAPS, COPING & SPLITFACE VENEER





AFYON CLOUD® MARBLE

A BLEND OF LIGHT AND DARK GRAYS TO MATCH THE PUFFY CLOUDS IN THE SKY.




ANTIQUED PAVERS



SANDBLASTED PAVERS




STRAIGHT EDGE COPING *ALSO AVAILABLE IN BULLNOSE



BAMBOO VENEER



SPLITFACE VENEER *ALSO AVAILABLE IN CORNERS



WAVE VENEER



RECLAIMED DRIVEWAY PAVERS *ALSO AVAILABLE IN ANTIQUED



DIMENSIONAL TREADS

PAVER SIZES 16"x24"x1 3/16" 24"x24"x1 3/16" 24"x36"x1 3/16" 8" French Pattern x 1 3/16" 12" Washington Pattern x 1 3/16"			COPING & TREAD SIZES	
		12"x24"x13/16" • 16"x24"x13/16" • 12"x24"x2.25" • 12"x48"x2.25" 12"x72" x 2.25" • 14"x48"x2.25" • 14"x72" x 2.25" • 16"x24"x2.25" 16"x48" x 2.25" • 24"x24" x 2.25" • 24"x36" x 2.25" • 24"x48" x 2.25"		
BAMBOO SIZE	SPLITFACE SIZES	WAVE SIZE	DRIVEWAY PAVER SIZES	DIMENSIONAL TREAD SIZ
12"x24"x5/8"	3" H x Random • 4" H x Random 3"-6"-9" H x Random	11"x22"x13/16"	6"x12"x2.25" \bullet Gateway Pattern $_{\odot}$	14"W x 48"L x 6"H

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.



AFYON CLOUD® ANTIQUED PAVERS & TREADS

AFYON CLOUD® SANDBLASTED PAVERS, COPING, CAPS, STEPPING STONES ENHANCED WITH BAMBOO VENEER





DEEP BLUE® MARBLE

A DEEP BLUISH GRAY WITH UNIQUE PATTERN CHARACTERISTICS.



DEEP BLUE® ANTIQUED DRIVEWAY PAVERS



And A STREET

DEEP BLUE® SANDBLASTED PAVERS, TREADS, RISERS & VENEER ENHANCED

1111/11/

111/1



TITANIUM SANDBLASTED PAVERS & COPING

TITANIUM SANDBLASTED PAVERS & COPING (WET)

TT:

TITANIUM MARBLE

SWIRLS OF LIGHT & DARK GRAY WITH HINTS OF WHITE.



SANDBLASTED PAVERS



STRAIGHT EDGE COPING *ALSO AVAILABLE IN BULLNOSE



BAMBOO VENEER

PAVER SIZES

16" x24" x1 3/16" • 24" x24" x 1 3/16" 8" French Pattern x 1 3/16" COPING & TREAD SIZES

12"x24"x2.25" • 12"x48"x2.25" • 14"x48"x2.25" 16"x24"x2.25" • 16"x48"x2.25" • 24"x24"x2.25" • 24"x36"x2.25"

BAMBOO SIZES

12"x24"x5/8"

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.

*ADDITIONAL SIZES ARE CUSTOM ORDERS. FOR AVAILABILITY ON OUR PRODUCTS, PLEASE CONTACT US.



CREMA OLIVA™ SANDBLASTED PAVERS & COPING

CREMA OLIVA™ LIMESTONE

A CREAM LIMESTONE WITH SAGE UNDERTONES, GRAYS, AND SPECKLED WITH FOSSILS.



ANTIQUED PAVERS



SANDBLASTED PAVERS



BAMBOO VENEER



ANTIQUED DRIVEWAY PAVERS

*ALSO AVAILABLE IN RECLAIMED

STRAIGHT EDGE COPING *ALSO AVAILABLE IN BULLNOSE



BUSH HAMMERED CUSTOM ORDER ONLY (NON-STOCK)

PAVER SIZES

12"x24"x1 3/16" • 16"x24"x1 3/16" • 24"x24"x1 3/16" 24"x36"x1 3/16" • 24"x48"x1 3/16" 8" French Pattern x 1 3/16"

BAMBOO SIZES

12"x24"x5/8"



FLAMED CUSTOM ORDER ONLY (NON-STOCK)

COPING & TREAD SIZES

12"x48"x2.25" • 14"x48"x2.25" • 16"x48"x2.25" 24"x24"x2.25" • 24"x36"x2.25" • 24"x48"x2.25"

DRIVEWAY PAVER SIZES

6"x12"x2.25" • Gateway Pattern®

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.

CREMA OLIVA™ SANDBLASTED PAVERS, COPING & STEPPING STONES

U.S.



-K

fic

田田村

16

CONTRACT OF





ORCCA [®] LIMESTONE

A CHARCOAL GREY WITH BOLTS OF WHITE VEINS THROUGHOUT.



VINTAGE PAVERS



SPLITFACE VENEER *ALSO AVAILABLE IN CORNERS



STRAIGHT EDGE COPING *ALSO AVAILABLE IN BULLNOSE



VINTAGE DRIVEWAY PAVERS

PAVER SIZES	
-------------	--

6"x12"x1 3/16" • 16"x24"x1 3/16" 8" French Pattern x1 3/16"

COPING & TREAD SIZES		
12"x24"x2.25" • 12"x48"x2.25" • 14"x48"x2.25"		
16"x24"x2.25" • 16"x48"x2.25" • 24"x24"x2.25"		

SPLITFACE SIZES

4" H x Random • 3"-6"-9" H x Random

DRIVEWAY PAVER SIZES		
6"x12"x2.25" • Gateway Pattern _®		

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.

*ADDITIONAL SIZES ARE CUSTOM ORDERS. FOR AVAILABILITY ON OUR PRODUCTS, PLEASE CONTACT US.

ORCCA® VINTAGE PAVERS, COPING & CAPS WITH AFYON CLOUD® BAMBOO VENEER

ORCCA® VINTAGE PAVERS, CAPS & STEPPING STONES ENHANCED WITH SPLITFACE VENEER

30

ORCCA® BRUSHED VENEER WITH VINTAGE FRAME AND DEEP BLUE® SANDBLASTED PAVERS



TERRA TRAVERTINE

A RUSTIC VARIATION OF LIGHT AND DARK BROWNS AND TANS.



ANTIQUED PAVERS



STRAIGHT EDGE COPING *ALSO AVAILABLE IN BULLNOSE



SPLITFACE VENEER *ALSO AVAILABLE IN CORNERS



ANTIQUED DRIVEWAY PAVERS

*ALSO AVAILABLE IN RECLAIMED



SPLITFACE WALL BLOCKS

PAVER SIZES

8"x16"x1 3/16" • 16"x24"x1 3/16" • 24"x24"x1 3/16" • 24"x36"x1 3/16" 8" French Pattern x1 3/16" • 12" Washington Pattern x1 3/16"


COPING & TREAD SIZES

12"x24"x13/16" • 16"x24"x13/16" • 12"x24"x2.25" • 12"x48"x2.25" • 14"x48"x2.25" 14"x72"x2.25" • 16"x24"x2.25" • 16"x48"x2.25" • 24"x24"x2.25" • 24"x36"x2.25"

SPLITFACE SIZES	DRIVEWAY PAVER SIZES	WALL BLOCK SIZE
4" H x Random • 3"-6"-9" H x Random	6"x12"x 2.25" • Gateway Pattern₀	6" H x 8" D x Random

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.

*ADDITIONAL SIZES ARE CUSTOM ORDERS. FOR AVAILABILITY ON OUR PRODUCTS, PLEASE CONTACT US.



TERRA ANTIQUED PAVERS, COPING & TREADS (WET)


TERRA ANTIQUED PAVERS & COPING

H

.....

TERRA ANTIQUED PAVERS & COPING






36

GRANO® ANTIQUED PAVERS & COPING

GRANO[®] TRAVERTINE

A PERFECT BLEND OF TAUPES, TANS, AND GRAYS.



ANTIQUED PAVERS

SANDBLASTED PAVERS



BULLNOSE COPING *ALSO AVAILABLE IN STRAIGHT EDGE



SPLITFACE VENEER *ALSO AVAILABLE IN CORNERS



BAMBOO VENEER

PAVER SIZES

16"x24"x1 3/16" • 24"x24"x1 3/16" • 24"x36"x1 3/16" 8" French Pattern x1 3/16" • 12" Washington Pattern x1 3/16"

COPING & TREAD SIZES

12"x24"x13/16" • 16"x24"x13/16" • 12"x24"x2.25" • 12"x36"x2.25" • 12"x48"x2.25" • 14"x36"x2.25" 14"x36"x2.25" 14"x36"x2.25" • 16"x48"x2.25" • 24"x24"x2.25" • 24"x36"x2.25"

SPLITFACE SIZE	
6" H x Random	

BAMBOO SIZE 12"x24"x5/8"

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.

*ADDITIONAL SIZES ARE CUSTOM ORDERS. FOR AVAILABILITY ON OUR PRODUCTS, PLEASE CONTACT US.

GRANO® ANTIQUED PAVERS, COPING WITH CREMA EDA® SPLITFACE VENEER

38

GRANO® ANTIQUED PAVERS, COPING & TREADS



GRANO® ANTIQUED PAVERS & COPING

GRANO® SILVER ANTIQUED PAVERS & COPING

GRANO[®] SILVER TRAVERTINE

VARIOUS SHADES OF GRAY AND BEIGE WITH HINTS OF GOLD.



ANTIQUED PAVERS



STRAIGHT EDGE COPING *ALSO AVAILABLE IN BULLNOSE



BAMBOO VENEER



SPLITFACE WALL BLOCKS



IRREGULAR TREADS

PAVER SIZES 8" x 16" x 1 3/16" • 16" x 24" x 1 3/16" • 24" x 24" x 1 3/16" 24" x 36" x 1 3/16" • 8" French Pattern x 1 3/16" 12" Washington Pattern x 1 3/16"

ANTIQUED DRIVEWAY PAVERS *ALSO AVAILABLE IN RECLAIMED



DIMENSIONAL TREADS

COPING & TREAD SIZES		
12"x24"x13/16" • 16"x24"x13/16" • 12"x24"x2.25"		
12"x36"x2.25" • 14"x36"x2.25" • 16"x24" x2.25"		
16"x 36" x 2.25" • 24"x 24" x 2.25" • 24"x 36" x 2.25"		

BAMBOO SIZE	SPLITFACE WALL BLOCK	DRIVEWAY PAVERS SIZES	IRREGULAR TREAD SIZE	DIMENSIONAL TREAD SIZE
12"x24"x5/8"	6" H x 8" D x Random	6" x 12" x 2.25" • Gateway Pattern₀	15"-24"Wx42"-48"Lx6"H	14"Wx48"Lx6"H

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.

*ADDITIONAL SIZES ARE CUSTOM ORDERS. FOR AVAILABILITY ON OUR PRODUCTS, PLEASE CONTACT US.

GRANO® SILVER ANTIQUED PAVERS WITH AFYON CLOUD® SANDBLASTED COPING

42

GRANO® SILVER ANTIQUED PAVERS

GRANO® SILVER ANTIQUED PAVERS

4





AVENA® TRAVERTINE

A PERFECT COMBINATION OF CREAMY BEIGE AND HINTS OF TAN.



ANTIQUED PAVERS



BRUSHED PAVERS



BULLNOSE COPING *ALSO AVAILABLE IN STRAIGHT EDGE



SPLITFACE VENEER *ALSO AVAILABLE IN CORNERS

PAVER SIZES

8"x16"x1 3/16" • 16"x24"x1 3/16" • 24"x24"x1 3/16"

24"x36"x13/16" • 8" French Pattern x13/16"

COPING & TREAD SIZES

12"x24"x1 3/16" • 16"x24"x1 3/16" • 12"x24"x 2.25" • 12"x48"x 2.25" • 12"x72"x 2.25" • 14"x48"x 2.25" 14"x72"x 2.25" • 16"x24"x2.25" • 16"x48"x2.25" • 24"x24"x2.25" • 24"x 36"x2.25" • 24"x48"x2.25"

SPLITFACE SIZE

4" H x Random

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.

*ADDITIONAL SIZES ARE CUSTOM ORDERS. FOR AVAILABILITY ON OUR PRODUCTS, PLEASE CONTACT US.

AVENA® ANTIQUED PAVERS & CAPS



AVENA® ANTIQUED PAVERS, COPING, TREADS & CAPS

ni 111 1/12 🇯

mong

uti g

47

TAKOMA SILVER™ ANTIQUED PAVERS & COPING

14

1

(Interested)

长"""

TAKOMA SILVER™ TRAVERTINE

COSMIC SWIRLS OF GRAYS AND TAUPES.



ANTIQUED PAVERS



STRAIGHT EDGE COPING *ALSO AVAILABLE IN BULLNOSE



SPLITFACE VENEER *ALSO AVAILABLE IN CORNERS

PAVER SIZES

6"x12"x1 3/16" • 16"x24"x1 3/16" 8" French Pattern x 1 3/16" COPING & TREAD SIZES

12"x24"x1 3/16" • 16"x24"x1 3/16" • 6"x12"x2" • 12"x24"x2" 12"x36"x2" • 14"x36"x2" • 16"x24"x2" • 16"x36"x2" • 24"x24"x2"


SPLITFACE SIZE

4" H x Random • 3"-6"-9" H x Random

SLAB OPTIONS AVAILABLE - SIZES AND FINISHES VARY.

*ADDITIONAL SIZES ARE CUSTOM ORDERS. FOR AVAILABILITY ON OUR PRODUCTS, PLEASE CONTACT US.


ACCESSORIES







L CORNERS



TRANSITIONAL PIECES



DRAIN COVERS









SKIMMER COVERS

















POOL TILE







EDGING

CUSTOM FABRICATION







COUNTERTOPS







RADIUS




FIREPLACE SURROUNDS











MEDALLIONS







FIRE PITS



ENGRAVING & LETTERING





NEW PRODUCT

KARBON™



TYPE: GRANITE COLOR: SOLID CHARCOAL WITH SUBTLE DASHES OF GRAY AND CONSTELLATIONS OF WHITE. FINISH: FLAMED PAVER SIZES: 24"x48"x13/16" • 12" WASHINGTON PATTERN x13/16" COPING & TREAD SIZES: 12"x48"x2" • 14"x72"x2" 24"x24"x2" • 30"x48"x2"





HEAT TESTING

Testing took place in Carlstadt, New Jersey. On July 16, 2019, the temperature was 95°, and on August 5, 2019, the temperature was 80°. Our products were tested in direct sunlight for the duration of both days. This chart gives a range of temperatures for each product and finish.

Crema Eda.	Grano。
Antiqued Finish	Antiqued Finish
Sandblasted Finish	Sandblasted Finish
Sandblasted Enhanced	Sandblasted Enhanced
Crema Eda ® Rosa	Grano _® Silver
Antiqued Finish	Antiqued Finish
Sandblasted Finish O	Avena _®
Sandblasted Enhanced O	Antiqued Finish
Afyon Cloud。	Crema Oli∨a™
Antiqued Finish O	Antiqued Finish
Sandblasted Finish O	Sandblasted Finish
Sandblasted Enhanced 🛛 😑	Titanium Sandblasted Finish
	Sandblasted Enhanced
Antiqued Finish Sandblasted Finish O	Orcca。
Sandblasted Enhanced O	Vintage Finish
Terra	Karbon™
Antiqued Finish O	Flamed Finish
Takoma Silver™ Antiqued Finish	95° - 110° 110° - 125° 125° - 140°

Disclaimer: Applicable to Marmiro Stones® Products,

The following product and installation information is provided to assist Marmiro's customers with installation, maintenance and usage decisions. These tests were conducted by Marmiro Stones® using a laser temperature gun in its own facilities, which remain separate and apart from a thermal testing laboratory. It is understood that the installation, maintenance, and usage employed by each customer is outside the direction and control of Marmiro Stones® and as such, is strictly and completely the choice and responsibility of each customer and their installer. It is important to note that the temperatures illustrated in this chart will vary based on these factors. Marmiro Stones® expressly disclaims any and all asserted claims which may arise directly from information contained in this document(s), including but not limited to, loss of rights, materials, personal injury, or other potential injury.

TECHNICAL SPECIFICATIONS

Compressive Strength ASTM - C170

Sample	Antiqued	Sandblasted
Crema Eda® Marble	13,453 psi	1,808 psi
Crema Eda® Rosa Marble	12,675 psi	13,434 psi
Afyon Cloud® Marble	10,968 psi	10,208 psi
Deep Blue® Marble	12,082 psi	11,929 psi
Terra Travertine	8,645 psi	N/A
Grano® Travertine	7,891 psi	7,945 psi
Grano® Silver Travertine	7,891 psi	N/A
Avena® Travertine	9,287 psi	N/A
Takoma Silver™ Travertine	11,639 psi	N/A
Crema Oliva™ Limestone	15,110 psi	14,868 psi

Flexural Strength ASTM - C880

Sample	Antiqued	Sandblasted
Crema Eda® Marble	N/A	1,284 psi
Crema Eda® Rosa Marble	N/A	1,466 psi
Afyon Cloud® Marble	N/A	1,308 psi
Deep Blue® Marble	N/A	1,878 psi
Terra Travertine	1,878 psi	N/A
Grano® Travertine	1,587 psi	N/A
Grano® Silver Travertine	1,587 psi	N/A
Avena® Travertine	1,232 psi	N/A
Takoma Silver™ Travertine	1,364 psi	N/A
Crema Oliva™ Limestone	N/A	2,341 psi

Co-Efficient of Friction ASTM - C1028 (Antiqued Stones)

<u>Sample</u>	Antiqued Dry	Antiqued Wet
Crema Eda® Marble	0.74	0.87
Crema Eda® Rosa Marble	0.74	0.87
Afyon Cloud® Marble	0.74	0.83
Deep Blue® Marble	0.77	
Terra Travertine	0.70	0.89
Grano® Travertine	0.76	0.92
Grano® Silver Travertine	0.76	0.92
Avena® Travertine	0.80	0.80
Takoma Silver™ Travertine	0.80	0.80
Crema Oliva™ Limestone	0.70	0.70

DISCLAIMER

Marmiro Stones, Inc. has no control over the buyer's selection or use of any stone. Prior to using or permitting the use of our products, the buyer must determine the suitability of the products for the intended use and assumes all risk and liability whatsoever in connection therewith. The buyer must also determine the slip resistance suitability and maintainability as Marmiro Stones, Inc. is not responsible for any losses or damages sustained by the buyer, or any other person, as a result of improper installation or misapplication of our products. Please refer to the ASTM standards for more specific information concerning stone or paver specifications. Marmiro Stones, Inc. and its agents and employees are held harmless against any loss, damage, claim, suit, liability, judgement, or expense arising out of, or in connection with, any injury, damage, or loss to any property, or violation of any applicable laws or regulations resulting from, or in connection with, the sale, transportation, installation, or use of our products by the buyer.

Co-Efficient of Friction ASTM - C1028 (Sandblasted Stones)

Sample	Sandblasted Dry	Sandblasted Wet
Crema Eda® Marble	0.91	0.87
Crema Eda® Rosa Marble	0.89	0.95
Afyon Cloud® Marble	0.97	1.04
Deep Blue® Marble	0.99	0.87
Terra Travertine	N/A	N/A
Grano® Travertine	1.0	0.96
Grano® Silver Travertine	N/A	N/A
Avena® Travertine	N/A	N/A
Takoma Silver™ Travertine	N/A	N/A
Crema Oliva™ Limestone	0.7	0.8

Freeze and Thaw ASTM - C666

Sample	Results	Notes
Crema Eda® Marble	Pass	No cracks or deformations noted.
Crema Eda® Rosa Marble	Pass	No cracks or deformations noted.
Afyon Cloud® Marble	Pass	No cracks or deformations noted.
Deep Blue® Marble	Pass	No cracks or deformations noted.
Terra Travertine	Pass	No cracks or deformations noted.
Grano® Travertine	Pass	No cracks or deformations noted.
Grano® Silver Travertine	Pass	No cracks or deformations noted.

Water Absorption ASTM - C97

Sample	Antiqued Water Absorption %	Sandblasted Water Absorption %
Crema Eda® Marble	0.17	0.19
Crema Eda® Rosa Marble	0.17	0.16
Afyon Cloud® Marble	0.17	0.16
Deep Blue® Marble	0.17	0.18
Terra Travertine	1.98	N/A
Grano® Travertine	2.12	2.24
Grano® Silver Travertine	2.12	N/A
Avena® Travertine	1.71	N/A
Takoma Silver™ Travertine	0.52	N/A
Crema Oliva™ Limestone	0.60	0.44

Density ASTM - C97

<u>Sample</u>	Antiqued Density	Sandblasted Density
Crema Eda® Marble	168.5 lbs/ft³	167.4 lbs/ft ³
Crema Eda® Rosa Marble	168.3 lbs/ft ³	169.3 lbs/ft³
Afyon Cloud® Marble	162.4 lbs/ft ³	164.2 lbs/ft³
Deep Blue® Marble	163.8 lbs/ft³	167.4 lbs/ft³
Terra Travertine	153.1 lbs/ft³	N/A
Grano® Travertine	154.7 lbs/ft ³	152.0 lbs/ft³
Grano® Silver Travertine	154.7 lbs/ft ³	N/A
Avena® Travertine	145.8 lbs/ft ³	N/A
Takoma Silver™ Travertine	151.0 lbs/ft³	N/A
Crema Oliva™ Limestone	162.8 lbs/ft³	162.1 lbs/ft³

RESOURCE CENTER





COMPLIMENTARY SERVICES

DESIGN CONSULTATIONS TECHNICAL SUPPORT MOBILE SHOWROOMS CONTINUING EDUCATION

VISIT OUR DESIGN STUDIOS

CONVENIENTLY LOCATED IN CARLSTADT, NJ AND WATER MILL, NY. *WE ARE BY APPOINTMENT ONLY, FOR A ONE-ON-ONE DESIGN EXPERIENCE.







NOTES	
E	59



US HEADQUARTERS MARMIRO STONES. 790 WASHINGTON AVE CARLSTADT, NJ 07072

DISTRIBUTION CENTERS NEW JERSEY NEW YORK MARYLAND NORTH CAROLINA BY APPOINTMENT ONLY

DESIGN STUDIO NJ MARMIRO STONES® 790 WASHINGTON AVE CARLSTADT, NJ 07072 BY APPOINTMENT ONLY DESIGN STUDIO NY MARMIRO STONES: 910 MONTAUK HWY WATER MILL, NY 11976 BY APPOINTMENT ONLY

CONTACT US: P. 201-933-6461 F. 201-933-6462 E. INFO@MARMIRO.COM



@marmirostones



WWW.MARMIRO.COM