


Unilock. Original

Trust The Best

When the time is right to create a truly exceptional outdoor space, from driveways and entrances, to backyard sanctuaries, and more, trust the original to make your dreams come true.



What's inside

8 Dream

If you can dream it, we can make it happen!

- 10 Outdoor Living
- 20 Pool Decks
- **26** Driveways
- 32 Entrances & Walkways
- 38 Urban spaces

42 Products

Unilock makes your landscape dreams come true with the highest quality products in the industry.

- 46 Pavers & Slabs
- 112 Retaining Walls & Vertical Features
- 134 Steps, Treads, Coping & Caps
- **142** Making Your Project Unique

152 Where Do I Begin?

Now that you've been inspired by our products and ideas, it's time to get down to the nitty gritty.

- 154 Learn about Unilock Products
- **159** Learn about the Process
- **162** Find a Contractor
- **164** Protect your Investment
- 166 Prestigious Public Spaces
- 168 Unilock Guarantee

10 Reasons to Choose Unilock

There's more to a successful project than what you see on the finished surface.

STYLES YOU CAN'T GET ANYWHERE ELSE



From the sleek, contemporary look of Umbriano™ to the timeless feel of weathered European cobblestones and everything in between, Unilock® has something for everyone's landscape dreams.


2 LINIL OCK IDEA CENTER



The Unilock Outdoor Idea Center is a real place where you can walk through inspiring displays of Unilock products in a full-scale outdoor setting. Let our friendly customer service staff show you our amazing products and help you create your dream plan.

We'll even provide you with free product samples.

We're here to help you every step of the way.



Unilock Outdoor Idea Center 301 E. Sullivan Rd. Aurora, IL 60505

3 ADVANCED TECHNOLOGY



With products to suit every budget and a huge variety of material types, Unilock will make your landscape dreams come true!

- > EasyClean™ Stain Resistance
 Factory sealed to provide integral surface
 protection from stains
- > Reala™ Technology Cast from natural stone, brick and historic European cobblestones
- > Ultima™ Concrete Technology Up to 4x stronger than poured-in-place concrete
- > ColorFusion™ Technology

 Randomly dispersed color and granite particles

GREENER CHOICES - WATER MANAGEMENT



We began selling permeable pavers more than 25 years ago and have more experience in this area than any other manufacturer. Permeable pavers are a popular choice to unlock useable space in municipalities where non-permeable lot coverage is restricted. They allow water to flow through extra wide joints to replenish the natural eco-system.

This icon indicates permeable products.

5 UNSURPASSED DURABILITY



There isn't a better paving product in the world. Unilock products set the standard for quality in the industry.

Every Unilock product is...

- > Durable
- > Made with colorfast pigments
- > Slip resistant
- > Resistant to salt erosion
- > Designed to tolerate oil and gas spills
- Backed by our Transferable Lifetime Guarantee





6 THE GO-TO PRODUCT FOR PROFESSIONALS



There's good reason why the pros choose Unilock products. From architects and landscape architects to city engineers and commercial property owners, Unilock is preferred by professionals.

Many of the products featured in this catalog have been installed in large scale commercial projects in some of the most prestigious spaces in North America. If we're the choice of the pros, shouldn't you choose us, too?

MORE EXPERIENCE THAN ANYONE ELSE



Founded in 1972, Unilock was the first to manufacture paving stones in North America. Over the past 48 years, we have perfected our manufacturing process and have developed technologies to create products that set the bar for innovation and creativity.

Our world-class production facilities are renowned for their safety and cleanliness and are staffed with the most experienced production people in the industry.

This, in combination with our ongoing investment in technologically advanced equipment, ensures we're able to provide the best in quality, consistency and design.



8 UNBEATABLE PRODUCT GUARANTEE



Unilock was the first to offer a transferable Lifetime Guarantee on our manufactured products. That's quite the commitment since we have almost 2 billion stones on the ground! You can sleep well at night knowing that Unilock is behind you 100%.

GUARANTEED TO DO THE JOB RIGHT



A product is only as good as the workmanship used to install it. Unilock Authorized Contractors are rigorously screened and hand-picked for their quality workmanship and exceptional business practices which enables us to guarantee their workmanship for a period of two years. When you choose a Unilock Authorized Contractor, you can be assured that you are getting the best in the business.

10 WE'RE HERE TO HELP



Unilock is a family owned company that cares about the success of your project. Contractors know that help from Unilock is only a phone call away and we're committed to providing the best customer experience in the industry.

Outdoor Living
Pool Decks
Driveways
Entrances & Walkways
Urban Spaces

Dream

If you can dream it, we can make it happen!


Whether you're dreaming of an intimate patio, a practical driveway or a luxurious outdoor living space, Unilock has everything you need to make your dream come true.




Unlock the Possibilities!


Outdoor Living

Imagine extending your living space outdoors. An elegant and beautiful backyard not only adds tremendous value to your home, it also adds wonderful opportunities for your family to enjoy time together.



Pavers: Umbriano™ (Winter Marvel) with Copthorne* (Basalt) accent Wall: Rivercrest* Wall (Coastal Slate) with Copthorne (Basalt) accent and Ledgestone™ (Grey) coping and pillar caps







With outdoor spaces designed for alfresco living, you'll gain a new appreciation for outdoor dining, relaxing, enjoying conversation in a peaceful environment and entertaining friends and family in style.

LEFT PAGE

Pavers: Beacon Hill" Flagstone (Bavarian Blend) with Copthorne* (Basalt) and Brussels Block* (Sandstone) accents

TOP RIGHT

Pavers: Umbriano™ (Summer Wheat) with Town Hall* (Burnt Clay) accent and Natural Stone (Indian Coast) step

BOTTOM RIGHT

Pavers: Bristol Valley* (Steel Mountain) with Copthorne* (Basalt) and Brussels Block* (Sandstone) accent Wall: Brussels Dimensional Stone* (Sierra) with Copthorne (Basalt) accent and Ledgestone* (Buff) coping



EXPAND YOUR HOME

A new outdoor living space can add functional square footage to your existing home by providing a new space to relax and entertain. Consider first how you would like to use the space, and then design it as an extension of your interior decorating style. Even a small space can appear bigger by using different paver colors, paver borders, elevation changes and seat walls to define distinct areas for cooking, eating and relaxing.



Pavers: Beacon Hill Smooth (Bavarian Blend) with Mattoni™ (Dark Charcoal) accent Walls: Lineo™ Dimensional Stone (River) with Mattoni (Dark Charcoal) accent and Ledgestone™ (Buff) coping and trim detail



Pavers: Beacon Hill™ Smooth (Bavarian Blend) with Town Hall* (Basalt) accent Wall: U-Cara* (Bavarian Blend Pitched)



Did You Know?

Unilock offers a software program that creates 3D visuals of your design. The software is called Uvision* 3D Landscape Creator and it's available to your contractor or designer.

GET INSPIRED!

Fire features are growing in popularity because they add visual interest and warmth that makes the space more enjoyable to use in cooler weather. Lighting installed in gardens, low walls, steps and pillars will also help draw people outside in the evening and adds visual appeal that you can enjoy from inside your home. Snow-covered pillars and walls can make beautiful accents to your property in the winter months.





TOP LEFT

Pavers: Beacon Hill" Smooth (Granite Fusion) with Town Hall* (Basalt) accent
Seat Wall: U-Cara* (Granite Fusion Pitched) with U-Cara (Opal Smooth) accent and Universal Coping (Grey)


Firepit: U-Cara (Opal Smooth) with Universal Coping (Grey)

BOTTOM LEFT

Pavers: Thornbury™ (Bavarian Blend) with Town Hall* (Basalt) accent Wall: U-Cara (Bavarian Pitched) with Universal Coping (Tan)

RIGHT PAGE

Pavers: Umbriano" (Winter Marvel) with Umbriano (Midnight Sky) accent Wall: Rivercrest* Wall (Coastal Slate) with Natural Stone (Black River) pillar caps and Ledgestone" (Grey) steps





BEST IN SHOW



"There are no amenities missed in this job. It was a real honor, for sure."

Sam Gembel
PRESIDENT OF ATLAS OUTDOOR

Atlas Outdoor shows its strength in design and workmanship

2020 Best in Show Winner in the Unilock Awards of Excellence

This home was in the midst of construction when Sam Gembel, President of Atlas Outdoor, first met with the owners of this golf course-side property. During these early conversations he learned that the homeowners love to entertain, and that they didn't want any lawn to maintain in the approximately 5,500 sq. ft. backyard. This gave Atlas a very generous canvas to work with.





Using Uvision 3D Landscape Creator from Unilock, the team created a captivating outdoor design complete with a fly-through video. "We were able to include every feature you could think of – even the kitchen sink," Sam quipped.

"Getting to see the Uvision design gave us a better idea of how the space would lay out before the heavy machinery even showed up to start digging!" said the homeowner.

The stunning, multi-level design was constructed with Lineo verticals and Umbriano pavers. It contains numerous water elements, two fire features (a gas fire pit and a wood-burning fireplace) and a covered pavilion with a complete outdoor kitchen and bar, with smaller patios used to divide the large area into intimate "rooms." LED lights add ambience and help ensure safe footing after dark.


In order to complete the project, the Atlas team was on site nearly every day for approximately four months.

However, they did experience an unusual job hazard...stray golf balls from the "very active fairway" behind the home. "We heard 'fore!' several times a day," said Sam jokingly.

"When we were dreaming of our outdoor living space, we had two non-negotiables at the top of our list. We wanted it to be built to last, and we wanted to work with a local, reputable contractor. Unilock made it an easy choice with many products to choose from, and the Atlas Outdoor team brought it to life even better than we could have imagined!"

Mike & Kathy

HOMEOWNERS



Pavers: Umbriano™ (French Grey) with Town Hall® (Basalt) accent

Wall: Fire Feature, Water Feature and Outdoor Kitchen built with Lineo Dimensional Stone* (Granite Blend)


Steps & Coping: Natural Stone





Pool Decks


The beauty of a built-in swimming pool is trumped by the excitement of having it right in your own backyard! Here your imagination can run wild, with the addition of complementary pavers, slabs, borders, and vertical features to enhance and distinguish.

Pavers: Bristol Valley* (Steel Mountain) with Copthorne* (Basalt) and Brussels Block* (Sandstone) accents and Brussels Fullnose Coping (Sierra) Wall: Brussels Dimensional Stone* (Sierra) with Brussels Fullnose (Sierra) pool coping and Brussels Fullnose (Sandstone) coping and step treads









SIZE MATTERS

When planning your pool deck, four feet is the minimum perimeter around the pool for basic access. However, if you intend to use the pool deck as a patio for entertaining or sunbathing, you'll need to increase this significantly. Be sure to keep in mind the size of your outdoor furniture; it's typically much bigger than indoor furniture!

LEFT PAGE


Upper Pavers: Artline" (Steel Mountain) and with Mattoni" (Dark Charcoal) and Brussels Block* (Sandstone) accents Lower Pavers: Westport" (Granite) with Mattoni (Dark Charcoal) and Brussels Block (Sandstone) accents Walls: Olde Quarry* (Sandstone) with Ledgestone" (Buff) coping and pillar caps

TOP RIGHT

Paver: Beacon Hill™ Smooth (Granite Fusion)

BOTTOM RIGHT


Water Feature: U-Cara*(Granite Fusion Pitched) with Natural Stone (Stone Cliff Grey)coping



Naturally, the deck surrounding a pool not only enhances its elegance, it's also important for safety reasons.

SAFETY CONSIDERATIONS

The paver you choose for your pool deck deserves special consideration because you'll be walking on it in your bare feet! Be sure to choose a color that won't absorb too much heat from the summer sun. A smoother surface is pleasing to walk on, but make sure it's sufficiently non-slip. Umbriano™ is our most popular choice for pool decks. For the coping around the edge of the pool, avoid products with abrasive edges. A contrasting coping color or inset border is also something to consider, as it helps define the pool edge.





LEFT

Pavers: Beacon Hill™ Flagstone (Bavarian Blend) with Mattoni™ (Cocoa Brown and Dark Charcoal) and Brussels Block* (Sandstone) accents Wall: Rivercrest* Wall (Buff) with Ledgestone™ (Buff) coping and pillar caps

RIGHT


Pavers: Copthorne® (Steel Blue) with Copthorne (Basalt) accents and Umbriano™ (Winter Marvel)




Driveways

There's nothing like the welcome you'll feel when you pull up to your Unilock driveway. A stunning paver driveway is an investment that adds instant curb appeal and value to your home. Your Unilock driveway will be strong, durable and designed to withstand heavy use throughout the year while looking beautiful for years to come!








THINK GREEN 🍪

Permeable pavers allow rainwater to flow between the joints, through base materials and into the subsoil below. This reduces puddling on the driveway surface when it rains, and reduces ice build-up in winter. It also provides a dual "green" benefit; not only does it reduce the amount of water that flows into storm sewers but it also provides moisture to surrounding plant material.





TOP LEFT


Paver: Town Hall® (Basalt)


BOTTOM LEFT


Paver: Thornbury™ (Bavarian) with Town Hall® (Basalt) accent

RIGHT PAGE

Paver: Tribeca Cobble" (Cobalt Grey) with Tribeca Cobble (Peppered Granite) accent and Copthorne (3 Color Blend) insert







LEFT PAGE

Richcliff*(Dawn Mist) with Copthorne* (3 Color Blend) accent and apron

TOP RIGHT

Umbriano™ (Summer Wheat) with Courtstone® (Basalt) accent and driveway


BOTTOM RIGHT

Courtstone (Pebble Taupe and Dawn Mist) with Copthorne (3 Color Blend) accent




Entrances & Walkways

A great looking front entrance gives guests a warm welcome.
Attractive steps that are wide enough to easily navigate, low garden walls and planter boxes, and smartly placed lighting all contribute to a cozy feeling that smooths the transition from the street to your home.



Pavers: Umbriano™ (Summer Wheat) with Town Hall® (Burnt Clay) accent





Paver: Copthorne® (3 Color Blend) accent

Did You Know?

Unilock offers homeowners and contractors free samples so you can match our products to your home.

A PLACE TO SIT


Even a modest front yard can usually accommodate a small seating space. Picture yourself enjoying your morning coffee or watching the kids playing as you proudly admire your beautiful Unilock entry.


Pavers: Richcliff* (Dawn Mist and Pebble Taupe) with Copthorne (3 Color Blend) accent





 $\textbf{Pavers:} \ \ Beacon \ Hill ``Smooth (Granite Fusion) with Copthorne (Basalt) accents \\ \textbf{Steps:} \ \ Copthorne (Basalt) accent fascia with Ledgestone ``(Buff) step treads$





COMPLEMENT YOUR HOME

The exterior of your home should set the stage for the design, textures and colors you choose. Consider replicating, augmenting or complementing the architectural features of your home.

LEFT PAGE

Pavers: Richcliff* (Dawn Mist and Pebble Taupe) with Courtstone* (Basalt) accent

TOP RIGHT

Pavers: Town Hall® (Heritage Red) with Ledgestone™ (Buff) step treads


BOTTOM RIGHT

Pavers: Copthorne* (3 Color Blend) with Brussels Block* (Sandstone) paver rug accents Wall: Rivercrest* Wall (Buff) with Ledgestone (Buff) coping and pillar caps



Urban Spaces

You can use any of our products to create unique Urban Spaces that work beautifully in diminutive yards. Improve your curb appeal with a stunning front entrance with or without a driveway and extend your living area outdoors. Unilock is the perfect solution for economical, functional and beautiful outdoor spaces no matter the size!






TOP RIGHT


Paver: Umbriano[™] (Summer Wheat)

BOTTOM RIGHT

Pavers: Richcliff* (Dawn Mist) with Copthorne (Basalt) accent Grill Island: Rivercrest* Wall (Coastal Slate)







LOOK HERE!

The right focal point will add visual interest that will make your modestly-sized space feel more grand.

LEFT PAGE


Paver: Umbriano™ (French Grey)

TOP RIGHT

Paver: Natural Stone (Stone Cliff Grey)
Firepit: Lineo™ Dimensional Stone (Granite Blend)
with Ledgestone™ Fullnose (Buff) coping

BOTTOM RIGHT

Pavers: Beacon Hill" Smooth (Granite Fusion) with Mattoni" (Dark Charcoal) accent Grill Island: Lineo Dimensional Stone (Granite Blend) with Mattoni (Dark Charcoal) accent



Pavers
Slabs
Retaining Walls & Vertical Features
Steps, Treads, Coping & Caps
Making your Project Unique

Products

Unilock makes your landscape dreams come true with the highest quality products in the industry.



Unilock Product Categories

Unilock makes your landscape dreams come true with the highest quality pavers and walls in the industry. We offer five categories of products that are designed to offer you beauty, longevity and low maintenance. Whatever Unilock product you choose, we stand behind it 100%.

CLASSIC

Our budget-friendly, Unilock Classic pavers and walls are manufactured to exceed ASTM standards for quality and strength. Available in classic shapes and styles, these products utilize a traditional product mix of large and small aggregates that is consistent from top to bottom with color mixed throughout.



ENDURACOLOR"

The refined surface of Unilock EnduraColor products is achieved with a two-step manufacturing process that combines a base of coarser aggregates for a stronger foundation with concentrated color and wear-resistant finer aggregates on top. This process protects the surface from the appearance of fading over time because the top layer prevents large, lighter color aggregates from ever showing through. Now, with U-Cara*, walls are available with EnduraColor too!



SELEGANCE

Deep, rich colors and a multitude of unique Reala™ textures combine to deliver the timeless beauty of Unilock Elegance. From the timeworn look of European cobblestones, to the classic luxury of riven natural stone slabs, our Elegance collection offers styles you can't get anywhere else. Thanks to Ultima™ Concrete, the look you purchase is the look that will last, with up to 4x the strength of poured-in-place concrete.



Did You Know?

Unilock was the first company to bring EnduraColor technology to North America, more than 25 years ago.



STONEMARK

The highly detailed surface texture of StoneMark products is created using Reala Technology. Combined with careful color blending, the result is surface texture and color variation resembling natural stone, but with the durability and precision of a manufactured paver or wall product.





PERMEABLE

To reduce the amount of rainwater that flows off the surface of your new pavers and into storm sewers, consider a permeable paving system. Unilock permeable pavers have extra wide joint spaces and are installed on a special aggregate base so water flows through, replenishing the natural ecosystem.

The Product is Roughly 20% of the Total Cost


BUY THE BEST!

The major cost of your project is the prep work and installation – not the cost of the product (the ratio is approximately 20% product 80% installation). Don't compromise! Choose the product you love, to get the maximum enjoyment from the investment you've made below the surface

CONSTRUCTION CROSS SECTION

PROJECT COST









UNILOCK° COLLECTION OF

Pavers & Slabs

From traditional shapes and textures to the most advanced technology and unique styles, the choices available in our paver collection are unrivaled in the industry.

Richcliff* (Dawn Mist) with Series** (Onyx Black) accent and Brussels Fullnose** (Sandstone) coping



CLASSIC | WESTPORT

CLASSIC

$We stport^{\text{\tiny{``}}}$

ADVANTAGES

Classic Coat

Factory sealed to protect surface texture and color

DRIVE FRIENDLY

Can handle vehicular loads







GRANITE RIVER NEW SIERRA



LARGE RECTANGLE 10 x 15 x 2³/₄" 254 x 380 x 70mm



SQUARE $10 \times 10 \times 2^{3}/4$ " 254 x 254 x 70mm



RECTANGLE 5 x 10 x 2³/₄" 127 x 254 x 70mm



RECTANGLE $5 \times 10 \times 2^{3}/4$ " 127 x 254 x 70mm

3 UNIT RANDOM BUNDLE



CLASSIC | BRUSSELS BLOCK

CLASSIC

Brussels Block°

ADVANTAGES

ANTIQUED FINISH

Distressed, timeworn finish

DRIVE FRIENDLY


Can handle vehicular loads



COFFEE CREEK







STANDARD STONE $6\% \times 8\% \times 2\%$ 173 x 208 x 70mm



HALF STONE $4\frac{1}{8} \times 6\frac{7}{8} \times 2\frac{3}{4}$ " 104 x 173 x 70mm



RIVER NOT AVAILABLE IN COPING

FULLNOSE COPING $6 \times 12 \times 2^{3}/4$ " 150 x 300 x 70mm

Non-antiqued coping also available see page 137.




LIMESTONE NOT AVAILABLE IN COPING



SIERRA







CLASSIC

Olde Greenwich Cobble^{**}

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads





AUTUMN RED

RIVER



SIERRA



MEDIUM RECTANGLE 4³/₄ × 7 × 2³/₈" 120 × 180 × 60mm

 ${\sf Autumn\,Red\,and\,Sierra\,Mix\,with\,Brussels\,Block}^* ({\sf Sandstone}) \, {\sf accent}$



CLASSIC

Hollandstone

ADVANTAGES

DRIVE FRIENDLYCan handle vehicular loads



AUTUMN RED



RIVER



SIERRA



STANDARD4 x 8 x 2³/₈"
100 x 200 x 60mm

Sierra with Copthorne® (3 Color Blend) accent



CHARCOAL



RUSTIC RED



CLASSIC

Eco-Priora™ **⊘**

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads






RIVER

SIERRA



RECTANGLE 5 x 10 x 31/8" 120 x 240 x 80mm

River



ENDURACOLOR

Refined surface and long-lasting color

Eco-Priora[™] **②**

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads



SABLE BLEND



GRANITE NEW



Granite





Holland Premier[™]

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads



CHARLESTON



HERITAGE BROWN



DARK CHARCOAL NEW



RIVER



GRANITE BLEND



SIERRA



STANDARD4 x 8 x 2³/₈"
100 x 200 x 60mm





Brussels Premier[™]

ADVANTAGES

ANTIQUED FINISH

Distressed, timeworn finish

DRIVE FRIENDLY

Can handle vehicular loads







ALPINE GREY BAVARIAN BLEND SYCAMORE



XL STONE 8½ x 13¾ x 2¾" 208 x 348 x 70mm



STANDARD STONE 6% x 8¼ x 2¾" 175 x 208 x 70mm



HALF STONE 41/8 x 67/8 x 23/4" 104 x 175 x 70mm



Thornbury[™] **②**

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads







ALPINE GREY BAVARIAN BLEND



LARGE RECTANGLE 13³/₄ x 16¹/₂ x 2³/₄" 350 x 420 x 70mm



MEDIUM RECTANGLE 13½ x 8¼ x 2¾" 350 x 210 x 70mm



SMALL RECTANGLE 67/8 x 81/4 x 23/4" 173 x 210 x 70mm

3 UNIT RANDOM BUNDLE



Treo® Smooth ® New

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads







GRANITE RIVER SIERRA



LARGE RECTANGLE 8% x 13% x 23% " 225 x 338 x 60mm



SQUARE 8% x 8% x 23%" 225 x 225 x 60mm



SMALL RECTANGLE $4\frac{1}{2} \times 8\frac{7}{8} \times 2\frac{3}{8}$ " $112 \times 225 \times 60$ mm

3 UNIT RANDOM BUNDLE

Pavers: Granite with Holland Premier™ (Dark Charcoal) accent Wall: Estate Wall™ (Granite) with Universal Coping (Grey)



Beacon Hill Flagstone 60 mm

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular









ALPINE GREY

BAVARIAN BLEND

FOSSIL

OAKWOOD NEW



LARGE RECTANGLE 14 x 21 x 23/8" 360 x 540 x 60mm



SQUARE 14 x 14 x 2³/₈" 360 x 360 x 60mm



SMALL RECTANGLE 7 x 14 x 2³/₈" 180 x 360 x 60mm



XL UNIT21 x 35 x 2³/₈"
540 x 890 x 60mm

3 UNIT RANDOM BUNDLE

Pavers: Alpine Grey with Mattoni™ (Dark Charcoal) accent

Wall: Brussels Dimensional Stone* (Sandstone) with Town Hall* (Basalt) accent and Ledgestone* (Buff) coping and steps





Beacon Hill[™] Flagstone 80 mm

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads









ALPINE GREY BAVARI

BAVARIAN BLEND

FOSSIL

OAKWOOD NEW



LARGE RECTANGLE 14 x 21 x 31/8" 360 x 540 x 80mm



SQUARE 14 x 14 x 31/8" 360 x 360 x 80mm



SMALL RECTANGLE 7 x 14 x 31/8" 180 x 360 x 80mm

3 UNIT RANDOM BUNDLE



Beacon Hill Smooth

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular









BAVARIAN

FOSSIL

GRANITE FUSION

OPAL




LARGE RECTANGLE 15 x 22½ x 2³/₈" 380 x 570 x 60mm



SQUARE 15 x 15 x 2³/₈" 380 x 380 x 60mm



SMALL RECTANGLE 7½ x 15 x 2¾" 190 x 380 x 60mm



XL UNIT 22½ x 37¾ x 2¾" 570 x 950 x 60mm

3 UNIT RANDOM BUNDLE

Pavers: Bavarian Blend with Copthorne® (Basalt) accent

Wall: U-Cara® (Pitched Bavarian Blend) with Ledgestone™ (Buff) coping





Bristol Valley[®]

Exclusive to **UNILOCK**

ADVANTAGES



Factory sealed to provide integral surface protection from stains

PEDESTRIAN FRIENDLY

Not recommended for vehicular







BAVARIAN BLEND FOSSIL NEW STEEL MOUNTAIN





SQUARE 14 x 14 x 2³/₈" 360 x 360 x 60mm



SMALL RECTANGLE 7 x 14 x 2³/₈" 180 x 360 x 60mm



XL UNIT 21 x 35 x 2³/₈" 540 x 890 x 60mm

3 UNIT RANDOM BUNDLE

8 mm Standard also available by Special Order.





Mattoni[™]

Exclusive to **UNILOCK**

ADVANTAGES

ANTIQUED FINISH

Distressed, timeworn finish

DRIVE FRIENDLY

Can handle vehicular loads







GRANITE FUSION NEW



SABLE BLEND



DARK CHARCOAL





Artline™ smooth finish

ADVANTAGES




Factory sealed to provide integral surface protection from stains

PEDESTRIAN FRIENDLY

Not recommended for vehicular







BAVARIAN BLEND FOSSIL STEEL MOUNTAIN





Artline™ umbriano™ finish

Exclusive to **UNILOCK**

ADVANTAGES



Factory sealed to provide integral surface protection from stains

COLORFUSION™

Subtly mottled color finish

DRIVE FRIENDLY

Can handle vehicular loads





MIDNIGHT SKY

WINTER MARVEL

 $7\frac{1}{2} \times 13\frac{3}{8} \times 2\frac{3}{4}$ "

188 x 338 x 70mm



7½ x 8% x 2¾" 188 x 225 x 70mm

47/8 x 63/4 x 23/4"

125 x 169 x 70mm



4% x 103% x 23¼" 125 x 263 x 70mm



41/8 x 133/8 x 23/4" 125 x 338 x 70mm



 $7\frac{1}{2} \times 17\frac{3}{4} \times 2\frac{3}{4}$ "

47/8 x 173/4 x 23/4" 125 x 450 x 70mm

7 UNIT RANDOM BUNDLE



ENDURACOLOR"

Refined surface and long-lasting color

Artline™ IL CAMPO® FINISH

Exclusive to **UNILOCK**

ADVANTAGES

BRUSHED FINISH

Graphically interesting etched lines

DRIVE FRIENDLY

Can handle vehicular loads





BAVARIAN BLEND

GRANITE BLEND



7 UNIT RANDOM BUNDLE






LEFT Series banding idea for paverArtline™ (Steel Mountain) with
Onyx Black accent

RIGHT
Series banding idea for wall
Lineo Dimensional Stone (Granite Blend)
with Onyx Black accent and Ledgestone™
(Grey) coping and pillar cap

BOTTOM Cobalt Grey 3 Unit Random Bundle





Series[™]

ADVANTAGES

Granite, Quartz and Marble surface materials

DRIVE FRIENDLY

Random Bundle not recommended for vehicular All other sizes can handle vehicular loads

60mm



COBALT GREY



AUTUMN GRANITE

3 UNIT RANDOM BUNDLE



LARGE RECTANGLE 14 x 21 x 2³/₈" 360 x 540 x 60mm



SQUARE 14 x 14 x 2³/₈" 360 x 360 x 60mm



SMALL RECTANGLE 7 x 14 x 2³/₈" 180 x 360 x 60mm

70mm



ONYX BLACK



GOLDEN TAN



4 x 8 x 2³/₄" 100 x 200 x 70mm

80mm



ARCTIC GREY



NORDIC STAR



4 x 12 x 31/8" 100 x 300 x 80mm



ENDURACOLOR

Refined surface and long-lasting color

Granito[™]

Exclusive to **UNILOCK**

ADVANTAGES




Factory sealed to provide integral surface protection from stains

ARTISTA™

Boldly mottled color finish

DRIVE FRIENDLY

Can handle vehicular loads





NOTTE

SABIA



HEX 8 x 8 x 2³/₄" 200 x 200 x 70mm

Pavers: Notte and Sabia (Blended on Site) **Wall:** U-Cara® Granite Fusion (Smooth)





Tribeca Cobble[™] **②**

ADVANTAGES

Granite, Quartz and Marble surface materials

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads



COBALT GREY



PEPPERED GRANITE



LARGE RECTANGLE 51/8 x 12 x 2³/₄" 130 x 305 x 70mm



MEDIUM RECTANGLE $5\frac{1}{8} \times 9 \times 2^{3}\frac{4}{9}$ $130 \times 230 \times 70$ mm



SMALL RECTANGLE 51/8 × 7 × 2³/₄" 130 × 175 × 70mm

3 UNIT RANDOM BUNDLE

Cobalt Grey



Refined surface and long-lasting color

Umbriano[™]

Exclusive to **UNILOCK**

ADVANTAGES



Factory sealed to provide integral surface protection from stains

COLORFUSION™

Subtly mottled color finish

PEDESTRIAN FRIENDLY

Not recommended for vehicular



NEW 4 x 12 x 4" 100 x 300 x 100mm French Grey, Midnight Sky & Winter Marvel only



PERMEABLE 3 x 12 x 4" $80 \times 300 \times 100 mm$ SPECIAL ORDER

 $4 \times 8 \times 2^{3/8}$ " 100 x 200 x 60mm Midnight Sky only



FRENCH GREY SUMMER WHEAT





WINTER MARVEL



MIDNIGHT SKY



LARGE RECTANGLE 15 x 22½ x 23/8" 380 x 570 x 60mm



SQUARE 15 x 15 x 23/8" 380 x 380 x 60mm



SMALL RECTANGLE 7½ x 15 x 23/8" 190 x 380 x 60mm



XL UNIT 22½ x 37¾ x 2¾" 570 x 950 x 60mm

3 UNIT RANDOM BUNDLE





Arcana[™]

Exclusive to **UNILOCK**

ADVANTAGES

Enhanced surface appearance



Factory sealed to provide integral surface protection from stains

PEDESTRIAN FRIENDLY

Not recommended for vehicular









CORVARA LUGANO

) MO

MODENA

VIVANTO



24 x 24 x 2" 606 x 606 x 50mm



18 x 24 x 2" 453 x 606 x 50mm



12 x 24 x 2" 301 x 606 x 50mm

Lugano



$Skyline^{\scriptscriptstyle{\mathsf{M}}}$

ADVANTAGES

Perfect for roof decks and other raised floor applications.

PEDESTRIAN FRIENDLY

Not recommended for vehicular



CHAMOIS MEDIUM GREY



23% x 23% x 2" 606 x 606 x 50mm



Unilock Pedestal SystemContact your local Unilock
Rep for more information.



TOP

Indian Coast with Black River banding

воттом

Pavers Stone Cliff Grey

Grill island and Firepit Rivercrest® Wall (Buff) and Rivercrest Firepit (Buff)

Please contact your contractor or a local Unilock Authorized Dealer for more information and availability.

LOOKING FOR MORE INFORMATION?

Visit Unilock.com to download a Natural Stone Brochure.



Natural Stone

ADVANTAGES

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

PEDESTRIAN FRIENDLY

Not recommended for vehicular



AUTUMN HARVEST SANDSTONE



INDIAN COAST SANDSTONE



STONE CLIFF GREY SANDSTONE



BLACK RIVER LIMESTONE





18 x 24 x 7/8" 450 x 600 x 22mm



24 x 24 x 7/8" 600 x 600 x 22mm



24 x 36 x 1/8" 600 x 900 x 22mm





BOTTOM
Tuscan Bucine Bluestone with
Series™ (Onyx Black) accents
Wall: U-Cara* (Bavarian) with Series™
(Onyx Black) accents

Please contact your contractor or a local Unilock Authorized Dealer for $more\ information\ and\ availability.$

LOOKING FOR MORE INFORMATION?

Visit Unilock.com to download a Natural Stone Brochure.



SLABS | NATURAL STONE

Natural Stone

TUSCAN BUCINE BLUESTONE

Exclusive to **UNILOCK**



Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

PEDESTRIAN FRIENDLY

Not recommended for vehicular



FLAMED SANDSTONE

Bring a little bit of Florence and Tuscany to your project with Bucine Bluestone, exclusively from Unilock.

The material of choice for leading artists in the history of Italian art and Renaissance, this stone has been widely used for centuries.

Our Bucine Bluestone is a sandstone, sourced directly from Italy. A classic material of beautiful, uniform grey color, it is highly durable for outdoor use, extremely versatile, easy to maintain and combines well with many other colors and materials.



12 x 24 x 1½" 300 x 600 x 38mm



24 x 24 x 1½" 600 x 600 x 38mm



18 x 24 x 1½" 453 x 606 x 38mm

24 x 36 x 1½" 600 x 900 x 38mm

See page 138 for steps & coping.





LEFT Travstone Beige


RIGHT Gotham Nero

BOTTOM Arbor Natural

Please contact your contractor or a local Unilock Authorized Dealer for more information and availability.

LOOKING FOR MORE INFORMATION?

Visit Unilock.com to download a Porcelain Tile Brochure.



Porcelain Tile







Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

PEDESTRIAN FRIENDLY

Not recommended for vehicular



GOTHAM GREY DELCONCA USA



EIKON GEA CAESAR



GOTHAM NERO DELCONCA USA



TRAVSTONE BEIGE DELCONCA USA



RIMINI CAESAR

235/8 x 235/8 x 3/4"

600 x 600 x 20mm



ARBOR BIANCO DELCONCAUSA



ARBOR GREY DELCONCAUSA



ARBOR NATURAL DELCONCA USA





Exclusive to **UNILOCK**

UNILOCK COSMIC GREY NEW



UNILOCK DOVE GREY TRAVERTINE NEW



15³/₄ x 31¹/₂ x ³/₄" 400 x 800 x 20mm



15³/₄ x 31¹/₂ x ³/₄" 400 x 800 x 20mm



ELEGANCE | RICHCLIFF





Richcliff*

Exclusive to **UNILOCK**

Inspired by the texture of natural cut flagstone, Richcliff offers superior durability and timeless appeal ideal for driveways, patios, walkways and commercial projects. A multitude of stone textures were cast using Reala™ Technology, to ensure that finished projects will have a completely random and natural appearance. And unlike natural stone, which can crack, split and fade, Richcliff is virtually indestructible.



Dawn Mist



ELEGANCE | RICHCLIFF



Deep rich colors and unique textures

Richcliff^{*}

Exclusive to **UNILOCK**

ADVANTAGES

$REALA^{\text{m}}$

Cast from natural stone

ULTIMA™

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Random Bundle can handle vehicular loads



DAWN MIST



PEBBLE TAUPE



PEBBLE TAUPE / DAWN MIST BLENDED ON SITE



SMOKE SHALE



RECTANGLE12 x 9 x 2³/₈"
300 x 226 x 60mm



SQUARE 9 x 9 x 2³/₈" 226 x 226 x 60mm



SMALL RECTANGLE 6 x 9 x 2³/₈" 150 x 226 x 60mm



LARGE RECTANGLE 21 x 12 x 2³/₈" 528 x 302 x 60mm

NOT RECOMMENDED FOR DRIVEWAYS

3 UNIT RANDOM BUNDLE







Courtstone[®]

Exclusive to **UNILOCK**

The polished look of Courtstone brings a luxurious, old-world elegance to driveways and walkways, with Ultima™ Concrete Technology providing up to four times the strength of conventional poured concrete. Using Reala™ Technology, the unique shapes of Courtstone were cast from real European cobblestones, but manufactured with a consistent base for efficient installation and superior interlock. It's a look that has remained popular for centuries.



Basalt with Brussels Block® (Sandstone) accent



Deep rich colors and unique textures

Courtstone[®]

Exclusive to **UNILOCK**

ADVANTAGES

REALA™



BASALT



DAWN MIST





LARGE RECTANGLE 51/8 x 71/4 x 23/8" 130 x 185 x 60mm



RECTANGLE $5\frac{1}{8} \times 6\frac{1}{2} \times 2\frac{3}{8}$ " 130 x 165 x 60mm



51/8 x 53/4 x 23/8" 130 x 145 x 60mm



SQUARE 130 x 130 x 60mm

Cast from natural stone

ULTIMA™

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Can handle vehicular loads



BELGIAN BLUE



PEBBLE TAUPE




BASALT / BELGIAN BLUE BLENDED ON SITE



DAWN MIST / PEBBLE TAUPE BLENDED ON SITE











Town Hall @

Exclusive to **UNILOCK**

The substantial proportions and unique color blending of Town Hall are modeled after historic North American clay street pavers. The timeless look makes it an excellent choice for driveways, patios, walkways and more, in either traditional or permeable applications. The rich colors and classic shape also make it popular for borders, banding and other accents. To ensure projects have a random appearance, Town Hall textures were cast from a multitude of different surfaces using Reala™ Technology. The result is vintage, streetscape charm that stands the test of time.





Deep rich colors and unique textures

Town Hall®

Exclusive to **UNILOCK**

ADVANTAGES

REALA™

Cast from historic brick

ULTIMA™

Up to 4x stronger than poured-in-place concrete

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads



BURGUNDY RED



HERITAGE RED



BURNT CLAY



HERITAGE CLAY



OLD OAK



HERITAGE 2 COLOR BLENDBLENDED ON SITE



3 COLOR BLEND BLENDED ON SITE



BASALT



STANDARD 4 x 9³/₄ x 2³/₄" 100 x 250 x 70mm

Burgundy Red, Burnt Clay, Old Oak and Heritage Red (Blended on Site)







Copthorne[®]

Exclusive to **UNILOCK**

Inspired by the rich color and timeworn beauty of European street pavers, Copthorne offers more delicate dimensions than Town Hall*. These proportions make it possible to design curved walkways and borders using Copthorne without the need for cutting. Cast using Reala** Technology for an authentic surface appearance, and Ultima** Concrete Technology to deliver up to four times the strength of conventional poured concrete, Copthorne offers timeless beauty.







Deep rich colors and unique textures

Copthorne[®]

Exclusive to **UNILOCK**

ADVANTAGES

REALA™

Cast from natural stone

ULTIMA™

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Can handle vehicular loads



BURGUNDY RED



OLD OAK



BURNT CLAY



3 COLOR BLEND BLENDED ON SITE




BASALT



STEEL BLUE



Pavers: 3 Color Blend (Burgundy Red, Burnt Clay and Old Oak) with Brussels Block* (Sandstone) accent Wall: Rivercrest* Wall (Buff) with Ledgestone™ (Buff) coping and steps






UNILOCK° COLLECTION OF

Retaining Walls & Vertical Features

Unlimited creative possibilities exist for retaining soil or building vertical features like grill islands and firepits. Now the durability of EnduraColor™ is available, thanks to our new U-Cara® Multi-Face Wall System.

Wall: U-Cara® Granite Fusion Pitched with Opal Smooth accent and Universal Coping (Grey) **Pavers:** Beacon Hill™ Smooth (Granite Fusion) with Town Hall® (Basalt) accent





ENDURACOLOR

U-Cara°

Multi-Face Wall System

Exclusive to **UNILOCK**

This patented wall system, exclusive to Unilock, represents a revolution in wall design. With U-Cara it's now possible to design walls, pillars, planters, fire features, grill islands and more, with the refined surface and long-lasting color of exclusive Unilock EnduraColor finishes.



Did You Know?

In 2019, U-Cara received the "red dot" award for high design quality and innovation.

PITCHED FINISH



BAVARIAN



GRANITE FUSION



FOSSIL NEW

SMOOTH FINISH



BAVARIAN



GRANITE FUSION



OPAL

UMBRIANO™ FINISH



FRENCH GREY



SUMMER WHEAT

SERIES[™] **FINISH**



ONYX BLACK 3" PANEL ONLY

 $Granite\ Fusion\ (Pitched)\ and\ Opal\ (Smooth)\ accent\ and\ Natural\ Stone\ step\ treads\ and\ coping$






LEFTGranite Fusion Pitched with
Series™ (Onyx Black) 3" panel accent

RIGHT Granite Fusion Smooth with Universal Coping (Grey)

BOTTOM
Umbriano (Summer Wheat) with
Natural Stone (Indian Coast) coping
Pavers: Umbriano (Summer Wheat)
with Town Hall* (3 ColorBlend)



ENDURACOLOR

Refined surface and long-lasting color

U-Cara[®]

Multi-Face Wall System

Exclusive to UNILOCK

U-Cara Fascia Panels can be placed anywhere along the patented SureTrack™ Backer Block, allowing for pattern, color and texture combinations that are impossible to achieve with other systems. The design possibilities are endless for single or double sided vertical landscape features and retaining walls.

CHOOSE YOUR BASE UNIT



UNIVERSAL BASE UNIT

14 x 19 x 2" 355 x 482 x 55mm

ADVANTAGES

UMBRIANO™ FINISH
COLORFUSION™
Subtly mottled color finish

SERIES™ FINISH Granite, Quartz and Marble surface materials

2 CHOOSE A BACKER SIZE



SURETRACK STANDARD BACKER

6 x 8 x 6" 150 x 200 x 150mm



NEW

SURETRACK LARGE BACKER $6 \times 71/2 \times 12$ " $150 \times 190 \times 300$ mm



SURETRACK CORNER/PILLAR UNIT

6 x 7 x 12" 150 x 175 x 30mm



SURE TRACK CORNER INSERT

L = 2" 50mm

3 CHOOSE PANEL SIZES



6" STANDARD FASCIA PANEL

6 x 18½ x 2¾8" 150 x 466 x 60mm



STANDARD FASCIA HALF PANEL

6 x 9½ x 23/8" 150 x 233 x 60mm



CLOSED-END FASCIA PANEL

6 x 21 x 23/8" 150 x 540 x 60mm



3" FASCIA PANEL

3 x 91/4 x 23/6" 75 x 233 x 60mm SERIES AND SMOOTH FINISH ONLY

2 UNIT CORNER BUNDLE

4 CHOOSE PANEL STYLES



PITCHED

SMOOTH



UMBRIANO



SERIES 3" PANEL ONLY



CHOOSE COPING



UNIVERSAL COPING 14 x 19 x 2³/₄" 355 x 482 x 70mm

See page 136-141 for more coping options

US Pat. 9,453,341 (International Patents Pending)





LEFT
Rapid Pillar System (Buff) with
Ledgestone" (Buff) pillar caps and
Rivercrest Wall (Buff) risers with
Ledgestone (Buff) treads

RIGHT Coastal Slate with Natural Stone (Black River) coping

BOTTOM
Coastal Slate with Copthorne®
(Basalt) accent
Pavers: Umbriano® (Winter Marvel) and
Courtstone® (Basalt) accent



Rivercrest* Wall

Exclusive to UNILOCK

ADVANTAGES

REALA™

Cast from natural stone

COPING OPTIONS

We recommend using Ledgestone™ or Natural Stone.



Did You Know?

In 2013, Rivercrest received the "red dot" award for high design quality and innovation.



BUFF

RIVERCREST FIREPIT KIT





COASTAL SLATE

RAPID PILLAR SYSTEM



COMPLETED UNIT SHOWN PILLAR CAP SOLD SEPARATELY



PILLAR UNIT 20 x 20 x 41/2" 500 x 500 x 114mm CENTER OPENING 9 x 9"



STANDARD UNIT 1

 $8 \times 9 - 10 \times 2\frac{1}{4}$ " 200 x 230-250 x 57mm



STANDARD UNIT 2 12 x 9-10 x 21/4" 300 x 230-250 x 57mm



STANDARD UNIT 3 12 x 9-10 x 21/4" 300 x 230-250 x 57mm



STANDARD UNIT 4 17 x 9-10 x 21/4" 425 x 230-250 x 57mm

4 UNIT RANDOM BUNDLE



JUMPER UNIT 1 8 x 9-10 x 41/2"



JUMPER UNIT 2 12 x 9-10 x 4½" 300 x 230-250 x 114mm



JUMPER UNIT 3 12 x 9-10 x 41/2" 300 x 230-250 x 114mm



JUMPER UNIT 4 17 x 9-10 x 41/2" 425 x 230-250 x 114mm



JUMPER CORNER UNIT 12 x 9-10 x 41/2" 300x 230-250 x 114mm

4 UNIT JUMPER BUNDLE



LONG CORNER UNIT 17½ x 9-10 x 2¼" 450 x 230-250 x 57mm



SHORT CORNER UNIT 14½ x 9-10 x 2¼" 375 x 230-250 x 57mm



UNIVERSAL BASE UNIT 14 x 19 x 2" 355 x 482 x 55mm






LEFT

Grill Island: Sierra
Paver: Artline™(Bavarian) with
Town Hall®(Basalt) accent

RIGHT
Granite Blend with Series™ (Onyx Black)
accent and Ledgestone™ (Grey) coping
and pillar cap

BOTTOM
Seat wall and Water Feature:
Granite Blend with Natural Stone
(Stone Cliff Grey) coping
Paver: Richcliff*(Dawn Mist and Pebble
Taupe) with Courtstone* (Basalt) accent



WALLS | LINEO DIMENSIONAL STONE

CLASSIC

Lineo[™] Dimensional Stone

COPING OPTIONS

We recommend using Ledgestone[™], Natural Stone or Universal Coping.







GRANITE BLEND

RIVER NEW

SIERRA



8 x 24 x 4" 200 x 600 x 100mm



8 x 20 x 4" 200 x 500 x 100mm



8 x 16 x 4" 200 x 400 x 100mm



8 x 12 x 4" 200 x 300 x 100mm

4 UNIT RANDOM BUNDLE



PILLAR UNIT / CORNER UNIT 8 x 12 x 4" 200 x 300 x 100mm



LEDGESTONE[™] **PILLAR CAP** $24 \times 24 \times 4$ " $600 \times 600 \times 100$ mm



UNIVERSAL BASE UNIT 14 x 19 x 2" 355 x 482 x 55mm





LEFT Pizza Oven: Sierra with Copthorne®
(Basalt) accent and Brussels Fullnose™
(Sierra) details **Paver:** Bristol Valley® (Steel Mountain)
with Copthorne (Basalt) accent

RIGHT
Firepit: Granite with Series™
(Onyx Black) accent and Ledgestone™
(Buff) coping
Paver: Bristol Valley® (Steel Mountain)

BOTTOMSierra with Copthorne (Basalt) accent and Sandstone coping



WALLS | OLDE QUARRY

CLASSIC

Olde Quarry™

COPING OPTIONS

We recommend using Ledgestone[™], Natural Stone, Universal Coping or Brussels Fullnose[™].







COFFEE CREEK



GRANITE

SIERRA



SANDSTONE



15" UNIT 15 (12) x 4 x 8" 381 x 100 x 200mm



12" UNIT 12 (9) x 4 x 8" 300 x 100 x 200mm



9" UNIT 9(6) x 4 x 8" 229 x 100 x 200mm

3 UNIT RANDOM BUNDLE



STANDARD 12 x 9 x 4½" 300 x 10 x 150mm



COPING 12 x 3 x 12" 305 x 76 x 305mm



UNIVERSAL BASE UNIT 19 x 14 x 2" 482 x 355 x 55mm





LEFT
Steps and Coping: Sierra
Paver: Copthorne® (3 Color Blend)

RIGHT River with Ledgestone (Buff) coping

BOTTOM River with Copthorne® (Basalt) accent Paver: Beacon Hill™ Flagstone (Alpine Grey)



WALLS | ESTATE WALL

CLASSIC

Estate Wall

COPING OPTIONS

We recommend using Estate Wall or Ledgestone $^{\text{\tiny M}}$.









GRANITE RIVER SANDSTONE SIERRA



LARGE UNIT 9 x 16 x 6" 230 x 380 x 150mm



MEDIUM UNIT 9 x 12 x 6" 230 x 320 x 150mm



SMALL UNIT 8 x 9 x 6" 200 x 230 x 150mm

3 UNIT RANDOM BUNDLE




CORNER 9 x 12½ x 6" 230 x 320 x 150mm



COPING $12 \times 12\frac{1}{2}(9\frac{1}{2}) \times 3$ " $300 \times 320(240) \times 75$ mm



UNIVERSAL BASE UNIT 14 x 19 x 2" 355 x 482 x 55mm



TOPRiver with Copthorne* (Basalt) accent and Ledgestone™ (Buff) coping

BOTTOMSierra with Series (Onyx Black) accent and Natural Stone (Black River) pillar cap



WALLS I CUMBERLAND WALL

CLASSIC

Cumberland Wall*

COPING OPTIONS

We recommend using Natural Stone or Ledgestone $\mbox{\ensuremath{}^{\text{\tiny{TM}}}}$ coping.





RIVER SIERRA



6" LARGE UNIT 15 (12½) x 6 x 9" 380 x 150 x 230mm



6" MEDIUM UNIT 12½ (10) x 6 x 9" 320 x 150 x 230mm



6" SMALL UNIT 10 (7½) x 6 x 9" 25 (19) x 15 x 23cm



6" CORNER / PILLAR UNIT 12½ x 6 x 9" 32 x 15 x 23cm





LEFT

Granite with Copthorne® (Basalt) accent and Natural Stone (Stone Cliff Grey) coping Paver: Copthorne® (Basalt)

RIGHT

Limestone with Brussels Fullnose™ (Limestone) coping

BOTTOM
Sandstone with Series"
(Onyx Black) accent and Brussels
Fullnose (Sandstone) ledge
Paver: Brussels Block* (Sandstone)



WALLS | BRUSSELS DIMENSIONAL STONE

CLASSIC

Brussels Dimensional Stone^a

COPING OPTIONS

We recommend using Ledgestone™, Natural Stone or Universal Coping.



COFFEE CREEK



SANDSTONE



STANDARD 12 x 4 x 8" 300 x 100 x 200mm



SMALL TAPERED 9 x 31/8 x 71/8" 229 x 100 x 200 mm



UNIVERSAL BASE UNIT 19 x 14 x 2" 482 x 355 x 55mm



GRANITE SMALL TAPERED ONLY



SIERRA



LIMESTONE

SUNSET FIREPIT KITS





Available Colors: Coffee Creek, Sandstone and Sierra.





PRODUCTS

WALLS | SIENAEDGE

CLASSIC

SienaEdge[™] New

SPECIAL ORDER PRODUCT

Minimum quantities may apply





GRANITE





STANDARD / CORNER UNIT 11½ x 39 x 7" 290 x 1000 x 180mm



COPING UNIT 11½ x 39 x 7" 290 x 1000 x 180mm

NOTE: Coping Unit can also act as a closed end unit with the unique patented locking mechanism.



CLASSIC

SienaStone[™]



NATURAL



STANDARD 333 13 x 471/4 x 71/4" 333 x 1200 x 185mm



CORNER 45° (left & right) 20 x 431/3 x 71/4" 500 x 1100 x 185mm



COPING20 × 471/4 × 71/4"
500 × 1200 × 185mm



CORNER 90° (left & right) 20 x 431/3 x 71/4" 500 x 1100 x 185mm

See page 141 for SienaStone Smooth Step.



CLASSIC

PisaXLTM

COPING OPTIONS

We recommend using Pisa, Natural Stone or Universal Coping.





SIERRA

GRANITE ONLY IN COPING, CORNER & XL WALL

NEVADA

GRANITE



CORNER 12 x 6 x 8" 300 x 150 x 200mm



COPING12 x 12 x 6"
300 x 300 x 150mm



XL UNIT 12 x 16 x 6" 300 x 400 x 150 mm



UNIVERSAL BASE UNIT 14 x 19 x 2" 355 x 482 x 55mm

Sierra XL Unit





UNILOCK° COLLECTION OF

Steps, Treads, Coping & Caps

From classic, fullnose shapes to pitched-face edges, our steps, treads and coping offer a wide variety of choices for the finishing touch on your project.

Wall: U-Cara® Granite Fusion (Pitched) with Natural Stone coping and steps **Pavers:** Beacon Hill™ Flagstone (Granite Fusion) with Town Hall® (Basalt) accent

Ledgestone

Steps, Coping & Pillar Cap



BUFF



GREY



48" STEP 24 x 48 x 57/8" 610 x 1220 x 150mm



COPING UNIT 12 x 24 x 2³/₄" 305 x 610 x 70mm





72" STEP 24 x 72 x 6" 610 x 1830 x 150mm



CLOSED END COPING 12 x 24 x 2³/₄" 300 x 610 x 70mm



24" PILLAR CAP 24 x 24 x 4" 610 x 610 x 100mm



FULLNOSE COPING $12 \times 24 \times 2^{3}/8$ " $300 \times 610 \times 60$ mm



28" PILLAR CAP 28½ x 28½ x 4" 740 x 740 x 100mm



LARGE COPING UNIT 13½ x 30 x 2¾" 343 x 762 x 70mm



END COPING 13½ x 30 x 2³/₄" 343 x 762 x 70mm

LARGE CLOSED



TOP Fullnose Buff **BOTTOM** 48" Steps Buff

ADVANTAGES

REALA™
Cast from natural stone



Fullnose Coping

6 x 12" Fullnose



COFFEE CREEK



CHARCOAL NEW



SANDSTONE



SIERRA



STANDARD 6 x 12 x 2³/₄" 150 x 300 x 70mm

Brussels Fullnose™



COFFEE CREEK



CHARCOAL NEW



SANDSTONE



SIERRA



STANDARD 6 x 12 x 2³/₄" 150 x 300 x 70mm





TOP Antiqued Sandstone **BOTTOM** 6x12 Fullnose Sierra

ADVANTAGES

ANTIQUED FINISHDistressed, timeworn finish

NaturalStone Steps, Coping & Pillar Cap

SANDSTONE



INDIAN COAST



STONE CLIFF GREY

LIMESTONE



BLACK RIVER




4' ROCKFACE COPING48 x 12 x 2"
1200 x 300 x 50mm

4' FULLNOSE 48 x 12 x 2" 1200 x 300 x 50mm



INDIAN COAST AND BLACK RIVER ONLY



6' ROCKFACE COPING 72 x 12 x 2"

72 x 12 x 2" 1830 x 300 x 50mm

6' FULLNOSE

72 x 12 x 2" 1830 x 300 x 50mm INDIAN COAST ONLY



24" PILLAR CAP 24 x 24 x 4" 600 x 600 x 100mm

28" PILLAR CAP 28 x 28 x 4" 710 x 710 x 100mm

Exclusive to **UNILOCK**

TUSCAN BUCINE BLUETONE



FLAMED SANDSTONE



STEP NEW 24 x 48 x 6" 600 x 1200 x 150mm



COPING NEW 14 x 48 x 2" 356 x 1200 x 50mm



PILLAR CAP NEW 24 x 24 x 2" 600 x 600 x 50mm



Architectural Coping & Pillar Cap New



BUFF



CHARCOAL



COPING24 x 14 x 23/8"
609 x 355 x 60mm





Enhanced surface appearance







TOP Buff Pillar Cap **BOTTOM** Charcoal Coping

Universal Coping

Pisa2[™]



TAN



GREY







TOP Grey Coping **BOTTOM** Tan Step Treads



GRANITE



NEVADA



SIERRA



ADVANTAGES



STEPS, TREADS, COPING & CAPS

Estate Wall[™]

SienaStone^{**}

SienaStone^{**} Smooth



GRANITE



RIVER



SANDSTONE



SIERRA



12½(9½) x 3 x 12" 320(240) x 75 x 300mm



NATURAL



NEVADA



SIERRA



COPING/STEP UNIT 20 x 39 x 71/4" 500 x 1000 x 185mm



BUFF



GREY



48" STEP 47½ x 7 x 20" 1200 x 180 x 500mm

Note: 2 Edge details available on the same unit (Chamfer and Rounded) Contact a Unilock representative for more information.





Making Your Project Unique

Using Unilock finishing touches can make all the difference in the world to your finished product. With special attention to the details, your landscape dreams can soar above your expectations!

Wall: U-Cara® Bavarian (Pitched)
Pavers: Beacon Hill™ Smooth (Bavarian)

Borders & Banding

The creative use of Unilock borders and banding adds a touch of elegance to your driveway, walkway, patio or vertical features. Use them to enhance your design selections and create distinctive designs.



PAVER Richcliff*(Smoke Shale) ACCENT Courtstone*(Basalt)



PAVER Courtstone (Basalt)
ACCENT Copthorne® (Steel Blue)



PAVER Umbriano (Summer Wheat) ACCENT Copthorne (3 Color Blend)



PAVER Mattoni™ (Sable Blend) ACCENT Mattoni (Dark Charcoal)



PAVER Bristol Valley* (Steel Mountain) ACCENT Copthorne (Basalt)



PAVER Artline™(Steel Mountain) ACCENT Series(Onyx Black)



PAVER Series™(Cobalt Grey) ACCENT Courtstone(Basalt)



PAVER Beacon Hill™ Flagstone (Granite Fusion) ACCENT Town Hall® (Basalt)



PAVER Thornbury™ (Bavarain) ACCENT Town Hall (Old Oak)







WALL Rivercrest* Wall (Coastal Slate) ACCENT Copthorne* (Basalt)




WALL U-Cara (Opal Blend Smooth) ACCENT U-Cara (Series Onyx Black)



WALL U-Cara® (Bavarian) Smooth Face ACCENT U-Cara (Bavarian) Pitched Face



WALL Lineo™ Dimensional Stone (Granite) ACCENT Series (Onyx Black)



LAYING PATTERNS

One of the factors that makes your landscape project unique, is the laying pattern you choose. Your contractor can recommend choices that will utilize the best laying pattern for the product you've selected.

Visit Unilock.com for laying patterns.

JOINTING SAND COLOR CHOICE

Jointing sand color is another way to enhance your landscape dreams, offering a remarkable visual effect by creating stunning contrasts that can visually tie a hardscape together.



BLACK SAND



TAN SAND



GREY SAND

Firepits & Fire Features

Imagine the pure joy of sitting around an outdoor firepit with your friends and family! Envision getting cozy on a cool night and enjoying the mesmerizing flames from your backyard Unilock firepit or fireplace. It's a dreamer's dream come true!



Unilock products can be used to build a custom fire feature that's perfect for your project.







Top: Rivercrest* (Bella) Fireplace with Series and Universal Coping **Bottom:** Lineo™ Dimensional Stone with Ledgestone™ coping **Left:** U-Cara* (Pitched) with Universal Coping

Rivercrest Firepit Kit See page 119 for color options.



 $\textbf{Sunset Firepit Kit} \quad \textbf{Firepit Grill accessory is optional. See page 129 for color options.}$





REMEMBER To ensure a long lasting fire feature, direct exposure to extreme heat from an open flame should be avoided. Always construct fire features with a protective heat barrier such as a metal insert, refractory blocks or approved firebrick to prevent potential heat damage.



FIREPIT GRILL

Rivercrest firepit kits comes with a firepit grill that fits securely into the firepit.



SPECIAL ORDER





TUSCANY FIREPLACE Brussels Dimensional Stone® and Copthorne®accents.



BARCELONA FIREPLACE Brussels Dimensional Stone® and Umbriano™accents.



Outdoor Kitchens

The evolution of the backyard BBQ is a Unilock specialty.
We have a fabulous selection of products to help build custom grill islands and outdoor kitchens that fit your space perfectly and will make you the culinary star of the neighborhood!









U-Cara[®] Modular System

The U-Cara® Modular System offers a variety of aluminum frames that can be mixed and matched to construct vertical features like grill islands. Speak to your contractor to select a design and a U-Cara fascia panel finish to suit your project.



With the U-Cara Modular System you can build Grill Islands, Bars, Back splashes, Fire Tables and Pillars.



LOOKING FOR MORE INFORMATION?Visit Unilock.com to download the U-Cara Modular System Brochure.





Pillars & Water Features

Pillars


Pillars add a sense of permanence and strength to your landscape dreams, creating visual interest with height variation and functionality. Pillars are great for creating a visual anchor to walls and a place for extra lighting. By adding pillars, you can let your imagination run wild!





Looking for Something Different?Speak to your contractor about using Unilock products to build a custom feature that's just right for your project.







Water Features

From fountains and ponds to waterfalls and custom water features, these soothing additions are a popular way to enhance your landscape. Unilock products can be used to build an endless variety of water features, perfect for your landscape dream.





U-Cara Wall Mount System

The U-Cara Wall Mount System allows you to put the finishing touches on your project by cladding existing structures like unsightly exposed foundation areas or concrete steps with U-Cara fascia panels.





LOOKING FOR MORE INFORMATION? Visit Unilock.com to download the U-Cara Wall Mount System Brochure.



Sometimes it can seem like a daunting task to turn your landscape dreams into reality. We understand and we're here to help you every step of the way. Whether you are looking to create a simple front entry or a complete outdoor living installation, no project is too big or too small for Unilock! We've heard the question asked many times, "Where Do I Begin?" The short answer? You begin with Unilock!





Learn About Unilock Superior Products



Exclusive Unilock Technologies

All products are not created equal. Many products look great when they're first installed, but after time the difference shows. For over 48 years, the very best designers and contractors have relied on Unilock to supply cutting edge paver and wall products that enable them to build extraordinary projects that stand the test of time.







Reala[™] U

Utilizing REALA technology, a multitude of natural stone surfaces, brick and historic cobblestones are cast to create a wide variety of authentic textures with consistent dimensions that are more cost efficient to install.

PRODUCTS WITH REALA:

COPTHORNE®, COURTSTONE®, RICHCLIFF®,
TOWN HALL®, RIVERCREST® WALL, AND LEDGESTONE™



Without Ultima

Deteriorating brick

Only Unilock has the technology in North America to manufacture Ultima Concrete resulting in pavers up to four times the stronger than poured concrete. With Ultima, the look you purchase is the look that will last.

With Ultima

Unilock Town

Hall pavers are

built to last

PRODUCTS WITH ULTIMA:

COPTHORNE®, COURTSTONE®, RICHCLIFF® AND TOWN HALL®














Exclusive Unilock Technologies

Unilock is the only company in North America with memberships in Eurobeton and Stein + Design, two prestigious European concrete product innovation groups, which give us exclusive access to leading edge product designs and manufacturing processes.



ColorFusion[™]

The look of natural granite is achieved when color and granite particles are randomly dispersed using proprietary ColorFusion technology to achieve a unique mottled surface.

PRODUCTS WITH COLORFUSION:

UMBRIANO™ AND U-CARA®









With EasyClean, the occasional spill doesn't have to leave a lasting mark on your new pavement. Unlike costly after-market sealers which merely coat the top, EasyClean goes beyond the surface and becomes integral to the product during manufacturing, making spills and other debris easier to clean before a stain can develop.

PRODUCTS WITH EASYCLEAN:

ARTLINE™, ARCANA™, BRISTOL VALLEY®, GRANITO™ AND UMBRIANO™

Nothing protects pavers from stains like EasyClean.

- ✓ Pavers are pre-sealed at the factory
- ✓ Enhanced resistance to weathering
- ✓ Reduced dirt absorption
- ✓ Stains from leaves, coffee, ketchup, mustard, wine and BBO oils are easier to remove

UNILOCK PAVERS	Classic	EnduraColor	Elegance	Classic Coat	EasyClean	Reala	Ultima	ColorFusion	Permeable	Vehicular
Arcana™		•			•					
Artline™		•			•					•
Beacon Hill™ Flagstone 60mm		•								
Beacon Hill Flagstone 80mm		•								•
Beacon Hill Flagstone XL		•								
Beacon Hill Smooth		•								
Beacon Hill Smooth XL		•								
Bristol Valley [®]		•			•					
Brussels Block [®]	•									•
Brussels Premier™		•								•
Copthorne®		•	•			•	•			•
Courtstone®		•	•			•	•			•
Eco-Priora™	•	•							•	•
Granito™		•			•					•
Hollandstone™	•									•
Holland Premier™		•								•
Mattoni™		•								•
Richcliff*		•	•			•	•			•
Series 60mm		•								
Series 70mm		•								•
Series 80mm		•								•
Skyline [™]		•								
Thornbury™		•							•	•
Town Hall*		•	•			•	•		•	•
Treo™ Smooth		•							•	•
Tribeca Cobble™		•							•	•
Umbriano™		•			•			•		
Westport [™]	•			•						•

UNILOCK WALLS	Classic	EnduraColor	StoneMark	Reala	ColorFusion	Two-Sided	Garden	Engineered
Brussels Dimensional Stone®	•					•	•	
Cumberland Wall™	•					•	•	•
Estate Wall™	•					•	•	•
Lineo™ Dimensional Stone	•					•	•	
PisaXL [®]	•						•	•
Rivercrest® Wall			•	•		•	•	•
SienaEdge™	•					•		•
SienaStone™	•							•
Olde Quarry™	•					•	•	•
U-Cara [®]		•			•	•	•	•

STEPS	Classic	StoneMark	Reala	Natural
Ledgestone [™]		•	•	
SienaStone	•			
Natural Stone Sandstone				•
Natural Stone Limestone				•

COPING PAIRING OPTIONS

UNILOCK COPINGS	Architectural Coping	Ledgestone	Natural Stone	Brussels Fullnose	Estate Wall	Pisa
Brussels Dimensional Stone		•	•	•		
Cumberland Wall		•	•			
Estate Wall		•	•		•	
Lineo Dimensional Stone		•	•			
Pisa2			•			•
Olde Quarry		•	•	•		
Rivercrest Wall		•	•			
U-Cara	•	•	•			

STEP 2 | ABOUT THE PROCESS



Learn About The Process



Now that you've been inspired by our many different products and ideas, it's time to get down to the nitty gritty. We want you to have all of the information you need to make your project a huge success.



3D Rendering Created with Uvision® 3D Design Software

The construction process on the following pages will guide you through the various steps of a landscape project. As always – the helpful people at Unilock are always here to answer your questions and provide solutions.

Construction **Process**

STEP 1 | EXCAVATION

The first step in any project is excavation of grass and topsoil. The depth will depend on two factors:

- 1. Soil Type Clay soil requires deeper excavation; sandy soil requires less.
- 2. Use Heavy loads like driveways and retaining walls require deeper excavation; lighter loads like patios and walkways require less.

Depth of excavation can be reduced by adding DriveGrid™ once the soil has been removed.

STEP 2 | GRAVEL BASE

The excavated area will be filled with a gravel base. This gravel base needs to be:

- > Strong enough to handle the load of whatever is placed on the surface.
- > Free draining so that water drains out of the base into the subsoil. Retaining walls may require a perforated drain pipe in the gravel base to direct water away from the base of the wall.
- > Extended at least six inches beyond the edges of the finished paver surface.
- Compacted in several layers, using the proper equipment.




STEP 3 | **BEDDING LAYER**

A 1" (25mm) layer of sand or tiny stone chips is spread out and smoothed on top of the solid gravel base.

This layer allows paver or wall units to be leveled or sloped for smoothness and drainage.

Some contractors may recommend a poured concrete surface instead of a typical bedding layer, which is fine as long as the concrete is accurately poured and sits on a stable and well-drained base. Note: Once concrete is poured, the height of paver or wall units can no longer be adjusted.

PAVER CONSTRUCTION






Need help finding a qualified contractor?

Call us at 1-800-UNILOCK or register online at Unilock.com and we'll match you with a Unilock Authorized Contractor in your area.

WALL CONSTRUCTION



STEP 6 | SEALING

Unilock pavers will be durable with, or without, a sealer. Some homeowners choose to apply a sealer to enhance the color of the pavers, while others choose to appreciate the color of the pavers as they are. Some Unilock pavers are sold factory sealed. If you choose to seal, you should plan to re-seal every 3-5 years.

Factory Sealed Products

Elegance® Pavers and Unilock pavers manufactured with EasyClean™, have been pre-sealed in the factory and do not require sealing after installation. To clean and brighten the surface at any time, a gentle power washing of the surface is recommended. If you still wish to re-seal the surface, you must wait a minimum of 3 years before applying sealer. Only use solvent based sealers.

REMEMBER: A quality project relies on a quality foundation. We recommend hiring a professional contractor.

STEP 4 | RESTRAINT SYSTEM

For pavers, an edge restraint will be secured with long metal spikes or a concrete edge will be installed to prevent perimeter pavers from drifting out. For walls, glue may be used to secure rows of blocks. Larger retaining walls may require geogrid every few layers to secure the wall into the soil that is being retained.


STEP 5 | JOINT MATERIAL

The color you choose for joint material impacts the overall aesthetic. It also plays an important role between pavers by keeping out weeds and other debris. Your contractor can help you decide which joint material is right for your project.

There are two types of joint material to choose from:

Basic Jointing Sand – Years ago, this was the only joint material available. As it wears away, issues with weeds could arise. If you choose a basic sand, we recommend that you use a joint stabilizing sealer and be prepared to replenish the sand when needed.

Polymeric Sand – This special sand stays in place longer because it is combined with a binding agent. However, it's not right for every project and needs to be installed with care to prevent hazing.










TAN SAND



GREY SAND

STEP

Find a Contractor



Choosing the right contractor for your project is the most important decision of all because even the best materials can be spoiled by poor installation and workmanship. Be sure to ask the right questions and keep in mind that the cheapest quote is rarely the best option.

Our Referral Program will match you with a highly competent contractor who meets the rigid standards we impose to ensure the best quality work and results. Simply contact us online, by phone or at one of our locations and we'll help you find a contractor guaranteed to do the job right.



Learn more about Authorized Contractors at Unilock.com

8 Tips for Choosing A Contractor



1 WORKMANSHIP



- > Ask to see projects the contractor completed more than two years ago so you can see how their work holds up over time.
- > Are the pavers laid in a way that minimizes awkward cuts?
- > Are the curves of the project cut in a way that minimizes large gaps?
- > Have edge restraints been used and still in place?
- > How long does the contractor guarantee the work? How many warranty claims has the company had in the past two years?

2 SUB-CONTRACTING



Some contractors will hire other companies to perform parts of the work, like lighting and irrigation. Be sure to ask the contractor about these sub-contractors and how they will be managed.

3 RELEVANT EXPERIENCE



- > How long has the contractor been installing pavers and walls?
- > Has the contractor installed projects in the past with the features you're considering (eg. a raised patio, retaining wall or water feature)?

BASE PREPARATION



- > What are the contractor's base preparation methods?
- > What materials are used and why?
- > Is there a standard procedure for base preparation or will the contractor assess your site's unique needs?

5 TIMING



- Ask the contractor how far in advance they are booking projects and how long your project might take.
- > What are the contractor's payment terms?
- > Is an upfront deposit required to secure the timing of the project?

6 DOCUMENTATION



- Does the contractor have the proper licensing for their work?
- > Does the contractor have liability insurance and are employees covered by Workers Compensation?
- > Will there be permits required for the job and if so, who is responsible to secure them?

COMPATIBILITY



- Do you like this contractor? Can you easily communicate and understand each other? Is this someone you can trust?
- > Ask if the person you're meeting will be on site throughout the project or if someone else in the company will be your day-to-day contact person.
- > Contacting references can help you understand how the contractor operates throughout a project.

8 DESIGN



- Does the contractor offer a design service? Is there a cost for this?
- > Is the design hand drawn or rendered in 3D?
- > Are the contractor's designs something you would like for your project?



Protect Your Investment



Learn how to take care of your Unilock products to ensure that they stay beautiful and functional for years to come.

Weeds Can Be Prevented

When a proper base is installed, there is no soil directly beneath your pavers for weeds to grow. However, if the joints are not kept full with jointing material, it is possible for dirt and weed seeds to blow in from the surrounding area and germinate in the joints.

In the past - a basic sand was the only jointing material available. Unless it was replenished regularly, rain would erode the sand, leaving joints vulnerable to weeds.

Today - new varieties of sand stabilizing compounds and polymeric jointing material are available which relieves homeowners from this maintenance burden. See page 161 for more information on jointing material choices.



Spring Maintenance

Although most Unilock® products are designed to be low maintenance, there are a number of preventative maintenance steps that can be performed each spring to ensure that your project keeps its pristine appearance throughout patio season.

Check for "creep" - this is where the stones push out (due to winter stress, traffic or failure of the edge restraint), dips, deformations or stains. Should you discover any of these problems, they are all fixable.

Visit Unilock.com or speak to our friendly Unilock staff to find solutions.



Fall Maintenance

The most important thing to do in the fall is to keep leaves and other debris off your stones. Remove any plant pots, furniture, urns and BBQs that can leach rust onto your surfaces.



Winter Maintenance

While Unilock products are de-icing salt resistant, using calcium-based products or rock salt (sodium chloride) to melt ice is highly recommended. Use a plastic shovel and plastic blade protectors on snow plows or blowers to protect the surface.

NOTE: Avoid magnesium-based de-icing products as they are very aggressive and may cause damage to the concrete surface.



Search more FAQ's at Unilock.com.




Navy Pier. Chicago, IL.Designer: James Corner Field Operations

Prestigious Public Spaces

PROS WHO KNOW, CHOOSE UNILOCK

Many of the same
Unilock products
available to homeowners
in this catalog have been
trusted by professionals
to perform in large scale
commercial projects.

For years, Architects, Engineers, Installation Contractors and Designers across North America have turned to Unilock for leading edge designs and products that are proven to withstand the demands of heavy use.



Did You Know?

Unilock leads the industry with proprietary technologies?



Buckingham Fountain, Chicago Illinois.Designer: Thompson Dyke & Associates

Choose the brand the pros choose. There's nothing better than Unilock when it comes to withstanding the test of time.



Little Caesars Arena, Detroit, Ml. Designer: SmithGroup.




Indianapolis Motor Speedway, Indianapolis, IN.Designer: Browning Day Mullins Dierdorf.

Our Quality Commitment

Unilock was the first concrete paver manufacturer in North America to offer a Lifetime Guarantee, and since then we have continued to stand behind it to ensure customers are completely satisfied with our products. With almost 2 billion stones in the ground, that's quite the commitment!

Our products are better and stronger than other brands. In fact, our internal standards of manufacturing in the USA and Canada far exceed industry standards set by ASTM (American Society for Testing and Materials) and CSA (Canadian Standards Association) and other European organizations.



LIFETIME GUARANTEE - RESIDENTIAL

Our Transferable Lifetime Guarantee warranties the structural integrity of Unilock concrete paving stones and retaining wall units when used in residential applications. It covers any structural failure or deterioration of the concrete unit resulting from normal use or from the reasonable application of sodium chloride (common rock salt used for deicing). StoneMark™ products have the same warranties as Unilock paving stones and retaining walls, but cannot be warrantied against damage resulting from de-icing products.

Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Proof of purchase is required. Customers are encouraged to submit receipts to us as soon as their project is complete, using the Unilock Warranty Registration Form on our website (Unilock.com).

Purchasers need to ensure that the product they purchase is appropriate for their intended application; for example, only certain thicknesses of products are appropriate for driveways. Color matching of the replacement product and/or lost time cannot be guaranteed and labor costs related to installing replacement product is not included. Unilock reserves the right to seek a professional diagnosis and opinion to determine the exact cause of the product failure. If the failure falls within our warranty parameters, Unilock will replace the defective product.

EXCLUSIONS – Unfortunately, some things are beyond the control of Unilock, and are therefore not covered by this warranty. These include: naturally occurring efflorescence, hazing from polymeric jointing sand, scratching and chipping resulting from snow removal or construction equipment,

damage caused by natural or un-natural disasters, or negligence by anyone other than Unilock. The Unilock warranty also does not cover deterioration or damage as a result of poor design or poor installation practices that are contrary to specifications as laid out by ICPI (Interlocking Concrete Pavement Institute) and the NCMA (National Concrete Masonry Association). For more information please visit www.icpi.org and www.ncma.org. Additionally, please refer to the Maintenance, Color and Installation Advisories.

MAINTENANCE ADVISORY

1. Cleaning and Sealing

As with anything that is outdoors, Unilock products are subject to harsh weather, dust, acid rain, leaf stains, water stains and general wear from foot or vehicular traffic. Therefore, periodic cleaning using environmentally safe detergents designed for cleaning concrete is recommended to maintain a bright, fresh appearance.

To make subsequent cleaning easier and more effective, a concrete sealer can be applied to new or cleaned products to help prevent the penetration of substances that can cause stains.

There are many types of concrete cleaners and sealers on the market. Always read the instructions carefully before using the product to make sure that it will function as expected. Testing first, in a small unobtrusive area, is always a good idea to ensure the results are acceptable. Consult your local hardscape dealer to find the products best suited for your paver or wall installation.

Visit Unilock.com to register for your Transferable Lifetime Guarantee.

2. Winter Maintenance

Snow removal by way of metal blades on plows or shovels will scratch and chip the surface of pavers, causing permanent damage. To mitigate this risk, metal snow clearing blades must always have a polyurethane or rubber cutting edge attached when plowing pavers.

De-icing Salts - The use of de-icing products on paver surfaces is important for safety and to help mitigate snow accumulation. Most de-icing products will have some effect on concrete, even if the product label indicates that it is safe on concrete. If you must use a de-icing product, we recommend that you use Sodium Chloride (ordinary rock salt) or Calcium Chloride (for colder climates). Always apply sparingly. The use of de-icing products on StoneMark, wet-cast pavers, slabs or coping may damage the product and therefore is not recommended. Whenever possible use a coarse sand as an anti-slip measure instead of de-icing chemicals.

COLOR ADVISORY

1. Selection

Due to the inherently variable nature of printed materials and digital monitors, Unilock cannot guarantee that products will match the color of printed or online images. Therefore, when making final product selections, decisions should be made based on actual stones which are readily available from Unilock, Authorized Contractors or Authorized Dealers. Most Unilock products are not comprised of a single color, but rather contain blended colors for a more natural appearance. This means that there will be significant color variance from stone to stone, so purchasers should view multiple units together to get a more accurate impression of the overall color. Note: Unilock Natural Stone variations are outside the control of Unilock. Purchasers of natural stone

must be willing to accept this inherent variability.

2. Pre-installation checking

Always check the label to ensure that the Unilock product delivered to your project is the product and color ordered. If there is a discrepancy, or if the product inside the packaging doesn't appear to be correct, contact your hardscape dealer before installing any pavers or wall units. If the product is installed, it indicates your acceptance of the products as delivered.

3. Blending

If the project requires more than one bundle of product it's always a good idea to draw product from several bundles when installing, as this ensures that any variation between bundles will be seamlessly integrated in the project. When bundles are from different production runs, random selection from multiple bundles is even more important.

4. Efflorescence

Efflorescence is a naturally occurring process that may appear as a white or light grey powder on the surface of concrete, clay or natural stone. It is temporary, and will disappear over time. However, if it is bothersome, an efflorescence cleaner can be used to remove it. There is no way to predict or prevent efflorescence. Because it does not compromise the structural integrity of the product, it is not covered by Unilock product warranties.

INSTALLATION ADVISORY

1. Construction Residue

While a certain amount of dirt on pavers and walls is inevitable during the construction phase, installers are strongly encouraged to clean as they go as construction residue can embed in the surface and become difficult to remove. The slurry produced during wet-saw cutting is particularly stubborn to clean if allowed to dry on the surface of pavers. Unilock warranties do not cover stains caused by a failure to remove construction residue.

2. Polymeric Haze

Surface hazing caused by polymeric jointing sand is not the responsibility of Unilock. Polymeric jointing sand should only be installed by an experienced and knowledgeable contractor. Any sand that is left on the surface prior to activation will result in a haze that is very difficult and time-consuming to remove. Only the highest quality, brand name polymeric sand that is guaranteed by the manufacturer should be used.

3. Compaction Damage

Both smooth and textured paver surfaces can be scratched by compaction equipment used to 'flatten' a new paver installation. Therefore, metal plate compactors must be fitted with a polyethylene mat to protect the paver surface from becoming scratched, or a superior option is to use a rubber-roller compactor instead. Damage to product surfaces caused by failure to follow these instructions is not covered by Unilock product warranties.

FIRE PIT WARNING

Wood-burning fire pits must be lined with a proper metal insert or refractory (fire-rated) brick to protect the concrete components from extreme exposure to heat. Extreme heat on a concrete surface may affect the structural integrity of the concrete and can be dangerous. The floor of the fire pit should always be constructed using refractory brick or a sand bed. For your safety, always use a spark screen over the fire.



Index



PAVERS & SLABS

. / (
Arcana™	87
Artline [™] Smooth	75
Artline Umbriano	77
Artline II Campo	79
Beacon Hill™ Flagstone 60mm	6512, 24
Beacon Hill™ Flagstone 80mm	67
Beacon Hill Smooth	6914-15, 16, 23, 35, 41
Bristol Valley®	7113, 20
Brussels Block®	5113, 21, 22, 24, 37
Brussels Premier [™]	59
Copthorne®	10929, 30, 34, 37, 38
Courtstone®	10128, 31
Eco-Priora [™]	54-55
Granito™	82
Holland Premier [™]	57
Hollandstone™	53
Mattoni™	73
Natural Stone	91-9341
Olde Greenwich Cobble™	52
Porcelain Tile	95
Richcliff®	9734, 36, 39, 46
Series™	8131
Skyline™	89
Thornbury	6116, 28
	10526, 28, 32, 37
Tribeca Cobble [™]	8329
Umbriano™	8513, 17-19, 31, 39-40
Westport™	



RETAINING WALLS AND VERTICALS

Brussels Dimensional Stone®	12913, 20, 22
Cumberland Wall™	127
Estate Wall™	125
Lineo™ Dimensional Stone	12118-19, 22, 41
Olde Quarry™	123
PisaXL™	133
Rivercrest® Wall	11910, 17-19, 25
SienaEdge™	131
SienaStone™	132
U-Cara®	11515, 16, 23, 136



STEPS, TREADS, COPING & CAPS

•	
Architectural Coping & Cap	139
Brussels Fullnose [™]	13720
6x12 Fullnose	137
Estate Wall [™]	141
Ledgestone™	13610, 17
Natural Stone	13832
SienaStone™	141
Siena Smooth	141
Pisa2 Coping	140
Universal Coping	14016



TOPICS OF INTEREST


Borders and Banding	144
Classic	44
ColorFusion™	15685, 77, 117
Construction Process	160
Coping	138-141
Coping Pairings	158
EnduraColor™	44
Elegance™	44
EasyClean™	15671, 75, 77, 82, 85, 87
Firepits	14710, 14, 16, 18-19, 41
Fireplaces	147
Joint Material	161
Maintenance	164
Outdoor Idea Center	6
Outdoor Kitchens	14814-15, 25, 39, 41
Permeable Pavers	4554-55, 61, 63, 83, 85, 105
Pillars	15010, 13-15, 16-19
Reala [™]	15597, 101, 105, 109, 119, 136
Retaining Walls	114-13315-16, 20, 22, 24
Sealing	161
Steps	136-141
StoneMark	45119, 136
U-Cara Modular System	149
U-Cara Wall Mount System	151
Ultima [™]	15597, 101, 105, 109
Water Features	15010, 15, 23

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified. Umbriano are trademarks of Metten Stein + Design GmbH & Co KG used under license by Unilock. Measurements throughout this portfolio are nominal. Not all products shown are available at all Unilock locations. Log on to Unilock.com for availability. Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.

©2021 Hengestone Holdings, Inc.

On the cover:

Pavers: Copthorne® (Basalt) walkway with Bristol Valley® (Bavarian Blend) inlay and Brussels Block® (Sandstone) accent
Seat Wall, Pillars, Grill Island and Fire Feature:
Rivercrest (Buff) with Ledgestone® (Buff) coping and pillar caps



See

An expansive display of Unilock products in a life-size outdoor setting.

+ Talk

To our knowledgeable staff and we'll help you create a plan to achieve the outdoor space you're dreaming about.

+ Take

FREE samples of Unilock paver and wall products home with you.



See virtual tour at

Unilock.com

Please feel free to walk around and browse our Outdoor Idea Center at any time. Call 1-800-UNILOCK or visit Unilock.com for more details and staff hours.



BOSTON

(508) 278-4536

CHICAGO

(630)892-9191

MILWAUKEE

(262)742-3890

KANSAS

(913) 417-7985

MICHIGAN

(248) 437-7037

NEW YORK

(845)278-6700

MID-ATLANTIC

(202)798-2060

ONTARIO

(416)646-9000

CINCINNATI/KY/TN

(513) 202-0219

OHIO/WESTERN PA/WNY&CNY (330)927-4000

UNILOCK.COM | 1-800-UNILOCK