

OX[®]



THE OX BOOK | EDITION 11
OXTTOOLS.COM

CONTENTS



DIAMOND TOOLS

pages 15-42



CONCRETING TOOLS

pages 43-62



BRICKLAYING TOOLS

pages 63-72



PLASTERING & RENDERING TOOLS

pages 73 - 86



TILING TOOLS

pages 87- 94



PLUMBING & ELECTRICAL TOOLS

pages 95 - 102



STRIKING & STRUCK TOOLS

pages 103 - 114



MEASURING TOOLS

pages 115 - 122



LAYOUT TOOLS

pages 123 - 132



MARKING TOOLS

pages 133 - 138



WOODWORKING TOOLS

pages 139 - 142



CUTTING TOOLS

pages 143 - 148



SITE TOOLS & ACCESSORIES

pages 149 - 160



TOOL STORAGE

pages 161 - 168



SAFETY EQUIPMENT

pages 169 - 174



SPARE PARTS

pages 175 - 180



MERCHANDISING

pages 181 - 183



OUR STORY

OX Tools is a world leading manufacturer of hand tools, diamond tools and safety products.

Founded in Australia in 2010 OX is recognised as tough, dynamic and different across the globe.

As a manufacturer of professional tools, we sell direct to the merchants, providing them with excellent service, innovative merchandising solutions and an award-winning brand.

Our global online presence and unique Tuff Club membership programme provides a community of tradespeople benefitting from shared experience and knowledge embedding our 'live the trade' attitude into the fabric of building sites around the globe.


FEEL THE POWER OF THE OX.



DEALER E-COMMERCE ORDERING SYSTEM

To login please visit: shop.oxtools.com

LEARN MORE



You can place your order on the move or wherever you are,
via any desktop, smart phone and tablet device.

EASY TO USE ONLINE ORDERING SYSTEM



SHOP BY TOOL CATEGORY
or search for products that fit your needs.



ORDER HISTORY
View your order history.



TRACK & CHECK
on the status of your order.



PLACE ORDERS AND CHECK
with your purchase order number



CHECK PRICING
See your pricing.



SPECIAL PROMOTIONS
View your promotions & special pricing.

IT'S EASIER TO DO BUSINESS WITH US!



ORDER ACCURACY

94.32
PERCENT

OF ORDERS ARE
DELIVERED CORRECT



QUICK ANSWERING

2.5
SECONDS

AVERAGE PHONE
CALL PICK UP TIME



FAST DISPATCH

12
PM

SAME DAY DISPATCH
IF ORDERED BEFORE 12PM



shop.oxtools.com

Online ordering made easy,
desktop or mobile. Fast,
secure ordering with our
user-friendly store



sales.au@oxtools.com

Anytime! 24 hours - 7 days a week.



P: (02) 8845 6600

8:00 am to 5:00 pm AEST
Monday to Friday

Our friendly, professional
staff are ready to help.



WORLD LEADING TECHNOLOGY...



TOUGH

All our products are built to the highest standards using quality raw materials to cope with the demands and rigour of the job site.



DYNAMIC

We utilise our network of established trade professionals to cultivate product feedback that allows us to respond dynamically to the needs of the tradesperson.




DIFFERENT

By living the trade we develop intelligent solutions to create products that improve efficiency on site.

visit oxtools.com to find out more...

WHATEVER THE LEVEL OF MERCHANDISING SUPPORT YOU NEED WE HAVE THE ANSWER!



FULL BACK UP **SUPPORT**



Staff training



Service & support on site




Demonstrations & trade shows



Marketing & sell through

LIVE THE **TRADE**

**TUFF
CLUB
OX**




**TOOLS
FOR SCHOOL**

LEARN FROM THE BEST, TRAIN WITH THE BEST

NEW INNOVATIVE TOOL DEVELOPMENT

With over 50 years of experience, and product and marketing innovation, we deliver ingenious design solutions to meet ever-evolving customer requirements.

The functionality, durability and innovation of our tools are led by the need to meet the high expectations of professional users on the jobsite.



A GREENER BRAND...

The commitments made by OX Tools to ensure a more sustainable future cover 6 core areas: vehicles fuel, printing & ink, packaging, recycling, lighting & electrical and shipping. We are committed to reducing waste and becoming a more sustainable brand.

We are proud to be transparently transforming the OX of today to ensure there is an OX of tomorrow. The greener, blue brand.

OUR COMMITMENT

We are committed to minimizing our environmental impact to sustain the world we live in together.



PACKAGING
MORE SUSTAINABLE
PACKAGING MATERIALS



VEHICLES & FUEL
GREENER MORE EFFICIENT
VEHICLE FLEET



PRINTING & INK
MORE SUSTAINABLE
PRINTING SOLUTIONS



RECYCLING
INCREASING RECYCLED
MATERIALS AND REDUCING
WASTE



ELECTRICAL
TECHNOLOGICAL SOLUTIONS
TO REDUCE ELECTRICAL
CONSUMPTION



SHIPPING
CONSOLIDATED SHIPMENTS
AND REDUCING WASTE IN
TRANSPORTATION

PACKAGING

We are committed to a lifecycle approach to the use of our packaging. Over 5 million products pass through the OX Tools AU warehouse every year. Every product requires well-designed, efficiently packed, appropriately used and responsibly disposed of packaging.

In early 2021 we introduced only brown cardboard packaging boxes. This material is recyclable, renewable and sustainable.

We also actively engage with our factories across the globe to develop more environmentally sustainable packaging options. In cases where plastic was being used, we are transitioning to card and for the plastic still in use we are reducing single use packaging where possible and moving towards recycled plastic.



REDUCING
excessive and
inappropriate
use of materials.



RECYCLING
waste material to
ensure a closed
loop system.



OPTIMIZING
shipments ensuring
boxes are loaded to
capacity without
risking damage.




NEW PRODUCTS

PRO CIRCULAR SAW BLADES

- Made in Australia
- OXLOK® Tooth Embedded Carbide Tip
- Tempered Surface Treatment & Anti-Friction Finish
- Durable M9 Carbide Grade Ensuring Ultimate Shock Resistance



CUTS LIKE LIGHTNING **BRING THE THUNDER**



PRO METRIC TUFF RULE - WHITE | BRICK GAUGE

- Stretcher bond up to 1200mm
- Suits 84, 85, 86, 87 gauges
- 2 in 1 - Folding rule & brick gauge
- Set your datum height
- Clear markings and increments for many application

Page 120

PRO NAIL PUNCH WITH GRIP

- Hexagonal Anti-Roll Profile
- Forged And Hardened Full Steel Core
- Wide Grip Head For Finger Protection
- Colour Coded For Easy Identification

Page 113





PRO ULTRA BLADE TAPE MEASURE

- 32mm Nylon Wrapped Anti Tear Coating Reinforces the Blade and Reduces Tape Tear
- Up to 4m of Standout
- Impact-resistant ABS housing and TPR overmould
- Double-sided printing for easy reading in all applications
- Wire Belt Clip to ensure the clip withstands all job site conditions
- Lanyard-Ready for Quick and Easy Tethering
- Magnetic End Hook improves both horizontal and lateral grip on metal surfaces

Page 117

PRO METRIC TUFF RULE - 1200MM

- Length 1200mm for working with sheets of ply / gyprock for larger marking out and nailing floor screw spacings 300mm, 600mm, 900mm & 1200mm
- Width 45mm – Common framing timber 90mm x 45mm
- Bevelled edges for ease of use

Page 118



PRO 3 AXIS LASER KIT - 45M

- Impact resistant casing with rubber over moulds
- Pulse mode compatible with laser receivers
- Li-ion USB-C Charging
- Fine Adjustment Bracket
- Removable USB-C Battery
- Spare USB-C Battery
- Hard Case Storage Box
- Laser Target
- Charging Cord and Wall Plug

Page 130



PRO 15M PRECISION CHALK REEL VALUE PACK - KEVLAR ULTRA FINE LINE / 3:1 GEAR RATIO

- ABS Body with rubber over mould
- 15m Ultra Fine Line
- KEVLAR® Ultra Fine Line For increased line strength
- Integrated hook storage in housing
- 3:1 Planetary Gears for quick reeling
- Integrated Pin & Hook design for quick snaps
- Clutch release for easy reeling

Page 128

NEW PRODUCTS

PRO HEAVY DUTY BAR CLAMP - 150KG

- 150kg Clamping Force
- Strong Engineered ABS Plastic
- Induction Hardened Rail For Improved Strength And Durability
- Long Leverage Design For Reaching High Pressure Faster
- Can Be Quickly Converted To Spreader

Page 141



PRO 7PC SCREWDRIVER KIT - PH & BLADE

- 7 Screwdrivers Included (3x Phillips & 2x Blade - Parallel & 2x Blade - Flared)
- Phillips PH0 x 75mm
- Phillips PH1 x 75mm
- Phillips PH2 x 100mm
- Blade - Parallel 3.5 x 75mm
- Blade - Parallel 5.5 x 100mm
- Blade - Flared 6.5 x 38mm
- Blade - Flared 6.5 x 100mm

Page 156



SAFETY DEMOLITION GLOVES

- Reinforced Design
- Padded Palms
- Velcro Tag
- Impact Rubber TPR Protection
- Meets CE and AS/NZS Safety Standard Regulations

Page 172



DIAMOND TOOLS

“OX Tools Diamond range has served my business well. I have used the OX blades on my Brick Saw for as long as I can remember. On the odd occasion, I have tried other brands as we are always looking for blades that are advanced and ahead of the game. The results always send me back to OX Tools. I have made so many recommendations to fellow bricklayers who have all given me thanks and I've heard nothing other the positive feedback. We now look no further when it comes to blades as we know what we will get with OX every single time.”

Peter Matolic | The Brick Co





WORLD LEADING DIAMOND TECHNOLOGY...



Only the finest quality of diamond is used in the production of OX Diamond products



Blade cores are made of the highest quality steel, precision engineered, ground and hardened



State of the art laser technology for ultimate performance and safety

Refer page [184 - 188](#) for the Diamond Trouble Shooting Guide

OX BLADE SERIES

DIAMOND BLADE DESTINATION

HARD

SOFT

GRANITE
BLUESTONE
SLATE
HARD CLAY BRICKS / PAVERS
CURED REINFORCED CONCRETE
CLAY ROOF TILES
SOFT BRICK
CONCRETE ROOF TILE
CONCRETE BLOCK
REFRACTORY/ FIRE BRICK
HEBEL BLOCK
LIMESTONE
SANDSTONE
GREEN CONCRETE
ASPHALT / BITUMEN



CUT RATING ● = CUTS ●● = CUTS WELL ●●● = CUTS BEST NONE = DOES NOT CUT

HOW TO CHOOSE THE RIGHT DIAMOND BLADE

1. FIND MACHINE AND SIZE
2. FIND THE RIGHT BLADE FOR THE MATERIAL BEING CUT
3. CHOOSE THE BLADE QUALITY

ANGLE GRINDER

BATTERY QUICK CUT/DEMO SAW

BRICK SAW / BLOCK SAW

QUICK CUT / DEMOLITION / POWER SAW

FLOOR SAW

**BLADE
USAGE**



4"-9" BLADES



9" BLADES

14"-20" BLADES

14"-16" BLADES

14"-20" BLADES

TILING BLADES



PORCELAIN
CERAMIC TILE
MARBLE
GRANITE
TERRAZZO

| | | | | |
|--|-----|-----|-----|-----|
| | ●●● | ●●● | ●●● | ●●● |
| | ●●● | ●●● | ●●● | ●●● |
| | ● | ●● | ●●● | ●● |
| | ● | ●● | ●● | ●● |
| | ●● | ●● | ●● | ● |

TURBO GENERAL PURPOSE

FOR FAST CUTTING OF HARD GENERAL PURPOSE MATERIALS



**BLADE
SIZES**

CU10 - 4"-9"
XLT - 4"-9"
TU10 - 4"-16"
MPS - 4"-14"



XLT
SPEED
LIFE

TU10
SPEED
LIFE

MPS
SPEED
LIFE

SEGMENTED GENERAL PURPOSE

FOR AGGRESSIVE CUTTING AND LONGER LIFE OF HARD GENERAL PURPOSE MATERIALS



**BLADE
SIZES**

CC10 - 4"-16"
XL10 - 4"-16"
TC10 - 4"-16"
PC10 - 14"-20"
MPSS - 12"-16"



XL10
SPEED
LIFE

TC10
SPEED
LIFE

PC10
SPEED
LIFE

MPSS
SPEED
LIFE

COMBINATION

DUAL PURPOSE BLADE FOR GOOD RESULTS IN BOTH HARD AND SOFT MATERIALS



TB10
SPEED
LIFE

PB10
SPEED
LIFE

BLADE SIZES TB10 - 5"-14" PB10 - 4"-16"

ABRASIVE

SPECIALTY BLADES FOR CUTTING SOFT MATERIALS



TA10
SPEED
LIFE

PA10
SPEED
LIFE

BLADE SIZES TA10 - 14"-16" PA10 - 14"-16"

TILING

FOR CUTTING ALL TILE MATERIALS



XLCT
SPEED
LIFE

PCFT
SPEED
LIFE

2CM
SPEED
LIFE

PCT
SPEED
LIFE

BLADE SIZES XLCT - 4"-5" PCFT - 4"-5" 2CM - 4"-14" PCT - 4"-9"

BLADE SELECTION & PRESENTATION

Blade category clearly listed

Equipment suitable for the blade

Size indicator

Blade details

Blade material applications

Blade appearance and rim type visible

Application chart showing products available in each category

Full safety instructions for usage

PERFORMANCE CLASSES

| | | |
|-----------------|--------|-------------------|
| TRADE XL SERIES | GOOD | SPEED <div></div> |
| | | LIFE <div></div> |
| PREMIUM SERIES | BETTER | SPEED <div></div> |
| | | LIFE <div></div> |
| PRO SERIES | BEST | SPEED <div></div> |
| | | LIFE <div></div> |

Refer page 184 - 188 for the Diamond Trouble Shooting Guide

ANGLE GRINDERS & DEMOLITION SAWS

ANGLE GRINDERS & DEMOLITION SAWS

MATERIAL CLASSES

MULTI PURPOSE

Hard materials & metal
Fast cutting universal
CUTS ALL CONSTRUCTION MATERIALS

GENERAL PURPOSE

Concrete & concrete products
General purpose
Un-abrasive products
Building products

COMBINATION

Abrasive materials
Concrete & asphalt
Dual purpose
Concrete products

ABRASIVE

Asphalt & extremely
abrasive products
Sandstone, limestone,
green concrete & asphalt

SERIES

TRADE XL



XL10



XLT

PREMIUM



TC10



TU10



TB10



TA10

PRO



MPS



PC10



PB10



PA10



MPSS

ANGLE GRINDERS & DEMOLITION SAWS



NEW

TRADE XL XLT TURBO - GENERAL PURPOSE

BLADE TYPE:
TURBO

PERFORMANCE:



APPLICATIONS:




REINFORCED
CONCRETE



BRICK



BLOCK



PAVER

| PRODUCT CODE | BARCODE | DIAMETER | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|----------|-----------|-------|-----------|-----------|
| OX-XLT-4 | 9341231054969 | 4 | 16 | 14500 | 5 | 50 |
| OX-XLT-4.5 | 9341231054976 | 4 1/2 | 22.2/20 | 13200 | 5 | 50 |
| OX-XLT-5 | 9341231054983 | 5 | 22.2/20 | 12200 | 5 | 50 |
| OX-XLT-7 | 9341231054990 | 7 | 25.4/22.2 | 8600 | 5 | 50 |
| OX-XLT-9 | 9341231055003 | 9 | 25.4/22.2 | 6600 | 5 | 50 |



NEW

TRADE XL XL10 - GENERAL PURPOSE

BLADE TYPE:
SEGMENTED

PERFORMANCE:



APPLICATIONS:




REINFORCED
CONCRETE



BRICK



BLOCK



PAVER

| PRODUCT CODE | BARCODE | DIAMETER | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|----------|-----------|-------|-----------|-----------|
| OX-XL10-4 | 9341231055010 | 4 | 16 | 14500 | 10 | 100 |
| OX-XL10-4.5 | 9341231055027 | 4 1/2 | 22.2/20 | 13200 | 10 | 100 |
| OX-XL10-5 | 9341231055034 | 5 | 22.2/20 | 12200 | 10 | 100 |
| OX-XL10-9 | 9341231055041 | 9 | 25.4/22.2 | 6600 | 10 | 100 |
| OX-XL10-14 | 9341231055058 | 14 | 25.4/20 | 4300 | 10 | 100 |
| OX-XL10-16 | 9341231055065 | 16 | 25.4/20 | 3800 | 10 | 100 |



NEW

PREMIUM TU10 - GENERAL PURPOSE

BLADE TYPE:
TURBO

PERFORMANCE:



APPLICATIONS:




REINFORCED
CONCRETE




BRICK



BLOCK



PAVER



GRANITE

| PRODUCT CODE | BARCODE | DIAMETER | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|----------|-----------|-------|-----------|-----------|
| OX-TU10-4 | 9341231002007 | 4 | 16 | 14500 | 10 | 100 |
| OX-TU10-4.5 | 9341231002014 | 4 1/2 | 22.2/20 | 13200 | 10 | 100 |
| OX-TU10-5 | 9341231002021 | 5 | 22.2/20 | 12000 | 10 | 100 |
| OX-TU10-7 | 9341231002045 | 7 | 25.4/22.2 | 8500 | 10 | 50 |
| OX-TU10-8 | 9341231002052 | 8 | 30/25.4 | 7600 | 10 | 50 |
| OX-TU10-9 | 9341231002069 | 9 | 25.4/22.2 | 6600 | 10 | 30 |
| OX-TU10-14 | 9341231002083 | 14 | 25.4/20 | 5400 | 5 | 10 |

ANGLE GRINDERS & DEMOLITION SAWS



NEW

PREMIUM TC10 - GENERAL PURPOSE

BLADE TYPE:
TURBO SEGMENTED

PERFORMANCE:



APPLICATIONS:




REINFORCED
CONCRETE




BRICK



BLOCK



PAVER



GRANITE

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-------|-----------|-----------|
| OX-TC10-4 | 9341231002106 | 4 | 16 | 14500 | 0 | 60 |
| OX-TC10-4.5 | 9341231002113 | 4 1/2 | 22.2/20 | 13200 | 0 | 50 |
| OX-TC10-5 | 9341231002120 | 5 | 22.2/20 | 12000 | 0 | 50 |
| OX-TC10-7 | 9341231002144 | 7 | 25.4/22.2 | 8500 | 0 | 50 |
| OX-TC10-9 | 9341231002168 | 9 | 25.4/22.2 | 6600 | 0 | 25 |
| OX-TC10-14 | 9341231002182 | 14 | 25.4/20 | 5400 | 0 | 10 |
| OX-TC10-16 | 9341231020346 | 16 | 25.4/20 | 4800 | 0 | 10 |



NEW

PREMIUM TB10 - COMBINATION

BLADE TYPE:
SEGMENTED

PERFORMANCE:



APPLICATIONS:



REINFORCED
CONCRETE



BRICK



GREEN
CONCRETE



SANDSTONE

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-------|-----------|-----------|
| OX-TB10-4 | 9341231002205 | 4 | 16 | 14500 | 0 | 50 |
| OX-TB10-5 | 9341231002229 | 5 | 22.2/20 | 12000 | 0 | 50 |
| OX-TB10-7 | 9341231002243 | 7 | 25.4/22.2 | 8500 | 0 | 25 |
| OX-TB10-9 | 9341231002267 | 9 | 25.4/22.2 | 6600 | 0 | 20 |
| OX-TB10-14 | 9341231002281 | 14 | 25.4/20 | 5400 | 0 | 10 |
| OX-TB10-16 | 9341231002298 | 16 | 25.4/20 | 4800 | 0 | 10 |



NEW

PREMIUM TA10 - ASPHALT SPECIALIST / ABRASIVE

BLADE TYPE:
SEGMENTED

PERFORMANCE:



APPLICATIONS:



GREEN
CONCRETE



ASPHALT



SANDSTONE

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|------|-----------|-----------|
| OX-TA10-14 | 9341231002311 | 14 | 25.4/20 | 5400 | 0 | 10 |
| OX-TA10-16 | 9341231055133 | 16 | 25.4/20 | 3800 | 0 | 10 |

ANGLE GRINDERS & DEMOLITION SAWS

The award winning, best selling PRO Series blades – including the MPS/MPSS Superior Blade – the best all round builders blade on the market. These are simply the best value for money blades available in this sector, giving performance you would associate with a professional product at a price that has revolutionised the market.

The Superior Blade...


CUTS ALL CONSTRUCTION MATERIALS



SUPERFAST TURBO segment technology combines aggressive cutting ability with a fine, clean cut and no burning of the segments. Eliminating the possibility of single segment detachment.



REINFORCED, EXTRA SECURE, DUAL CENTRE FLANGE AND UNIQUE COOL-FAST DESIGN for a quieter, cooler and safer blade, with no distortion in the cut.




In use, the blade is semi-transparent and cuts out much of the vibration associated with conventional diamond tools.



Safety and vibration tested to meet and surpass relevant standards. Conforms with EN13236.



**CUTS EVERYTHING ON
A CONSTRUCTION SITE!**



ANGLE GRINDERS & DEMOLITION SAWS



CUTS ALL
CONSTRUCTION MATERIALS



PRO SUPERIOR MPS - MULTI PURPOSE

BLADE TYPE:
TURBO

PERFORMANCE:



APPLICATIONS:



| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-------|-----------|-----------|
| OX-04MPS | 9341231002335 | 4 | 16 | 14500 | 11 | 100 |
| OX-45MPS | 9341231002342 | 4 1/2 | 22.2/20 | 13200 | 11 | 100 |
| OX-05MPS | 9341231002359 | 5 | 22.2/20 | 12000 | 11 | 100 |
| OX-06MPS | 9341231002366 | 6 | 25.4/20 | 10200 | 11 | 50 |
| OX-07MPS | 9341231002373 | 7 | 25.4/22.2 | 8500 | 11 | 50 |
| OX-08MPS | 9341231002380 | 8 | 30/25.4 | 7600 | 11 | 30 |
| OX-09MPS | 9341231002397 | 9 | 25.4/22.2 | 6600 | 11 | 30 |
| OX-10MPS | 9341231036279 | 10 | 25.4/20 | 6100 | 11 | 30 |
| OX-14MPS | 9341231002410 | 14 | 25.4/20 | 5400 | 5 | 10 |



CUTS ALL
CONSTRUCTION MATERIALS



PRO SUPERIOR MPSS SUPERFAST - MULTI PURPOSE

BLADE TYPE:
TURBO SEGMENTED

PERFORMANCE:



APPLICATIONS:



| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|------|-----------|-----------|
| OX-12MPSS | 9341231003172 | 12 | 25.4/20 | 5400 | 5 | 10 |
| OX-14MPSS | 9341231003189 | 14 | 25.4/20 | 4300 | 5 | 10 |
| OX-16MPSS | 9341231003196 | 16 | 25.4/20 | 3800 | 1 | 5 |

ANGLE GRINDERS & DEMOLITION SAWS



PRO PC10 - CONCRETE SPECIALIST

BLADE TYPE:
SEGMENTED

PERFORMANCE:



APPLICATIONS:



REINFORCED
CONCRETE



BRICK



BLOCK

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|------|-----------|-----------|
| OX-PC10-14 | 9341231055720 | 14 | 25.4/20 | 4300 | 1 | 5 |
| OX-PC10-16 | 9341231055737 | 16 | 25.4/20 | 3800 | 1 | 5 |
| OX-PC10-20 | 9341231018633 | 20 | 25.4/20 | 3050 | 1 | 5 |



PRO PB10 - COMBINATION

BLADE TYPE:
SEGMENTED

PERFORMANCE:



APPLICATIONS:



REINFORCED
CONCRETE



BRICK



GREEN
CONCRETE



SANDSTONE

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-------|-----------|-----------|
| OX-PB10-4 | 9341231002533 | 4 | 16 | 14500 | 6 | 24 |
| OX-PB10-5 | 9341231002557 | 5 | 22.2/20 | 12000 | 6 | 24 |
| OX-PB10-9 | 9341231002595 | 9 | 25.4/22.2 | 6600 | 6 | 24 |
| OX-PB10-14 | 9341231002618 | 14 | 25.4/20 | 4300 | 5 | 10 |
| OX-PB10-16 | 9341231012211 | 16 | 25.4/20 | 3800 | 5 | 10 |



PRO PA10 - GREEN CONCRET SPECIALIST / ABRASIVE

BLADE TYPE:
SEGMENTED

PERFORMANCE:



APPLICATIONS:



GREEN
CONCRETE



ASPHALT



SANDSTONE

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|------|-----------|-----------|
| OX-PA10-14 | 9341231002649 | 14 | 25.4/20 | 4300 | 5 | 10 |
| OX-PA10-16 | 9341231002656 | 16 | 25.4/20 | 3800 | 5 | 10 |

BRICKSAW & BLOCKSAW BLADES

MATERIAL CLASSES

MULTI PURPOSE

Hard materials & metal
Fast cutting universal
CUTS ALL CONSTRUCTION MATERIALS

GENERAL PURPOSE

Concrete & concrete products
General purpose
Un-abrasive products
Building products

COMBINATION

Abrasive materials
Concrete & asphalt
Dual purpose
Concrete products

ABRASIVE

Asphalt & extremely
abrasive products
Sandstone, limestone,
green concrete & asphalt

SERIES

PRO



MPSS



PHB



PCB

SILENTYPE



PHBS
SILENTYPE



PCBS
SILENTYPE



PSBS
SILENTYPE

BRICKSAW & BLOCKSAW BLADES



CUTS ALL
CONSTRUCTION MATERIALS



PRO SUPERIOR MPSS SUPERFAST - MULTI PURPOSE

BLADE TYPE:
TURBO SEGMENTED

PERFORMANCE:



APPLICATIONS:



| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|------|-----------|-----------|
| OX-12MPSS | 9341231003172 | 12 | 25.4/20 | 5400 | 5 | 10 |
| OX-14MPSS | 9341231003189 | 14 | 25.4/20 | 4300 | 5 | 10 |
| OX-16MPSS | 9341231003196 | 16 | 25.4/20 | 3800 | 1 | 5 |




PRO PHB - HARD BRICK

BLADE TYPE:
SEGMENTED

PERFORMANCE:



APPLICATIONS:



| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|------|-----------|-----------|
| OX-PHB-14 | 9341231003233 | 14 | 25.4/20 | 4300 | 5 | 10 |





PRO PCB - 50 / 50 COMBINATION

BLADE TYPE:
SEGMENTED

PERFORMANCE:



APPLICATIONS:



| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|------|-----------|-----------|
| OX-PCB-14 | 9341231003264 | 14 | 25.4/20 | 4300 | 5 | 10 |

BRICKSAW & BLOCKSAW BLADES



PRO PHBS - HARD BRICK *SILENTYPE*

BLADE TYPE:
SEGMENTED

PERFORMANCE:



APPLICATIONS:



HARD BRICK



BLOCK



PAVER

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|------|-----------|-----------|
| OX-PHBS-14 | 9341231003363 | 14 | 25.4/20 | 4300 | 1 | 5 |



PRO PCBS - 50 / 50 COMBINATION *SILENTYPE*

BLADE TYPE:
SEGMENTED

PERFORMANCE:



APPLICATIONS:



50/50
CLAY/CONCRETE



CLAY
BRICKS



PAVER

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|------|-----------|-----------|
| OX-PCBS-14 | 9341231003394 | 14 | 25.4/20 | 4300 | 1 | 5 |
| OX-PCBS-16 | 9341231003400 | 16 | 25.4/20 | 3800 | 1 | 5 |
| OX-PCBS-18 | 9341231003417 | 18 | 25.4/20 | 3350 | 1 | 5 |
| OX-PCBS-20 | 9341231003424 | 20 | 25.4/20 | 3050 | 1 | 5 |



PRO PSBS - SOFT BRICK *SILENTYPE*

BLADE TYPE:
SEGMENTED

PERFORMANCE:



APPLICATIONS:



SOFT
BRICK



BESSER
BLOCK



CONCRETE
PAVER

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|------|-----------|-----------|
| OX-PSBS-14 | 9341231003448 | 14 | 25.4/20 | 4300 | 1 | 5 |
| OX-PSBS-16 | 9341231003455 | 16 | 25.4/20 | 3800 | 1 | 5 |
| OX-PSBS-20 | 9341231003479 | 20 | 25.4/20 | 3050 | 1 | 5 |

CERAMIC & STONE TILING BLADES

CERAMIC & STONE TILING BLADES

MATERIAL CLASSES

TILING

Granite
Marble
Ceramic Tiles
Porcelain

SERIES

TRADE XL



XLCT

PRO



PCT



PCFT



2CM

CERAMIC & STONE TILING BLADES



TRADE XL - XLCT CONTINUOUS - CERAMIC TILES

BLADE TYPE:
CONTINUOUS

PERFORMANCE:



APPLICATIONS:



CERAMIC
TILES

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-------|-----------|-----------|
| OX-XLCT-4 | 9341231051814 | 4 | 16 | 14500 | 1 | 5 |
| OX-XLCT-4.5 | 9341231054228 | 4 1/2 | 22.2/20 | 13200 | 1 | 5 |
| OX-XLCT-5 | 9341231051821 | 5 | 22.2/20 | 12200 | 1 | 5 |




PRO PCT CONTINUOUS - ALL TILES

BLADE TYPE:
CONTINUOUS


PERFORMANCE:



APPLICATIONS:




GRANITE



MARBLE



CERAMIC
TILES



PORCELAIN

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-------|-----------|-----------|
| OX-PCT-4 | 9341231004179 | 4 | 16 | 14500 | 5 | 25 |
| OX-PCT-4.5 | 9341231004186 | 4 1/2 | 22.2/20 | 13200 | 5 | 25 |
| OX-PCT-5 | 9341231004193 | 5 | 22.2/20 | 12200 | 5 | 25 |
| OX-PCT-6 | 9341231004209 | 6 | 25.4/22.2 | 10000 | 5 | 25 |
| OX-PCT-7 | 9341231004216 | 7 | 25.4/22.2 | 8600 | 5 | 25 |
| OX-PCT-8 | 9341231004223 | 8 | 30/25.4 | 7600 | 5 | 25 |
| OX-PCT-9 | 9341231004230 | 9 | 25.4/20 | 6600 | 5 | 25 |
| OX-PCT-14 | 9341231004261 | 14 | 30/25.4 | 4300 | 5 | 25 |



PRO PCFT FINE TURBO - TILES

BLADE TYPE:
FINE TURBO

PERFORMANCE:



APPLICATIONS:




GRANITE



MARBLE



CERAMIC
TILES



PORCELAIN

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-------|-----------|-----------|
| OX-PCFT-4 | 9341231054310 | 4 | 16 | 14500 | 1 | 5 |
| OX-PCFT-4.5 | 9341231054327 | 4 1/2 | 22.2/20 | 13200 | 1 | 5 |
| OX-PCFT-5 | 9341231054334 | 5 | 22.2/20 | 12200 | 1 | 5 |

CERAMIC & STONE TILING BLADES



Reinforced flange for providing stable & accurate cuts

Suitable for wet and dry cutting

Mesh segment design



OX photo quality UV print ensures ultimate visibility on shelf and a clear overview of blade usage

Ideal for 20mm porcelain tiles and pavers

Cooling holes for fast effective heat reduction



NEW

PRO 2CM - PORCELAIN

BLADE TYPE:
FINE TURBO

PERFORMANCE:



APPLICATIONS:



| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|-----------------------|---------------|---------------|-----------|-------|-----------|-----------|
| OX-2CM-105/16 | 5060530357628 | 4" | 105mm | 14500 | 11 | 100 |
| OX-2CM-115/22.2/20 | 5060530356973 | 4.5" | 115mm | 13200 | 41 | 160 |
| OX-2CM-125/22.2/20 | 5060530356980 | 5" | 125mm | 12200 | 41 | 160 |
| OX-2CM-180/25.4/22 | 5060530356997 | 7" | 180mm | 8730 | 12 | 60 |
| OX-2CM-200/30/25.4 | 5060530357000 | 8" | 200mm | 7600 | 11 | 30 |
| OX-2CM-230/22 | 5060530357017 | 9" | 230mm | 6600 | 11 | 30 |
| OX-2CM-230/30/25.4/22 | 5060328040848 | 9" | 230mm | 6600 | 11 | 30 |
| OX-2CM-250/30/25.4 | 5060530357024 | 10" | 250mm | 6100 | 11 | 30 |
| OX-2CM-300/30/25.4 | 5060530357031 | 12" | 300mm | 5100 | 1 | 10 |
| OX-2CM-350/30/25.4 | 5060530357048 | 14" | 350mm | 4300 | 1 | 10 |

SPECIALIST BLADES

MATERIAL CLASSES

EARLY ENTRY

For extremely abrasive applications specialising in green concrete. For cutting concrete before it is cured

HARD MATERIALS

Fast and smooth cutting on granite, hard brick, reinforced concrete and other hard materials

SERIES

PREMIUM



TFC

PRO



PSCND



PSCSD

SPECIALIST BLADES



NEW

PREMIUM TFC - FLUSH CUT

BLADE TYPE:
TURBO

PERFORMANCE:




APPLICATIONS:



REINFORCED
CONCRETE



HARD
BRICK



GRANITE



SANDSTONE

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|------------|--------|-----------|-----------|
| OX-TFC-5 | 9341231054563 | 5" | M14 Flange | 12,250 | 5 | 40 |



NEW

PRO PSCSD SOFT CUT - YELLOW / SAME DAY

BLADE TYPE:
SEGMENTED

PERFORMANCE:



APPLICATIONS:



GREEN
CONCRETE

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------------|-------|-----------|-----------|
| OX-PSCSD-6 | 9341231054181 | 6 | Triangular Bore | 12250 | 1 | 5 |



NEW

PRO PSCND SOFT CUT - RED / NEXT DAY

BLADE TYPE:
SEGMENTED

PERFORMANCE:



APPLICATIONS:



GREEN
CONCRETE

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------------|-------|-----------|-----------|
| OX-PSCND-6 | 9341231054198 | 6 | Triangular Bore | 12250 | 1 | 5 |

CUP WHEELS

MATERIAL CLASSES

GENERAL MASONRY PRODUCTS

Concrete, stone, clay bricks, paver, and general masonry products

TURBO

DOUBLE ROW

SPIRAL

SERIES

TRADE XL



XLCGB

PRO



PCTB



PCDB



PCRB



NEW

TRADE XL XLCG TURBO CUP WHEEL

Great for fine grinding, polishing and shaping of all concrete and masonry materials.

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-----------|-----------|
| OX-XLCGB-4 | 9341231060878 | 4 | 22.2 | 3 | 6 |
| OX-XLCGB-5 | 9341231060335 | 5 | 22.2 | 3 | 6 |
| OX-XLCGB-7 | 9341231060342 | 7 | 22.2 | 3 | 6 |

CUP WHEELS



NEW

PRO PCDB DOUBLE ROW CUP WHEEL

High-performance cup wheels have two rows of segments on the perimeter. Designed for general purpose grinding and polishing of concrete and masonry materials for a clean finish.

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-----------|-----------|
| OX-PCDB-4 | 9341231060359 | 4 | 22.2 | 1 | 20 |
| OX-PCDB-5 | 9341231059797 | 5 | 22.2 | 1 | 20 |
| OX-PCDB-7 | 9341231059803 | 7 | 22.2 | 20 | 5 |



NEW

PRO PCRB SPIRAL SEGMENT CUP WHEEL

High quality, fast stripping spiral design. Available in a various number of segments for aggressive removal of glues, paints, epoxy and other adhesives on concrete and masonry materials.

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | NO OF SEGMENTS | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|----------------|-----------|-----------|
| OX-PCRB-5/10 | 9341231060458 | 5 | 22.2 | 10 | 6 | 36 |
| OX-PCRB-5/6 | 9341231065255 | 5 | 22.2 | 6 | 6 | 36 |
| OX-PCRB-7/12 | 9341231060465 | 7 | 22.2 | 12 | 6 | 12 |



NEW

PRO PCTB TURBO CUP WHEEL

This turbo cup grinder ensures efficient and precise material removal, making it an essential choice for various grinding applications. Ideal for fine grinding, polishing and shaping of all concrete and masonry materials.

| PRODUCT CODE | BARCODE | DIAMETER (IN) | BORE (MM) | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-----------|-----------|
| OX-PCTB-4 | 9341231004872 | 4 | 22.2 | 3 | 6 |
| OX-PCTB-5 | 9341231060427 | 5 | 22.2 | 3 | 6 |
| OX-PCTB-7 | 9341231060427 | 7 | 22.2 | 3 | 6 |

IS THIS THE
FASTEST
BLADE
ON THE MARKET?

[BRING] THE
THUNDER
FOR **[2X] STRONGER** TEETH

[CUTS] LIKE
LIGHTNING
FOR **[30%] FASTER** CUTS

**SUPPORTING
LOCAL TRADES**



**100% MADE IN
AUSTRALIA**

CIRCULAR SAW BLADES

[CUTS] LIKE LIGHTNING FOR [30% FASTER] CUT



PRO LIGHTNING CIRCULAR SAW BLADE

FEATURES

- Made in Australia
- OXLOK® Tooth Embedded Carbide Tip
- Tempered Surface Treatment & Anti-Friction Finish
- Durable carbide grade ensuring ultimate shock resistance | M9

| PRODUCT CODE | BARCODE | DIAMETER (MM) | TOOTH | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|-----------------|---------------|---------------|-------|------------|------|-----------|-----------|
| OX-LTCTW24-6.5 | 9341231057205 | 165mm | 24T | 20/16 | 8990 | 10 | 50 |
| OX-LTCTW40-6.5 | 9341231057212 | 165mm | 40T | 20/16 | 8990 | 10 | 40 |
| OX-LTCTW24-7.25 | 9341231056635 | 184mm | 24T | 20/16 | 8040 | 10 | 50 |
| OX-LTCTW40-7.25 | 9341231057243 | 184mm | 40T | 20/16 | 8040 | 10 | 40 |
| OX-LTCTW40-9.25 | 9341231057274 | 235mm | 40T | 25/20 | 6360 | 10 | 30 |
| OX-LTCTW40-10 | 9341231057298 | 254mm | 40T | 20/25.4/25 | 5870 | 10 | 20 |
| OX-LTCTW60-12 | 9341231057335 | 305mm | 60T | 30/25.4 | 4770 | 10 | 20 |

PRO LIGHTNING CIRCULAR SAW BLADE - BULK PACK

FEATURES

- Bulk pack of 10 blades

| PRODUCT CODE | BARCODE | DIAMETER (MM) | TOOTH | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|--------------------|---------------|---------------|-------|-----------|------|-----------|-----------|
| OX-LTCTW24-6.5-10 | 9341231033124 | 165mm | 24T | 20/16 | 8990 | 11 | 50 |
| OX-LTCTW24-7.25-10 | 9341231033148 | 184mm | 24T | 20/16 | 8040 | 11 | 50 |



BRING THE THUNDER FOR 2X STRONGER TEETH



PRO THUNDER CIRCULAR SAW BLADE

FEATURES

- Made in Australia
- OXLOK® Tooth Embedded Carbide Tip
- Tempered Surface Treatment & Anti-Friction Finish
- Durable carbide grade ensuring ultimate shock resistance | M9

| PRODUCT CODE | BARCODE | DIAMETER (MM) | TOOTH | BORE (MM) | RPM | INNER QTY | OUTER QTY |
|-----------------|---------------|---------------|-------|-----------|------|-----------|-----------|
| OX-TTCTW24-6.5 | 9341231056598 | 165mm | 24T | 20/16 | 8990 | 10 | 50 |
| OX-TTCTW24-7.25 | 9341231056628 | 184mm | 24T | 20/16 | 8040 | 10 | 50 |

DIAMOND CORE DRILLS

With a wealth of experience in all types of diamond core drilling, OX has the most complete range of products available in the market today.

DRY CORE DRILLING

OX: the home of dry core drills.

INDUSTRY BENCHMARK.

The most popular.

For drilling brick and block.



WET CORE DRILLING

The professional choice for the professional contractor.

UWC wet concrete drills have been tested and proven in the most demanding aggregates around the world.

For drilling reinforced concrete.



TILE DRILLING

Tile Drilling revolution. Quite simply, exactly what the market has been asking for. Fast, easy to use, and completely trouble free.

For drilling porcelain, granite, hard natural stones and ceramics.



CORE DRILLING KITS

The perfect start to **dry core drilling**, our aluminium cases are sturdier, smarter and contain more accessories than the competition. Often copied, but never surpassed, these are the cores to be seen with – and use.



DRY CORE DRILLS



Rapid, clean cutting & long life.



PRO PDC DRY CORE DRILL

Universal dry diamond core drill in all popular plumbers sizes up to 127mm. Slotted barrel provides efficient dust clearance and ease of removing drilled core. For brick and blockwork. Applications include: medium and soft bricks, concrete blocks (lightweight and dense), abrasive concrete products. Occasional use in harder materials e.g. semi engineering bricks and clay products. Minimum drill size: 850W

| PRODUCT CODE | BARCODE | DIAMETER (MM) | LENGTH (MM) | BACK END | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-------------|----------|-----------|-----------|
| OX-PDC-028 | 9341231005183 | 28 | 150 | ½" BSP | 3 | 6 |
| OX-PDC-032 | 9341231005190 | 32 | 150 | ½" BSP | 3 | 6 |
| OX-PDC-042 | 9341231054068 | 42 | 150 | ½" BSP | 3 | 6 |
| OX-PDC-052 | 9341231005220 | 52 | 150 | ½" BSP | 3 | 6 |
| OX-PDC-067 | 9341231054075 | 67 | 150 | ½" BSP | 2 | 4 |
| OX-PDC-078 | 9341231005244 | 78 | 150 | ½" BSP | 2 | 4 |
| OX-PDC-102 | 9341231005268 | 102 | 150 | ½" BSP | 2 | 4 |
| OX-PDC-117 | 9341231005282 | 117 | 150 | ½" BSP | 2 | 4 |
| OX-PDC-127 | 9341231005299 | 127 | 150 | ½" BSP | 2 | 4 |

DRY CORE DRILLS



PRO PCC DRY CORE CASE


FEATURES

- Everything you need to get started with dry core drilling in a sturdy aluminium case
- Contains PDC cores – 38, 52, 65, 117, 127mm
- Contains HEX & SDS adapters and extensions

| PRODUCT CODE | BARCODE | CORE SIZES (MM) | INNER QTY | OUTER QTY |
|--------------|---------------|----------------------|-----------|-----------|
| OX-PCC-5 | 9341231007309 | 38, 52, 65, 117, 127 | 1 | 2 |

DRY CORE DRILL ACCESSORIES

OX dry core accessories are manufactured from the highest grade steel to ensure that they can withstand the toughest use. Zinc plating enhances the visual appearance and protects against rust without leaving oil deposits. The most complete range of accessories to cover all machinery options and personal preferences.



ADAPTORS - BSP (M)

| PRODUCT CODE | BARCODE | CORE SIZES (MM) | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------------|-----------|-----------|
| OX-JX01 | 9341231012518 | HEX ADAPTOR ONLY | 3 | 6 |
| OX-JX31 | 9341231012525 | HEX 10" LONG ADAPTOR | 3 | 6 |
| OX-JS01 | 5060135472696 | SDS (PLUS) ADAPTOR ONLY | 6 | 18 |
| OX-JS25 | 9341231012549 | SDS (PLUS) 10" LONG ADAPTOR | 3 | 6 |
| OX-JM01 | 5060135472382 | SDS MAX ADAPTOR ONLY | 3 | 6 |



PILOTS & DRIFTS

| PRODUCT CODE | BARCODE | CORE SIZES (MM) | INNER QTY | OUTER QTY |
|--------------|---------------|---------------------------|-----------|-----------|
| OX-JB09 | 9341231012648 | 1/2" GUIDE ROD 8-1/4" | 3 | 6 |
| OX-JB13 | 5060135472269 | 1/2" A TAPER DRILL 8-1/4" | 3 | 6 |
| OX-JB05 | 5060135472238 | DRIFT KEY | 1 | 6 |



EXTENSIONS

| PRODUCT CODE | BARCODE | CORE SIZES (MM) | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------------------|-----------|-----------|
| OX-JB25 | 9341231012709 | 1/2" BSP 10" HOLLOW EXTENSION | 3 | 6 |



ADAPTOR PACKS


| PRODUCT CODE | BARCODE | CORE SIZES (MM) | INNER QTY | OUTER QTY |
|--------------|---------------|---|-----------|-----------|
| OX-JX03 | 5060135472771 | HEX ADAPTOR PACK (JX01, JB09, JB05) | 3 | 6 |
| OX-JX03-13 | 5060135472788 | HEX A TAPER DRILL ADAPTOR PACK (JX01, JB13, JB05) | 3 | 6 |
| OX-JS03 | 5060135472702 | SDS ADAPTOR PACK (JS01, JB09, JB05) | 3 | 6 |
| OX-JS03-13 | 5060135472719 | SDS A TAPER DRILL ADAPTOR PACK (JS01, JB13, JB05) | 3 | 6 |
| OX-JM03 | 5060135472399 | SDS MAX ADAPTOR PACK (JM01, JB09, JB05) | 3 | 6 |



ULTIMATE JP WATER SWIVEL

Holesaw accessory options for accurate positioning and water cooling.

| PRODUCT CODE | BARCODE | DESCRIPTION | INNER QTY | OUTER QTY |
|--------------|---------------|---|-----------|-----------|
| OX-JP35 | 9341231036194 | 1/2" BSP(F) - Straight Shank Water Swivel | 5 | 25 |



LASER WELDED SEGMENTS

CUTS REINFORCING

ULTIMATE UWC 1-1/4" UNC WET CORE

ULTIMATE wet diamond core drill for professional rig mounted use. 450mm drilling length. 10mm turbo segment height. Applications include: flint and limestone aggregate concrete; light to medium reinforced concrete; universal building products.

| PRODUCT CODE | BARCODE | DIAMETER [MM] | LENGTH [MM] | BACK END | INNER QTY | OUTER QTY |
|---------------|---------------|---------------|-------------|------------|-----------|-----------|
| OX-UWC022-450 | 9341231005787 | 22 | 450 | 1 1/4" UNC | 3 | 6 |
| OX-UWC024-450 | 9341231001352 | 24 | 450 | 1 1/4" UNC | 3 | 6 |
| OX-UWC028-450 | 9341231005800 | 28 | 450 | 1 1/4" UNC | 3 | 6 |
| OX-UWC032-450 | 9341231005824 | 32 | 450 | 1 1/4" UNC | 3 | 6 |
| OX-UWC036-450 | 9341231005831 | 36 | 450 | 1 1/4" UNC | 3 | 6 |
| OX-UWC052-450 | 9341231005879 | 52 | 450 | 1 1/4" UNC | 2 | 4 |
| OX-UWC056-450 | 9341231005886 | 56 | 450 | 1 1/4" UNC | 2 | 4 |
| OX-UWC065-450 | 9341231005909 | 65 | 450 | 1 1/4" UNC | 2 | 4 |
| OX-UWC072-450 | 9341231005916 | 72 | 450 | 1 1/4" UNC | 2 | 4 |
| OX-UWC076-450 | 9341231005923 | 76 | 450 | 1 1/4" UNC | 2 | 4 |
| OX-UWC082-450 | 9341231005930 | 82 | 450 | 1 1/4" UNC | 2 | 4 |
| OX-UWC092-450 | 9341231005954 | 92 | 450 | 1 1/4" UNC | 2 | 4 |
| OX-UWC102-450 | 9341231005961 | 102 | 450 | 1 1/4" UNC | 1 | 2 |
| OX-UWC112-450 | 9341231005985 | 112 | 450 | 1 1/4" UNC | 1 | 2 |
| OX-UWC117-450 | 9341231005992 | 117 | 450 | 1 1/4" UNC | 1 | 2 |
| OX-UWC122-450 | 9341231006005 | 122 | 450 | 1 1/4" UNC | 2 | 4 |
| OX-UWC127-450 | 9341231006012 | 127 | 450 | 1 1/4" UNC | 2 | 4 |
| OX-UWC152-450 | 9341231006043 | 152 | 450 | 1 1/4" UNC | 1 | 2 |
| OX-UWC200-450 | 9341231006081 | 200 | 450 | 1 1/4" UNC | 1 | 2 |



ULTIMATE WET CORE ACCESSORIES

Tough, durable adaptors and extensions for wet core drilling.

| PRODUCT CODE | BARCODE | DESCRIPTION | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------------------------|-----------|-----------|
| OX-JN55 | 9341231011771 | 1/2" BSP(M) - 1/2" BSP(M) ADAPTOR | 3 | 6 |
| OX-JN65 | 9341231011795 | 1/2" BSP(M) - 1 1/4" UNC(M) ADAPTOR | 3 | 6 |
| OX-JN66 | 5060135472528 | 1/2" BSP(F) - 1 1/4" UNC(F) ADAPTOR | 3 | 6 |
| OX-JN20 | 9341231011832 | 1 1/4" UNC 200mm HOLLOW EXTENSION | 3 | 6 |
| OX-JN30 | 9341231011849 | 1 1/4" UNC 300mm HOLLOW EXTENSION | 3 | 6 |

TILE DRILLS



OX-TTDT / OX-UTDT

NEW



OX-UTDC

OX DIAMOND TILING HOLESAWS

FEATURES

- Designed to drill through any ceramic product with ease
- Drills: granite, marble, porcelain, ceramic tiles
- For both wet & dry applications

| PRODUCT CODE | BARCODE | DESCRIPTION | INNER QTY | OUTER QTY |
|--------------|---------------|--|-----------|-----------|
| OX-TTDT-06 | 9341231051159 | OX Diamond Tiling Holesaw M14 - 6mm | 10 | 40 |
| OX-TTDT-08 | 9341231051166 | OX Diamond Tiling Holesaw M14 - 8mm | 10 | 40 |
| OX-TTDT-10 | 9341231051173 | OX Diamond Tiling Holesaw M14 - 10mm | 10 | 40 |
| OX-TTDT-12 | 9341231051180 | OX Diamond Tiling Holesaw M14 - 12mm | 10 | 40 |
| OX-UTDT-16 | 9341231056802 | OX Diamond Tiling Holesaw M14 - 16mm | 10 | 80 |
| OX-UTDT-20 | 9341231056819 | OX Diamond Tiling Holesaw M14 - 20mm | 10 | 80 |
| OX-UTDT-25 | 9341231006883 | OX Diamond Tiling Holesaw M14 - 25mm | 20 | 80 |
| OX-UTDT-32 | 9341231006913 | OX Diamond Tiling Holesaw M14 - 32mm | 10 | 40 |
| OX-UTDT-38 | 9341231056826 | OX Diamond Tiling Holesaw M14 - 38mm | 10 | 80 |
| OX-UTDT-51 | 9341231051197 | OX Diamond Tiling Holesaw M14 - 51mm | 10 | 40 |
| OX-UTDT-55 | 9341231056833 | OX Diamond Tiling Holesaw M14 - 55mm | 5 | 40 |
| OX-UTDT-60 | 9341231056840 | OX Diamond Tiling Holesaw M14 - 60mm | 5 | 40 |
| OX-UTDT-80 | 9341231056857 | OX Diamond Tiling Holesaw M14 - 80mm | 3 | 30 |
| OX-UTDT-90 | 9341231056864 | OX Diamond Tiling Holesaw M14 - 90mm | 3 | 30 |
| OX-UTDT-00 | 9341231056871 | OX Diamond Tiling Holesaw M14 - 100mm | 2 | 20 |
| OX-UTDC-38 | 9341231056888 | OX Diamond Tiling Chamfer Cone - 5mm - 38mm | 10 | 80 |
| OX-UTDC-55 | 9341231056895 | OX Diamond Tiling Chamfer Cone - 15mm - 55mm | 5 | 40 |



NEW

OX DIAMOND TILING HOLESAWS KIT

FEATURES

- Designed to drill through any ceramic product with ease
- Drills: granite, marble, porcelain, ceramic tiles
- For both wet & dry applications
- Sizes: 6mm, 8mm, 10mm, 12mm, 25mm, 38mm, 55mm & M14 - hex bit

| PRODUCT CODE | BARCODE | DESCRIPTION | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------------|-----------|-----------|
| OX-TTDT-10PC | 9341231051142 | OX Diamond Holesaw 10pc Kit | 10 | 40 |



OX-JX02



OX-JBA14

NEW


OX DIAMOND TILING HOLESAWS - ADAPTERS

| PRODUCT CODE | BARCODE | CORE SIZES (MM) | INNER QTY | OUTER QTY |
|--------------|---------------|----------------------------|-----------|-----------|
| OX-JX02 | 9341231051203 | OX M14 Hex Drill Adapter | 10 | 40 |
| OX-JBA14 | 9341231051210 | OX M10 - M14 Adapter - 2PC | 10 | 40 |

CONCRETING TOOLS

“The OX brand has been on our sites from day one when I started APS Contracting. Initially, it was the colour of the OX screeds that caught our attention, we loved that the blue matched our logo. Ten years on, our crews now use the full range of placing and finishing tools day in and day out. Concrete tools take a beating, and we need gear we can rely on. We also love how the range is constantly evolving and improving along the way. In our business, the finish really matters, and OX always performs.”

Aaron Simeon | APS Contracting





PRO ADJUSTABLE FORMWORK BRACKET

FEATURES

- Bracket is adjustable to suit 35mm to 50mm timber
- Used for forming 150mm brickwork rebate on house floor slabs

| PRODUCT CODE | BARCODE | SUITS | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|-----------|
| OX-P101950 | 9341231021336 | 35 - 50mm | 6 | 12 |



PRO FIXED FORMWORK BRACKET - 50MM

FEATURES

- Bracket suits 50mm timber
- Used for forming 150mm brickwork rebate on house floor slabs

| PRODUCT CODE | BARCODE | SUITS | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|-----------|
| OX-P103405 | 9341231024320 | 2" / 50mm | 6 | 24 |



TRADE TIE WIRE TWISTER - 310MM

FEATURES

- Soft grip
- Smooth operating spiral spindle
- Reinforcing ring to prevent unnecessary wear when hook end returns

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-T230231 | 9341231020605 | 12" / 310mm | 4 | 12 |



TRADE TIE WIRE REEL

FEATURES

- Fits any standard belt
- Suits all types of tie wire
- Left or right hand use
- Cast aluminium construction

| PRODUCT CODE | BARCODE | SUITS | INNER QTY | OUTER QTY |
|--------------|---------------|------------------------|-----------|-----------|
| OX-T299701 | 9341231020230 | Fits any standard belt | 4 | 24 |



ULTIMATE NARROW HEAD END CUTTING NIPPER

FEATURES

- Professional quality
- Individually hardened
- Drop forged from special tool steel
- PVC OXGRIP handles
- Max cut thickness 3.2mm / Hardness (Jaw) 61 HRC – OX-U230322
- Max cut thickness 3.5mm / Hardness (Jaw) 61 HRC – OX-U230325
- Max cut thickness 3.5mm / Hardness (Jaw) 61 HRC – OX-U230328

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-U230322 | 9341231034916 | 8" / 220mm | 6 | 36 |
| OX-U230325 | 9341231034923 | 10" / 250mm | 6 | 36 |
| OX-U230328 | 9341231034930 | 11" / 280mm | 6 | 36 |



ULTIMATE WIDE HEAD END CUTTING NIPPER

FEATURES

- Professional quality
- Individually hardened
- Drop forged from special tool steel
- PVC OXGRIP handles
- Max cut thickness 3.8mm / Hardness (Jaw) 60 HRC – OX-U230420

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-U230420 | 9341231034954 | 8" / 200mm | 1 | 6 |



PRO BOLT CUTTERS

FEATURES

- Heat treated alloy jaws - fully adjustable
- Rated to cut HRC40

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-P230118 | 9341231021343 | 18" / 450mm | 2 | 10 |
| OX-P230124 | 9341231021350 | 24" / 600mm | 2 | 8 |
| OX-P230130 | 9341231021367 | 30" / 750mm | 1 | 5 |
| OX-P230136 | 9341231021374 | 36" / 900mm | 1 | 3 |
| OX-P230142 | 9341231021381 | 42" / 1050mm | 1 | 3 |




PRO FORGED BOLT CUTTERS

FEATURES

- Fully Adjustable
- Alloy steel blade
- Drop forged handle
- Rated to cut HRC50

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P230530 | 9341231024351 | 30" / 750mm | 2 | 4 |
| OX-P230536 | 9341231024368 | 36" / 900mm | 2 | 4 |



TRADE REBAR BENDER/CUTTER

FEATURES

- Jaws made of high carbon alloy tool steel - HRC54
- Cuts and bends grade 60 rebar
- Can be bolted to the floor
- Bends 90° and 180°
- Heavy duty
- Max cut 19mm diameter rebar

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-T230613 | 9341231000119 | 52" / 1320mm | 2 | 6 |



TRADE LIGHTWEIGHT EXTRUSION RAKE

FEATURES

- 1500mm long handle with soft grip
- 45 degree edge angle
- Lightweight for ease of use
- Extruded rake plate

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-T016301 | 9341231024443 | 100 x 500mm | 4 | 24 |



PRO ALUMINIUM CONCRETE RAKE

FEATURES

- 1500mm long handle with soft grip
- 45 degree edge angle
- Braced for additional strength
- Aluminium construction - powder coated

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P016302 | 9341231024450 | 100 x 500mm | 1 | 4 |




PRO ALUMINIUM CONCRETE RAKE – WITH HOOK

FEATURES

- 1500mm long handle with soft grip
- 45 degree edge angle
- Braced for additional strength
- With 8mm diameter hook for lifting rebar
- Powder coated handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P016303 | 9341231024467 | 100 x 500mm | 1 | 4 |



PRO STRAIGHT EDGE

FEATURES

- High quality extruded aluminium
- Easy to clean powder-coated finish
- Fluted profile - easy to grip extrusion design

| PRODUCT CODE | BARCODE | SIZE (W X H X L) | INNER QTY | OUTER QTY |
|--------------|---------------|------------------|-----------|-----------|
| OX-P021612 | 9341231000386 | 20 x 70 x 1200mm | 1 | 4 |
| OX-P021615 | 9341231000393 | 20 x 70 x 1500mm | 1 | 4 |
| OX-P021618 | 9341231000409 | 20 x 70 x 1800mm | 1 | 4 |
| OX-P021621 | 9341231000416 | 20 x 70 x 2100mm | 1 | 4 |
| OX-P021624 | 9341231000423 | 20 x 70 x 2400mm | 1 | 4 |
| OX-P021627 | 9341231000430 | 20 x 70 x 2700mm | 1 | 4 |
| OX-P021630 | 9341231000447 | 20 x 70 x 3000mm | 1 | 4 |

PRO CLAMPED HANDLE SCREED

FEATURES

- Heavy duty structural alloy
- Reversible clamped handle
- Ergonomic grip handle
- Easy to clean powder-coated finish
- Internal strength support bars
- Cutting and pushing edge positioned for comfort
- Profile size 40 x 50mm

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P021408 | 9341231049811 | 800mm | 1 | 4 |
| OX-P021412 | 9341231000188 | 1200mm | 1 | 4 |
| OX-P021415 | 9341231000195 | 1500mm | 1 | 4 |
| OX-P021418 | 9341231000201 | 1800mm | 1 | 4 |
| OX-P021421 | 9341231000218 | 2100mm | 1 | 4 |
| OX-P021424 | 9341231000225 | 2400mm | 1 | 4 |
| OX-P021427 | 9341231000232 | 2700mm | 1 | 4 |
| OX-P021430 | 9341231000249 | 3000mm | 1 | 4 |



PRO CLAMPED HANDLE SCREED WITH VIAL

FEATURES

- Built in vial for easy levelling
- Heavy duty structural alloy
- Reversible clamped handle
- Ergonomic grip handle
- Easy to clean powder-coated finish
- Internal strength support bars
- Cutting and pushing edge positioned for comfort
- Profile size 40 x 50mm

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P021312 | 9341231000973 | 1200mm | 4 | 8 |
| OX-P021315 | 9341231000980 | 1500mm | 4 | 8 |
| OX-P021318 | 9341231000997 | 1800mm | 4 | 8 |
| OX-P021321 | 9341231001000 | 2100mm | 4 | 8 |
| OX-P021324 | 9341231001017 | 2400mm | 4 | 8 |
| OX-P021327 | 9341231001024 | 2700mm | 4 | 8 |
| OX-P021330 | 9341231001031 | 3000mm | 4 | 8 |



TRADE CONCRETERS SHOVEL - HAMMERTONE

FEATURES

- Length: 1040mm
- 'D' grip handle
- Head size: 250mm x 300mm
- All steel, pressed and welded construction with a hammertone finish

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-T281307 | 9341231016660 | 1040mm | 4 | 12 |



PRO RUB BRICK

FEATURES

- One piece ergonomic plastic handle
- Rub face size: 6 x 3" / 150 x 75mm

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------------------|-----------|-----------|
| OX-P071008 | 9341231025181 | 6"x3"x1" / 150x75x25mm | 1 | 20 |



PRO ALUMINIUM BULLFLOAT

FEATURES

- Heavy duty structural alloy
- Easy to clean powder coated finish
- Extruded ribs for extra strength

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-P016606 | 9341231000928 | 150 x 600mm | 2 | 4 |
| OX-P016609 | 9341231000935 | 150 x 900mm | 2 | 4 |
| OX-P016612 | 9341231000942 | 150 x 1200mm | 2 | 4 |
| OX-P016615 | 9341231000959 | 150 x 1500mm | 2 | 4 |



PRO CLIP TOGETHER HANDLE

FEATURES

- High quality extruded aluminium
- Snap together for fast tool changes

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P019020 | 9341231024573 | 1800mm | 1 | 4 |
| OX-P019024 | 9341231025938 | 2400mm | 1 | 4 |



PRO TELESCOPIC HANDLE

FEATURES

- Powder coated finish
- Fluted profile
- H.D.P.E screw-lock fitting
- "T" section "Twist Stop" extrusion design
- High quality extruded aluminium

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-----------|
| OX-P016524 | 9341231000829 | 1300 - 2400mm | 1 | 4 |
| OX-P016550 | 9341231000836 | 2700 - 5000mm | 1 | 4 |



PRO TELESCOPIC HANDLE ADAPTOR

FEATURES

- Telescopic handle adaptor
- Suits OX-P016524 & OX-P016550
- High quality extruded aluminium
- Powder coated finish

| PRODUCT CODE | BARCODE | SUITS | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------------|-----------|-----------|
| OX-P409901 | 9341231015854 | OX-P016524 & OX-P016550 | 0 | 20 |



PRO TELESCOPIC HANDLE PART - PLASTIC COLLET/ END CAP

FEATURES

- Telescopic handle part
- Suits OX-P016524 & OX-P016550

| PRODUCT CODE | BARCODE | SUITS | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------------|-----------|-----------|
| OX-P019501 | 9341231021626 | OX-P016524 & OX-P016550 | 0 | 20 |



PRO TELESCOPIC HANDLE PART - QUICK RELEASE PIN

FEATURES

- Telescopic handle part
- Suits OX-P016524 & OX-P016550

| PRODUCT CODE | BARCODE | SUITS | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------------|-----------|-----------|
| OX-P019710 | 9341231015854 | OX-P016524 & OX-P016550 | 0 | 20 |



PRO NARROW GROOVER

FEATURES

- High grade stainless steel blade
- Reversible OXGRIP handle
- Groove: Width 5/8" - 5/16" 15-8mm
- Depth 3/8" 10mm (OX-P014210), 3/4" 19mm (OX-P014219)

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|---------------------|-----------|-----------|
| OX-P014210 | 9341231011269 | 3 x 7" / 75 x 180mm | 6 | 36 |
| OX-P014219 | 9341231011276 | 3 x 7" / 75 x 180mm | 6 | 24 |



PRO WIDE GROOVER

FEATURES

- High grade stainless steel blade
- Reversible OXGRIP handle
- Groove: Width 5/8" - 5/16" 15-8mm Depth 1/2" 12mm (OX-P014312), 25/32" 20mm (OX-P014320)

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|----------------------------|-----------|-----------|
| OX-P014312 | 9341231011283 | 6 x 7" / 155 x 180mm (12d) | 4 | 16 |
| OX-P014320 | 9341231011290 | 6 x 7" / 155 x 180mm (20d) | 6 | 18 |



PRO GROOVER

FEATURES

- High grade stainless steel blade
- Reversible OXGRIP handle
- Groove: Width 3/16" 4.8mm Depth 3/8" 10mm

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------------|-----------|-----------|
| OX-P012510 | 9341231021428 | 3 1/2 x 6" / 90 x 150mm | 6 | 24 |



TRADE NARROW EDGER

FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Reversible OXGRIP handle
- Blade size: 140 x 75mm

| PRODUCT CODE | BARCODE | RADIUS / DEPTH | INNER QTY | OUTER QTY |
|--------------|---------------|----------------|-----------|-----------|
| OX-T535806 | 9341231053160 | 6mm, 12mm | 6 | 24 |
| OX-T535810 | 9341231053177 | 10mm, 19mm | 6 | 24 |

TRADE MEDIUM EDGER

FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Reversible OXGRIP handle
- Blade size: 150 x 100mm



| PRODUCT CODE | BARCODE | RADIUS / DEPTH | INNER QTY | OUTER QTY |
|--------------|---------------|----------------|-----------|-----------|
| OX-T535910 | 9341231053207 | 10mm, 14mm | 6 | 24 |

PRO NARROW EDGER

FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Reversible OXGRIP handle
- Blade size: 3 x 7" / 75 x 180mm



| PRODUCT CODE | BARCODE | RADIUS / DEPTH | INNER QTY | OUTER QTY |
|--------------|---------------|----------------|-----------|-----------|
| OX-P014406 | 9341231011092 | 6mm, 12mm | 6 | 36 |
| OX-P014410 | 9341231011108 | 10mm, 19mm | 4 | 32 |

PRO MEDIUM EDGER

FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Reversible OXGRIP handle
- Blade size: 4 x 7" / 100 x 180mm



| PRODUCT CODE | BARCODE | RADIUS / DEPTH | INNER QTY | OUTER QTY |
|--------------|---------------|----------------|-----------|-----------|
| OX-P014506 | 9341231011115 | 6mm, 14mm | 6 | 36 |
| OX-P014510 | 9341231011122 | 10mm, 14mm | 4 | 32 |
| OX-P014519 | 9341231011139 | 19mm, 19mm | 6 | 36 |

PRO WIDE EDGER

FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Reversible OXGRIP handle
- Blade size: 5 x 7½" / 130 x 190mm



| PRODUCT CODE | BARCODE | RADIUS / DEPTH | INNER QTY | OUTER QTY |
|--------------|---------------|----------------|-----------|-----------|
| OX-P014812 | 9341231011146 | 12mm, 22mm | 6 | 24 |
| OX-P014820 | 9341231011153 | 20mm, 22mm | 6 | 24 |
| OX-P014825 | 9341231011160 | 25mm, 22mm | 6 | 24 |



PRO EXTRA WIDE EDGER

FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Reversible OXGRIP handle
- Blade size: 5¼ x 8½" / 145 x 215mm

| PRODUCT CODE | BARCODE | RADIUS / DEPTH | INNER QTY | OUTER QTY |
|--------------|---------------|----------------|-----------|-----------|
| OX-P014910 | 9341231011306 | 10mm, 12mm | 6 | 24 |
| OX-P014912 | 9341231011177 | 12mm, 24mm | 6 | 24 |
| OX-P014916 | 9341231011313 | 16mm, 16mm | 4 | 16 |
| OX-P014925 | 9341231011184 | 25mm, 24mm | 6 | 24 |



PRO STEP EDGER

FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Reversible OXGRIP handle
- Blade size: 4 x 7" / 100 x 180mm

| PRODUCT CODE | BARCODE | RADIUS / DEPTH | INNER QTY | OUTER QTY |
|--------------|---------------|----------------|-----------|-----------|
| OX-P015110 | 9341231011191 | 10mm, 50mm | 6 | 24 |



PRO SAFETY STEP EDGER

FEATURES

- High grade stainless steel blade
- Reversible OXGRIP handle - rivetted handle support
- Cuts 4 grooves while edging the step
- Blade size: 5x7" / 120 x 180mm

| PRODUCT CODE | BARCODE | RADIUS / DEPTH | INNER QTY | OUTER QTY |
|--------------|---------------|----------------|-----------|-----------|
| OX-P019312 | 9341231024689 | 10mm, 50mm | 6 | 24 |



PRO COVING TROWEL

FEATURES

- High grade stainless steel blade
- Reversible OXGRIP handle - rivetted handle support
- Blade size: 4 x 7" / 100 x 180mm

| PRODUCT CODE | BARCODE | RADIUS / DEPTH | INNER QTY | OUTER QTY |
|--------------|---------------|----------------------|-----------|-----------|
| OX-P015010 | 9341231021435 | 4 x 7" / 100 x 180mm | 6 | 24 |



PRO TIMBER FLOAT

FEATURES

- OXGRIP 'High lift' handle design
- High quality hardwood blade
- Special timber screws to prevent 'backing out'

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------------------|-----------|-----------|
| OX-P012212 | 9341231013034 | 4½ x 12" / 112 x 300mm | 4 | 16 |
| OX-P012215 | 9341231013461 | 4½ x 15" / 112 x 380mm | 4 | 16 |
| OX-P012218 | 9328217006976 | 4½ x 18" / 112 x 450mm | 6 | 24 |
| OX-P012318 | 9341231020322 | 2½ x 18" / 50 x 450mm | 6 | 36 |
| OX-P012324 | 9328217006990 | 2½ x 24" / 65 x 600mm | 6 | 24 |



PRO SPINNER FLOAT

FEATURES

- High grade stainless steel blade - 'dished design'
- Reversible OXGRIP handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------------|-----------|-----------|
| OX-P014112 | 9341231021206 | 4¼ x 11½" / 120 x 290mm | 4 | 24 |
| OX-P014114 | 9341231021213 | 5¼ x 8" / 145 x 215mm | 6 | 36 |



PRO ALL SIDES UP FLOAT

FEATURES

- High grade stainless steel blade - 'dished design'
- Reversible OXGRIP handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------------------|-----------|-----------|
| OX-P013910 | 9341231020452 | 4 x 11½" / 100 x 290mm | 6 | 18 |
| OX-P013916 | 9341231020469 | 6¼ x 8¼" / 160 x 210mm | 6 | 18 |



PRO ALL SIDES UP FLOAT

FEATURES

- High quality extruded aluminium
- Snap together for fast tool changes
- Ergonomic OXGRIP Handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------|-----------|-----------|
| OX-P013938 | 9341231020476 | 6 x 15" / 150 x 380mm | 6 | 12 |



PRO MAGNESIUM FLOAT – OXGRIP HANDLE

FEATURES

- Heavy duty magnesium blade
- Bevelled ends and rounded corners
- Ergonomic DURAGRIP handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|----------------------|-----------|-----------|
| OX-P017012 | 9341231024900 | 3 x 12" / 80 x 300mm | 4 | 12 |
| OX-P017016 | 9341231011030 | 3 x 16" / 80 x 400mm | 4 | 12 |
| OX-P017020 | 9341231011047 | 3 x 20" / 80 x 500mm | 4 | 12 |



PRO MAGNESIUM FLOAT – ROUNDED ENDS

FEATURES

- Heavy duty magnesium blade
- Ergonomic OXGRIP handle
- Fully rounded ends helps prevent float marks

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|---------------------|-----------|-----------|
| OX-P400416 | 9341231024917 | 3 x 8" / 80 x 400mm | 4 | 12 |



PRO MAGNESIUM FLOAT – WIDE BLADE

FEATURES

- Heavy duty magnesium blade
- Ergonomic OXGRIP handle
- Wide blade wears longer

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------|-----------|-----------|
| OX-P400517 | 9341231024924 | 3½ x 16" / 90 x 400mm | 4 | 12 |



TRADE POINTED FINISHING TROWEL

FEATURES

- Carbon steel blade
- One piece ergonomic plastic handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------------|-----------|-----------|
| OX-T017309 | 9341231010446 | 4 x 14" / 100 x 335mm | 4 | 32 |
| OX-T017301 | 9341231010453 | 4½ x 14" / 120 x 356mm | 6 | 24 |
| OX-T017391 | 9341231010460 | 4½ x 16" / 115 x 405mm | 4 | 24 |
| OX-T017392 | 9341231010477 | 4½ x 17¾" / 115 x 450mm | 6 | 24 |
| OX-T017365 | 9341231010491 | 4½ x 24" / 115 x 600mm | 8 | 16 |



PRO POINTED FINISHING TROWEL

FEATURES

- High grade stainless steel blade
- Heavy duty aluminium shank
- 'Double hung' OXGRIP handle
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------------------|-----------|-----------|
| OX-P014609 | 9341231011214 | 4 x 14" / 100 x 355mm | 4 | 24 |
| OX-P014601 | 9341231011207 | 4 3/4 x 14" / 120 x 356mm | 6 | 24 |
| OX-P014691 | 9341231011238 | 4 1/2 x 16" / 115 x 405mm | 4 | 16 |
| OX-P014692 | 9341231011245 | 4 1/2 x 17 3/4" / 115 x 450mm | 4 | 16 |
| OX-P014693 | 9341231011252 | 4 1/2 x 19 1/2" / 115 x 500mm | 4 | 16 |
| OX-P014665 | 9341231011221 | 4 1/2 x 24" / 115 x 600mm | 6 | 24 |



PRO POOL TROWEL – FLEXIBLE

FEATURES

- Heavy duty aluminium shank
- 'Double hung' OXGRIP handle
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength
- High grade stainless steel blade

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|---------------------------|-----------|-----------|
| OX-P015712 | 9341231013744 | 4 x 11 3/4" / 100 x 300mm | 6 | 36 |
| OX-P015714 | 9341231013751 | 4 x 14" / 100 x 356mm | 6 | 36 |
| OX-P015718 | 9341231013768 | 4 x 18" / 100 x 457mm | 6 | 24 |



PRO POOL TROWEL – RIGID

FEATURES

- Heavy duty aluminium shank
- OXGRIP handle
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength
- High grade stainless steel blade

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------------------|-----------|-----------|
| OX-P015818 | 9341231013782 | 4 1/3 x 17 3/4" / 110 x 450mm | 6 | 24 |



PRO SQUARE FINISHING TROWEL

FEATURES

- Heavy duty aluminium shank
- Double hung' OXGRIP handle
- Stainless steel rivets holds the blade, shank and handle together with unsurpassed strength
- High grade stainless steel blade

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|---------------------------|-----------|-----------|
| OX-P014702 | 9341231013799 | 4 3/4 x 11" / 120 x 280mm | 6 | 24 |
| OX-P014781 | 9341231013812 | 4 1/2 x 16" / 115 x 405mm | 6 | 24 |



PRO WIDE WALKING EDGER

FEATURES

- High grade stainless steel blade
- Rivetted handle support
- Complete with fixed walking bracket
- Blade size: 5½ x 6¼" / 140 x 160mm

| PRODUCT CODE | BARCODE | RADIUS / DEPTH | INNER QTY | OUTER QTY |
|--------------|---------------|----------------|-----------|-----------|
| OX-P401310 | 9341231025051 | 10mm, 12mm | 6 | 32 |
| OX-P401316 | 9341231025068 | 16mm, 18mm | 6 | 36 |
| OX-P401320 | 9341231025075 | 20mm, 20mm | 6 | 36 |



PRO NARROW WALKING GROOVER

FEATURES

- High grade stainless steel blade
- Complete with fixed walking bracket
- Groove: Width 5/8" - 5/16" 15-8mm
- Depth ¾" 19mm

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------|-----------|-----------|
| OX-P401203 | 9341231025044 | 3 x 6 ¼" / 75 x 160mm | 6 | 36 |



PRO WIDE WALKING GROOVER

FEATURES

- High grade stainless steel blade
- Complete with fixed walking bracket
- Groove: Width 5/8" - 5/16" 15-8mm
- Depth ¾" 19mm

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|----------------------|-----------|-----------|
| OX-P401206 | 9341231025037 | 6 x 6" / 150 x 160mm | 6 | 36 |



PRO WALKING FLOAT

FEATURES

- High grade stainless steel blade
- Complete with fixed standing bracket

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------------------|-----------|-----------|
| OX-P401416 | 9341231025099 | 6¼ x 8¼" / 160 x 210mm | 5 | 15 |
| OX-P401438 | 9341231025105 | 6 x 15" / 150 x 380mm | 5 | 10 |



PRO FIXED BRACKET WALKING TROWEL

FEATURES

- Complete with fixed bracket
- High grade stainless steel

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|---------------------------|-----------|-----------|
| OX-P402760 | 9341231034374 | 4 3/4 x 24" / 120 x 600mm | 2 | 6 |
| OX-P402790 | 9341231034381 | 4 3/4 x 36" / 120 x 900mm | 2 | 6 |



PRO ROTATING BRACKET WALKING TROWEL

FEATURES

- Complete with Fresno Bracket
- High grade stainless steel

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|---------------------------|-----------|-----------|
| OX-P402860 | 9341231034398 | 4 3/4 x 24" / 120 x 600mm | 2 | 8 |
| OX-P402890 | 9341231034404 | 4 3/4 x 36" / 120 x 900mm | 2 | 10 |



PRO TILT BRACKET WALKING TROWEL

FEATURES

- Complete with tilt bracket
- High grade stainless steel

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|---------------------------|-----------|-----------|
| OX-P402960 | 9341231034411 | 4 3/4 x 24" / 120 x 600mm | 2 | 10 |
| OX-P402990 | 9341231034428 | 4 3/4 x 36" / 120 x 900mm | 2 | 10 |




PRO TILT BRACKET ONLY - WITH BOLT & W

FEATURES

- Suits OX-P402960 & OX-P402990 Tilt Bracket Walking Trowels

| PRODUCT CODE | BARCODE | SUITS | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------------|-----------|-----------|
| OX-P016204 | 9341231021619 | OX-P402960 & OX-P402990 | 6 | 24 |

CONCRETING TOOLS



TRADE KNEELING BOARD

FEATURES

- One piece base - with built in extra grip handles
- One piece foam
- Firm foam for greater knee support



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-T240300 | 9341231001284 | 350 x 480mm | 1 | 10 |



PRO MANUAL BACKPACK SPRAYER - 15L

FEATURES

- Operating Pressure 0.2 - 0.4 Mpa (30-58 PSI)
- Viton Equipped Seals
- Comfortable Padded Shoulder Harness

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P044715 | 9341231038839 | 15L | 4 | 12 |



PRO INDUSTRIAL CONCRETE SPRAYER - 13.2L

FEATURES


- Stainless steel heavy duty pump
- Stainless steel spray wand
- Stainless steel tank
- Flexible heavy duty chemical resistant hose
- Superior lock-on trigger assembly
- Ergonomic pump handle
- Genuine OXSeals equipped
- Wide mouth opening for easy filling & cleaning
- Holster for wand & nozzle storage



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P040713 | 9341231014413 | 13.2L | 1 | 6 |

PRO CONCRETE SPRAYER REPLACEMENT PARTS LIST

| PARTS LIST | PARTS LIST | PARTS LIST | PARTS LIST | PARTS LIST |
|-----------------|-------------------|------------------------------|---------------------------|------------------|
| 1. TANK | 7. HOSE | 13. SPRING | 19. O RING SEAL | 25. BRASS WASHER |
| 2. WAND HOLSTER | 8. END CAP | 14. SPINDLE | 20. WAND | 26. WASHER |
| 3. INLET TUBE | 9. PLASTIC FILTER | 15. O RING SEAL | 21. O RING SEAL | 27. GASKET |
| 4. O RING SEAL | 10. O RING SEAL | 16. O RING SEAL | 22. NOZZLE | 28. BARREL |
| 5. NUT | 11. END CAP | 17. O RING SEAL | 23. RELIEF VALVE | 29. CHECK VALVE |
| 6. O RING SEAL | 12. O RING SEAL | 18. HANDLE HOUSING & TRIGGER | 24. PUMP HANDLE D PLUNGER | |



| PRODUCT CODE | DESCRIPTION | PARTS INCLUDED |
|--------------|--|---|
| OX-P049301 | OX Brass Fan Nozzle - 1.0 GPM (3.8LPM) | 22 |
| OX-P049302 | OX 600mm Stainless Steel Spray Wand | 19, 20 & 21 |
| OX-P049303 | OX Trigger Assembly | 8, 9, 10, 11, 12, 13, 14, 15, 16, 17 & 18 |
| OX-P049304 | OX 1200mm Chemical Resistant Hose with Connections | 6 & 7 |
| OX-P049305 | OX Genuine OXSeal and Gasket Kit | 4, 6, 10, 12, 15, 16, 17, 19, 21, 25, 26, 27 & 29 |
| OX-P049306 | OX Stainless Steel Pump Assembly | 24, 25, 26, 27, 28 & 29 |
| OX-P049307 | OX Plunger Assembly | 24 & 25 |
| OX-P049310 | OX Supply Tube Assembly | 3, 4 & 5 |




TRADE REPLACEMENT BLADES – STYLE 1

FEATURES

- Suitable for 34" machines
- 3/8" BSW threads
- Heat treated - for better wear
- Boxed for easy storage

| PRODUCT CODE | BARCODE | NO. OF THREADED HOLES | BLADE SET OF | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------|--------------|-----------|-----------|-----------|
| OX-T181401 | 9341231000720 | 2 | 4 | 322x187mm | 1 | 1 |

Suits: Master Finish 34" / Coates 34" / Cromellins 34" / Flextool 34"




TRADE REPLACEMENT BLADES – STYLE 2

FEATURES

- Suitable for 40" machines
- 3/8" BSW threads
- Heat treated - for better wear

| PRODUCT CODE | BARCODE | NO. OF THREADED HOLES | BLADE SET OF | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------|--------------|-----------|-----------|-----------|
| OX-T181402 | 9341231000737 | 3 | 4 | 375x202mm | 1 | 1 |

Suits: OX-TM40 & OX-TM40/9 / Master Finish 40" / Cromellins 40" / Flextool 40"



TRADE REPLACEMENT BLADES – STYLE 3

FEATURES

- Suitable for 46" & 48" machines
- 5/16" UNC threads
- 12 x replacement square head bolts included
- Heat treated - for better wear

| PRODUCT CODE | BARCODE | NO. OF THREADED HOLES | BLADE SET OF | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------|--------------|-----------|-----------|-----------|
| OX-T181403 | 9341231000744 | 6 | 4 | 450x187mm | 1 | 1 |
| OX-T182603 | 9341231004582 | 6 | 5 | 450x187mm | 1 | 1 |

Suits: OX-TM46/9 & OX-TM46/13 / Master Finish 48" / Flextool 46" / Wackers 46" / Bartell 46"



TRADE REPLACEMENT BLADES – STYLE 6

FEATURES

- Suitable for 34" & 36" machines
- 5/16" UNC threads
- 8 x replacement bolts

| PRODUCT CODE | BARCODE | NO. OF THREADED HOLES | BLADE SET OF | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------|--------------|-----------|-----------|-----------|
| OX-T181406 | 9341231000775 | 3 | 4 | 355x187mm | 1 | 1 |

Suits: OX-TM36 & OX-TM36/9 / Flextool 36" / Wackers 36" / Bartell 36" / Bartell 40"



TRADE REPLACEMENT BLADES – STYLE 7

FEATURES

- Suitable for 46" & 48" machines
- 5/16" UNC threads
- Heat treated - for better wear

| PRODUCT CODE | BARCODE | NO. OF THREADED HOLES | BLADE SET OF | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------|--------------|-----------|-----------|-----------|
| OX-T181407 | 9341231000782 | 6 | 4 | 455x152mm | 1 | 1 |
| OX-T182607 | 9341231004599 | 6 | 5 | 455x152mm | 1 | 1 |

Suits: OX-TM46/9 & OX-TM46/13 / Master Finish 48" / Flextool 46" / Wackers 46" / Bartell 46"



TRADE REPLACEMENT BLADES – STYLE 8

FEATURES

- Suitable for 40" machines
- 3/8" BSW threads
- Heat treated - for better wear

| PRODUCT CODE | BARCODE | NO. OF THREADED HOLES | BLADE SET OF | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------|--------------|-----------|-----------|-----------|
| OX-T181408 | 9341231000799 | 3 | 4 | 375x152mm | 1 | 1 |

Suits: OX-TM40 / OX-TM40/9 / Master Finish 40" / Flextool 40" / Cromellins 40"



TRADE REPLACEMENT BLADES – STYLE 9

FEATURES

- Suitable for 36" machines
- 5/16" UNC threads
- Heat treated - for better wear

| PRODUCT CODE | BARCODE | NO. OF THREADED HOLES | BLADE SET OF | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------|--------------|-----------|-----------|-----------|
| OX-T181409 | 9341231000805 | 3 | 4 | 375x152mm | 1 | 1 |

Suits: OX-TM36 & OX-TM36/9 / Flextool 36" / Wackers 36" / Bartell 36"



TRADE REPLACEMENT BLADES – STYLE 10

FEATURES

- Suitable for 24 edging machines
- M16 threads
- Heat treated - for better wear

| PRODUCT CODE | BARCODE | NO. OF THREADED HOLES | BLADE SET OF | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------|--------------|-----------|-----------|-----------|
| OX-T181410 | 9341231000812 | 2 | 4 | 230x120mm | 1 | 1 |

Suits: OX-TM24



PRO 750MM H/D FLOOR SQUEEGEE HEAD

FEATURES

- Red neoprene - excellent resistance to salt acids, gasoline, fats, grease, etc.
- Rust resistant galvanised steel frame, etc.
- Splash guard and reinforced handle socket
- Parallel fitting: 25mm

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-P250575 | 9341231013904 | 29½" x 750mm | 2 | 10 |



PRO TRADITIONAL FLOOR SQUEEGEE

FEATURES

- Hard rubber blade & pre-galvanised steel frame
- Tapered fitting
- Fitting: 27-20mm

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P250691 | 9341231013911 | 36" / 910mm | 2 | 6 |



PRO CONCRETE FINISHING BROOM

FEATURES

- Cast aluminium back
- Premium fibre bristles
- Complete with adaptor to suit telescopic handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P060390 | 9341231021497 | 36" / 900mm | 2 | 10 |

BRICKLAYING TOOLS

“Trowels being the most important tool in a bricklayers toolbox makes me choose OX bricklayers trowel range. I personally use the OX Philadelphia brick trowel. The handle is very comfortable and has a strong butt end. The blade is a mill or so thicker than most other brands which is very helpful when needing to trowel cut a brick, and ensures it holds its shape longer. It's very well weighted and balanced. After years of using other brands, I have found the most comfort in this trowel.

From finishing joints to face bricks and blockwork is a detail that needs a lot of attention. My team and I use OX brickwork jointers to achieve the perfect finish. The Duragrip handle has to be the best handle for comfort and control.”

Peter Matolic | The Brick Co



BRICKLAYING TOOLS



PRO POINTING TROWEL

FEATURES

- OXGRIP handle
- Welded shank
- Precision taper ground blade

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------------------------|-----------|-----------|
| OX-P013606 | 5060242330308 | 2 3/4" x 6" / 70 x 152mm | 4 | 48 |

PRO GAUGING TROWEL

FEATURES

- Welded shank
- Precision taper ground blade
- OXGRIP handle
- 'S' style shank - will 'hang' on the side of a bucket

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------------------------|-----------|-----------|
| OX-P011407 | 5060242330261 | 3 1/2" x 7" / 88 x 178mm | 6 | 60 |
| OX-P011408 | 9341231010804 | 3 3/4" x 8" / 95 x 200mm | 6 | 60 |

PRO BRICK TROWEL – PHILADELPHIA

FEATURES

- New Slimmer OXGRIP Handle for Greater Comfort
- Fully Thermoplastic Rubber (TPR)
- Indestructible End Cap for longer lasting wear
- Perfectly Balanced Handle and Blade
- Blade Forged, Heat Treated and Ground from One Piece of Steel
- Improved Weight Control & Balance
- New Shank Angle for Better Accuracy

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P011212 | 5060242330629 | 12" / 300mm | 4 | 24 |

PRO BRICK TROWEL – LONDON

FEATURES

- New Slimmer OXGRIP Handle for Greater Comfort
- Fully Thermoplastic Rubber (TPR)
- Indestructible End Cap for longer lasting wear
- Perfectly Balanced Handle and Blade
- Blade Forged, Heat Treated and Ground from One Piece of Steel
- Improved Weight Control & Balance
- New Shank Angle for Better Accuracy

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P011112 | 9341231020445 | 12" / 300mm | 4 | 24 |



PRO BRICK TROWEL - LONDON WITH DURAGRIP HANDLE

FEATURES

- Quality carbon steel blade
- OXGRIP handle
- Welded shank

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------|-----------|-----------|
| OX-P010312 | 9341231022036 | 6 x 12" / 150 x 302mm | 6 | 36 |



PRO MARGIN TROWEL

FEATURES

- High quality carbon steel
- Flat rectangular blade
- OXGRIP handle for extreme comfort
- Precision tapered ground blade

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|----------------------|-----------|-----------|
| OX-P013416 | 9341231014321 | 2" x 6" / 50 x 150mm | 4 | 12 |



PRO MORTAR SMOOTHING TOOL

FEATURES

- OXGRIP handle
- Bright steel finish
- One piece spring steel

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P011506 | 9341231013522 | 285 x 6mm | 6 | 60 |
| OX-P011508 | 9341231013249 | 285 x 8mm | 6 | 60 |
| OX-P011510 | 5060242330346 | 285 x 10mm | 6 | 60 |



PRO STEEL BRICK JOINTER

FEATURES

- OXGRIP handle
- High quality bright steel

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P030310 | 9341231013256 | 495 x 10mm | 4 | 24 |
| OX-P030312 | 9341231013263 | 495 x 12mm | 4 | 24 |



PRO SPOON JOINTER

FEATURES

- High quality carbon steel
- One piece spring steel

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------------------|-----------|-----------|
| OX-P030813 | 9341231004834 | 3/8 & 1/2" / 10 & 13mm | 4 | 72 |
| OX-P030816 | 9341231011375 | 1/2 & 5/8" / 13 & 16mm | 4 | 72 |



PRO FLEXIGLASS BRICK JOINTER

FEATURES

- OXGRIP handle
- One piece moulded acrylic
- Non stain acrylic for rolled joints
- Will not mark, burn, or discolour light coloured mortar



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P030210 | 9341231022043 | 495 x 10mm | 4 | 24 |
| OX-P030212 | 9341231022050 | 495 x 12mm | 4 | 24 |



PRO NON STAIN ROLL JOINTER

FEATURES

- Made from hardened acrylic material
- Will not mark, burn, or discolour light coloured mortar
- 230mm in length
- Chamfered end

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P031209 | 9341231037580 | 25 x 230mm | 5 | 35 |



PRO POLY WHEEL ROLLER RAKER

FEATURES

- OXGRIP handle
- Adjustable rake depth
- Zinc plated
- Steel frame

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P030501 | 9341231020285 | 220 x 93mm | 6 | 36 |




PRO RUBBERISED PLASTIC LINE BLOCK - PAIR

FEATURES

- One piece
- Rubberised OXGRIP

| PRODUCT CODE | BARCODE | PACK QTY | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|----------|----------------|-----------|-----------|
| OX-P101502 | 9341231001239 | 2 | 75 x 65 x 57mm | 2 | 18 |



PRO RUBBER LINE BLOCK - 40PK

FEATURES

- High impact plastic
- High visibility blue colour



| PRODUCT CODE | BARCODE | PACK QTY | SIZE | INNER QTY | OUTER QTY |
|---------------|----------------|----------|----------------|-----------|-----------|
| OX-P101801-40 | 19341231001243 | 40 | 61 x 41 x 35mm | 1 | 10 |



PRO BRICK CARRIER

FEATURES

- Adjustable
- Heavy duty construction
- Holds 5-6 bricks
- Lift Capacity 45kg

| PRODUCT CODE | BARCODE | JAW CAPACITY | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-P170350 | 9341231020254 | 400 - 500mm | 4 | 12 |



PRO LIMESTONE BLOCK CARRIER

FEATURES

- Ergonomic Rubber Hand Grip
- Adjustable Spacings to Suit Different Block Sizes
- Lugs for Extra Grip

| PRODUCT CODE | BARCODE | JAW CAPACITY | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-P170701 | 9341231014635 | 500mm | 1 | 4 |



TRADE STRING LINE - 8 GAUGE

FEATURES

- Tough synthetic high tensile strength (42.8kg / 855 Tex)
- Ideal for brick and block laying
- Flexible plastic spool

| PRODUCT CODE | BARCODE | COLOUR / SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------|-----------|-----------|
| OX-T102805 | 9341231013102 | Fluro Lime / 50m | 12 | 48 |
| OX-T102810 | 9341231013119 | Fluro Lime / 100m | 12 | 48 |
| OX-T102905 | 9341231013126 | Fluro Pink / 50m | 12 | 48 |
| OX-T102910 | 9341231013133 | Fluro Pink / 100m | 12 | 48 |
| OX-T103005 | 9341231013140 | White / 50m | 12 | 48 |
| OX-T103010 | 9341231013157 | White / 100m | 12 | 48 |
| OX-T102705 | 9341231060489 | Orange / 50m | 12 | 48 |
| OX-T102710 | 9341231060496 | Orange / 100m | 12 | 48 |



TRADE STRING LINE - 12 GAUGE

FEATURES

- Tough synthetic high tensile strength (66.5kg / 1345 Tex)
- Ideal for layout work, brick and block laying
- Flexible plastic spool

| PRODUCT CODE | BARCODE | COLOUR / SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------|-----------|-----------|
| OX-T103210 | 9341231013294 | Fluro Lime / 100m | 12 | 48 |



PRO DUTCH PIN - SWIVEL (4 PACK)

FEATURES

- Semi-round swivel arm
- Solid forged and hardened
- Made from special high quality steel
- Galvanised



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P100715 | 9341231013621 | 100 x 150mm | 4 | 16 |



PRO DUTCH PIN - FIXED (4 PACK)

FEATURES

- Semi-round fixed arm
- Solid forged and hardened
- Made from special high quality steel
- Galvanised



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P100615 | 9341231013614 | 100 x 150mm | 4 | 16 |



PRO LINE PIN

FEATURES

- Made from solid forged carbon steel for ultimate strength
- Taper ground point & edges – drives easily into the wall
- Chrome plated for fine finish, extra wear resistance and rust prevention

| PRODUCT CODE | BARCODE | PACK QTY | INNER QTY | OUTER QTY |
|--------------|---------------|----------|-----------|-----------|
| OX-P100101 | 9341231013935 | 1 | 50 | 200 |



TRADE SCRUB BRUSH – TIMBER STOCK

FEATURES

- Quality smooth timber block
- Yellow crimped poly bristles

| PRODUCT CODE | BARCODE | BRISTLE AREA | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-T061001 | 9341231022449 | 65 x 190mm | 6 | 24 |



TRADE BRICKIES BRUSH – DYED COCO FIBRE

FEATURES

- Quality smooth timber block
- Black dyed coco fibre bristles

| PRODUCT CODE | BARCODE | BRISTLE AREA | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-T060701 | 9341231022463 | 70 x 300mm | 6 | 24 |



TRADE BRICKIES BRUSH – POLY FIBRE

FEATURES

- Quality smooth timber block
- Black poly fibre bristles

| PRODUCT CODE | BARCODE | BRISTLE AREA | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-T060601 | 9341231022456 | 70 x 300mm | 6 | 24 |



PRO SLIDING PROFILE CLAMP

FEATURES

- Zinc plated solid steel
- 'T' bolt/thumb screw
- Thread length 80mm

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P101213 | 9341231021527 | 330mm | 6 | 24 |



PRO PROFILE CLAMP

FEATURES

- Solid steel & zinc plated
- 'T' bolt thumb screw
- Thread length 80mm

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P100302 | 9341231013829 | 50mm | 6 | 48 |
| OX-P100307 | 9341231020216 | 180mm | 6 | 36 |
| OX-P100312 | 9341231020223 | 300mm | 4 | 24 |

PLASTERING & RENDERING TOOLS

“The whole rendering range from OX is incredible! We use various tools from the range every day. I have used many hand and power tools out there but they don't compare to OX. When you are doing the highest quality work you need the right tools for the job. The trowels, floats and sponges allow my team to meet the highest of standards on our high-end projects. My mixing drill hasn't missed a beat since I purchased it, mixing over 2 tons of render per week - a super reliable tool!”

Matt Jamieson | Render X



PLASTERING & RENDERING TOOLS



PRO SMALL TOOL

FEATURES

- Precision taper ground and tempered
- One piece solid drop forged from high quality carbon steel

| PRODUCT CODE | BARCODE | WIDTH | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P010113 | 5060242330452 | 13mm | 6 | 120 |
| OX-P010116 | 5060242330469 | 16mm | 6 | 120 |
| OX-P010119 | 5060242330476 | 19mm | 6 | 120 |
| OX-P010125 | 5060242330483 | 25mm | 6 | 120 |



TRADE JOINT KNIFE - STAINLESS STEEL

FEATURES

- Full Tang
- Stainless steel flexible blade
- Lanyard eyelet

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-T408405 | 9341231015663 | 50mm | 12 | 144 |
| OX-T408407 | 9341231015670 | 75mm | 12 | 144 |
| OX-T408410 | 9341231015687 | 100mm | 12 | 144 |
| OX-T408412 | 9341231015694 | 125mm | 12 | 144 |
| OX-T408415 | 9341231015700 | 150mm | 12 | 144 |



PRO JOINT KNIFE

FEATURES

- Ergonomic OXGRIP handle
- High quality flexible stainless steel blade
- Full length tang-blade continues through handle to a built-in hammer end

| PRODUCT CODE | BARCODE | SQUARE END WIDTH | INNER QTY | OUTER QTY |
|--------------|---------------|------------------|-----------|-----------|
| OX-P013203 | 5060242330438 | 32mm | 4 | 12 |
| OX-P013205 | 5060242330421 | 50mm | 4 | 12 |
| OX-P013207 | 5060242330414 | 76mm | 12 | 144 |
| OX-P013210 | 5060242330407 | 102mm | 12 | 144 |
| OX-P013212 | 5060242330391 | 127mm | 4 | 12 |
| OX-P013215 | 5060242330384 | 152mm | 4 | 12 |



PRO TAPING KNIFE

FEATURES

- Strong aluminium back
- Ergonomic OXGRIP handle
- High quality flexible stainless steel blade

| PRODUCT CODE | BARCODE | SQUARE END WIDTH | INNER QTY | OUTER QTY |
|--------------|---------------|------------------|-----------|-----------|
| OX-P013320 | 9341231001192 | 200mm | 12 | 72 |
| OX-P013325 | 9341231010781 | 250mm | 12 | 72 |
| OX-P013330 | 9341231010798 | 300mm | 12 | 72 |

PLASTERING & RENDERING TOOLS

PRO INTERNAL CORNER TROWEL

FEATURES

- OXGRIP handle
- Sturdy aluminium shank with strong mounting
- High quality stainless steel blade - will flex to form perfect 90° corners

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P013001 | 5060242330490 | 102 x 127mm | 6 | 60 |

PRO SMALL INTERNAL CORNER TROWEL

FEATURES

- Sharp 90° Blade
- Ideal for finishing hard-wall plaster

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|-----------|
| OX-P408205 | 9341231015502 | 50 x 70mm | 6 | 48 |

PRO EXTERNAL CORNER TROWEL - SMALL

FEATURES

- Stainless steel blade
- Ergonomic handle
- Blade angle 90° / blade radius 5r

| PRODUCT CODE | BARCODE | BLADE SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------|-----------|-----------|
| OX-P015305 | 9341231021251 | 26 x 65mm (radius 5r) | 6 | 72 |

PRO EXTERNAL CORNER TROWEL - LARGE

FEATURES

- Stainless steel blade
- Ergonomic handle
- Blade angle 90° / blade radius 5r (OX-P015505)
- Blade angle 90° / blade radius 8r (OX-P015508)

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------|-----------|-----------|
| OX-P015505 | 9341231021275 | 55 x 65mm (radius 5r) | 6 | 48 |
| OX-P015508 | 9341231021282 | 55 x 65mm (radius 8r) | 6 | 48 |

PLASTERING & RENDERING TOOLS



TRADE FINISHING TROWEL – TIMBER HANDLE

FEATURES

- Carbon steel blade
- Aluminium shank
- Ergonomic timber handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-T017211 | 9341231036323 | 115 x 280mm | 6 | 24 |
| OX-T017214 | 9341231022791 | 120 x 356mm | 6 | 24 |



TRADE FINISHING TROWEL – RUBBER HANDLE

FEATURES

- Carbon steel blade
- Aluminium shank
- Ergonomic rubber grip handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-T010911 | 9341231022807 | 115 x 280mm | 6 | 36 |
| OX-T010914 | 9341231022814 | 120 x 356mm | 4 | 24 |



CARBON STEEL

PRO FINISHING TROWEL

FEATURES

- High quality tempered steel blade
- Lightweight aluminium shank
- Handle position set for perfect balance
- Extended OXGRIP handle designed for increased comfort
- Fully riveted shank
- Cross ground blade - for reduced drag and quicker break-in time

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P010911 | 9341231021084 | 120 x 280mm | 4 | 24 |
| OX-P010914 | 5060242330582 | 120 x 356mm | 6 | 24 |

PLASTERING & RENDERING TOOLS



PRO GOLDEN STEEL FINISHING TROWEL

FEATURES

- Pre-worn edges to eliminate line & ripple marks
- High quality tempered stainless steel blade
- Lightweight aluminium shank
- Handle set for perfect balance
- Fully riveted shank
- DURAGRIP handle for ultimate comfort

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-----------|
| OX-P407311 | 9341231038822 | 114mm x 280mm | 6 | 36 |
| OX-P407314 | 9341231038280 | 127mm x 356mm | 6 | 24 |



PRO ULTRAFLEX FINISHING TROWEL

FEATURES

- New ultra flexible trowel for a perfect finish
- Lightweight fully fastened shank for superior balance and strength
- Unique twin blade technology for ultimate flexibility
- 0.3mm Ultra flexible stainless steel blade
- Rounded corners to ensure a smooth finish
- Ergonomic soft grip handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------|-----------|-----------|
| OX-P530111 | 5060359916310 | 11" / 280 x 110mm | 1 | 6 |
| OX-P530114 | 5060359916327 | 14" / 35x12x12 | 1 | 6 |



PRO RED TEXTURE FINISHING TROWEL

FEATURES

- Red PVC blade
- Ergonomic OXGRIP handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P408511 | 9341231015847 | 130 x 280mm | 10 | 40 |

PLASTERING & RENDERING TOOLS



PRO SQUARE FRONT TROWEL

FEATURES

- OXGRIP handle with finger protection
- High quality carbon steel
- Heavy duty straight shank
- Soft grip handle for extreme comfort

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P013716 | 9341231051425 | 160mm | 4 | 32 |
| OX-P013718 | 5060242330506 | 180mm | 4 | 32 |
| OX-P013720 | 9341231022517 | 200mm | 6 | 36 |



TRADE POLYURETHANE FLOAT

FEATURES

- One piece moulded
- Lightweight

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-----------|
| OX-T010214 | 9341231011924 | 140mm / 280mm | 6 | 36 |
| OX-T010218 | 9341231011931 | 180mm / 320mm | 6 | 36 |



PRO RECTANGULAR PLASTIC FLOAT

FEATURES

- High strength ABS plastic
- Diamond patterned base

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P012127 | 9341231001796 | 180 x 270mm | 2 | 18 |
| OX-P012144 | 9341231022647 | 140 x 440mm | 4 | 24 |
| OX-P012135 | 9341231010767 | 270 x 350mm | 2 | 14 |
| OX-P012142 | 9341231022654 | 260 x 420mm | 4 | 12 |



PRO POINTED PLASTIC FLOAT

FEATURES

- High strength ABS plastic
- Diamond patterned base

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P012027 | 9341231022630 | 140 x 270mm | 4 | 12 |

PLASTERING & RENDERING TOOLS



PRO RECTANGULAR POLYSTYRENE FLOAT

FEATURES

- High quality polystyrene
- One piece moulded

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P012814 | 9341231020308 | 140 x 260mm | 4 | 12 |
| OX-P012818 | 9341231020315 | 180 x 320mm | 5 | 15 |



PRO BOAT SHAPED POLYSTYRENE FLOAT

FEATURES

- High quality polystyrene
- One piece moulded

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P012718 | 9341231020292 | 205 x 350mm | 6 | 24 |



PRO RECTANGULAR POLYURETHANE FLOAT

FEATURES

- High quality polyurethane
- One piece moulded
- Made in the EU

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P010212 | 9341231001819 | 120 x 240mm | 4 | 40 |
| OX-P010214 | 9341231001826 | 140 x 280mm | 4 | 40 |
| OX-P010218 | 9341231001833 | 180 x 320mm | 4 | 40 |
| OX-P010220 | 9341231001840 | 200 x 360mm | 4 | 24 |



PRO ANGULAR POLYURETHANE FLOAT

FEATURES

- High quality polyurethane
- One piece moulded
- Made in the EU

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P010208 | 9341231001802 | 80 x 260mm | 4 | 224 |

PLASTERING & RENDERING TOOLS



PRO PERFORATED SPONGE FLOAT

FEATURES

- Zinc plated perforated blade - easy to clean
- Special "fine cell" sponge
- OXGRIP handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P010830 | 9341231020339 | 130 x 300mm | 6 | 24 |



PRO 130X300MM REPLACEMENT SPONGE - 6 PACK

FEATURES

- Specialized sponge compound
- Render specific absorption
- 130mm x 300mm
- Suits OX-P010830 Sponge Float

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P019813 | 9341231022708 | 130 x 300mm | 1 | 6 |



PRO PS RUBBER SPONGE FLOAT

FEATURES

- One piece moulded handle + blade
- Soft - Long life "sponge-rubber" material
- Made in the EU

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P014014 | 9341231010316 | 140 x 280mm | 4 | 40 |



PLASTERING & RENDERING TOOLS



PRO ALUMINIUM HAWK

FEATURES

- OXGRIP handle
- High quality, lightweight and tempered aluminium blade mounted with 8 rivets for extra strength
- Machined Blade to prevent mortar from sliding off and aluminium from bowing or bending

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P010513 | 5060242330377 | 330 x 330mm | 4 | 24 |



PRO MASONRY WATER BRUSH

FEATURES

- White tampico fibre bristles
- Bristles set securely into hardwood block
- Handle pinned and glued for secure attachment
- Round Handle
- Made in the U.S.A

| PRODUCT CODE | BARCODE | BRISTLES | INNER QTY | OUTER QTY |
|--------------|---------------|----------|-----------|-----------|
| OX-P060105 | 9341231013485 | 5 Rows | 4 | 12 |




TRADE WEEPHOLE CLEANER

FEATURES

- Stainless steel
- Template for accurate weephole
- Bottle opener hole

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|-----------|
| OX-T030401 | 9341231001277 | 75 & 50mm | 6 | 48 |

PLASTERING & RENDERING TOOLS



PRO PLASTERER'S SQUARE

FEATURES

- Stainless steel
- Fully adjustable for precise bevels
- Adjustable wing nuts for setting desired internal and external angles

| PRODUCT CODE | BARCODE | INTERNAL SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------|-----------|-----------|
| OX-P020201 | 9341231022616 | 210 x 210 x 300mm | 1 | 6 |



TRADE PLASTER SCOOP

FEATURES

- Economical plastic construction
- Sturdy grip to withstand heavy loads
- Lightweight

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-T530217 | 9341231016028 | 180mm | 1 | 30 |



PRO PLASTER SCOOP

FEATURES

- OXGRIP handle
- Heavy duty galvanised pan - for longevity
- Bracket Bucket hang hook

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P010718 | 9341231011368 | 180mm | 6 | 12 |



TRADE TEXTURE GUN – SQUARE

FEATURES

- Ideal for applying masonry coatings - cement render, and concrete re-surfacing products
- With airflow regulator and 45° elbow
- Operating pressure bar 3.0-4.0
- Air volume usage 0.623 CBM / min



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-T040308 | 9341231013607 | 8L | 1 | 6 |

PLASTERING & RENDERING TOOLS

PRO SPEEDSKIM – ST (PLASTERING & RENDERING)

FEATURES

- Speedskim® is the new and revolutionary tool system designed to increase metreage output and enhance quality of finish – at the same time significantly reducing the harmful effects of fatigue & RSI
- Flattening, finishing & ruling off
- Compatible with all gypsum based plasters (hand and spray applied), Traditional sand & cement renders and insulated rendering systems
- Complete with integral blade guard

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P530960 | 5060359919250 | 600mm | 1 | 4 |
| OX-P530990 | 5060359919267 | 900mm | 1 | 4 |
| OX-P530912 | 5060359919274 | 1200mm | 1 | 4 |



FEATURES

- Replacement blade

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P531260 | 5060359919380 | 600mm | 1 | 14 |
| OX-P531212 | 5060359919403 | 1200mm | 1 | 14 |



PRO SPEEDSKIM – SF (FINE FINISHING & DRYWALL)

FEATURES

- Speedskim® is the new and revolutionary tool system designed to increase metreage output and enhance quality of finish – at the same time significantly reducing the harmful effects of fatigue & RSI
- Ultra-fine 0.3mm stainless steel blade
- Fine finishing of plaster, drywall & tape & jointing
- Compatible with all gypsum based finishing plasters (hand and spray applied), Jointing systems and compounds
- Complete with integral blade guard

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P531060 | 5060359919311 | 600mm | 1 | 14 |
| OX-P531012 | 5060359919335 | 1200mm | 1 | 14 |



FEATURES

- Replacement blade

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P531360 | 5060359919441 | 600mm | 1 | 14 |
| OX-P531390 | 5060359919458 | 900mm | 1 | 14 |



PLASTERING & RENDERING TOOLS



| TECHNICAL INFORMATION | |
|-----------------------|------------|
| Input Power | 1600W |
| No Load Speed Gear 1 | 180-400RPM |
| No Load Speed Gear 2 | 300-700RPM |
| Spindle | M14 |
| Weight | 6.5kg |



PRO 1600W MIXING DRILL

FEATURES

- Powerful 1600w motor
- Ergonomically Balanced Design
- Variable Speed
- Lightweight 6kg
- Competitively priced
- 3 Pin Plug
- Bonus Mixing Paddle
- Bonus Extension




| PRODUCT CODE | BARCODE | DESCRIPTION | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P286 | 9341231018275 | 62x22x32 | 1 | 2 |

PLASTERING & RENDERING TOOLS

PRO MIXING PADDLE – RIBBON

FEATURES

- Chrome plated
- For mixing paint and general liquids
- Low to medium viscosity materials




| PRODUCT CODE | BARCODE | DRIVE HEX-MM (MALE) | BATCH SIZE KG | SIZE MM | INNER QTY | OUTER QTY |
|--------------|---------------|------------------------|------------------|------------|-----------|-----------|
| OX-P120308 | 9341231010842 | 8 | 5 - 10 | 80 x 400 | 12 | 48 |

PRO MIXING PADDLE - DUAL FIN

FEATURES

- Chrome plated
- For mixing paint, tile glue, grout etc.
- Multi-purpose use on low to high viscosity materials




| PRODUCT CODE | BARCODE | DRIVE HEX-MM (MALE) | BATCH SIZE KG | SIZE MM | INNER QTY | OUTER QTY |
|--------------|---------------|------------------------|------------------|------------|-----------|-----------|
| OX-P120809 | 9341231010927 | 8 | 5 - 15 | 85 x 500 | 12 | 36 |

PRO MIXING PADDLE – HELICAL WITH RIM

FEATURES

- Chrome plated
- For mixing tile glue, grout etc.
- Use on high viscosity materials




| PRODUCT CODE | BARCODE | DRIVE HEX-MM (MALE) | BATCH SIZE KG | SIZE MM | INNER QTY | OUTER QTY |
|--------------|---------------|------------------------|------------------|------------|-----------|-----------|
| OX-P120609 | 9341231010897 | 8 | 5 - 15 | 90 x 500 | 12 | 48 |
| OX-P120612 | 9341231010903 | 10 | 20 - 30 | 120 x 600 | 6 | 18 |

PRO HEAVY DUTY STIRRER


FEATURES

- Heavy duty stirring paddle
- Chrome plated for durability
- For mixing lime putty plaster



| PRODUCT CODE | BARCODE | DRIVE | BATCH SIZE KG | SIZE MM | INNER QTY | OUTER QTY |
|--------------|---------------|-------|------------------|------------|-----------|-----------|
| OX-P120220 | 9341231010835 | M14 | - | 200 x 800 | - | - |

PLASTERING & RENDERING TOOLS




IDEAL FOR TILING

PRO MIXING PADDLE – HELICAL WITH RIM

FEATURES

- Chrome plated
- For mixing tile glue, grout etc.
- Use on high viscosity materials

| PRODUCT CODE | BARCODE | DRIVE | BATCH SIZE KG | SIZE MM | INNER QTY | OUTER QTY |
|--------------|---------------|-------|---------------|-----------|-----------|-----------|
| OX-P121035 | 9341231010965 | M14 | 50L | 135 x 650 | 6 | 18 |




PRO MIXING PADDLE – POSITIVE HELIX

FEATURES

- Chrome plated
- For mixing acrylic render without grit, thick paint
- Use on high viscosity materials

| PRODUCT CODE | BARCODE | DRIVE | BATCH SIZE KG | SIZE MM | INNER QTY | OUTER QTY |
|--------------|---------------|-------|---------------|-----------|-----------|-----------|
| OX-P120535 | 9341231010880 | M14 | 25 - 40 | 135 x 650 | 4 | 12 |




PRO MIXING PADDLE – NEGATIVE HELIX

FEATURES

- Chrome plated
- For mixing acrylic render with grit, thick paint etc.
- Use on medium viscosity materials

| PRODUCT CODE | BARCODE | DRIVE | BATCH SIZE KG | SIZE MM | INNER QTY | OUTER QTY |
|--------------|---------------|-------|---------------|-----------|-----------|-----------|
| OX-P120435 | 9341231010866 | M14 | 25 - 40 | 135 x 650 | 4 | 12 |



PRO ADAPTOR

FEATURES

- Chrome plated
- For increasing the length of M14 drive shaft

| PRODUCT CODE | BARCODE | DRIVE | LENGTH MM | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|-----------|
| OX-P121515 | 9341231011016 | M14 | 150 | 3 | 60 |

TILING TOOLS

“I use OX tools because of the design and quality considered in the range, which I haven’t found in other suppliers. I started off using the Notch trowels with the comfort and durability making me throw away the other trowels. The 7 piece level set gets a good workout, using them every day screeding and making sure my floors and walls are bang on, they are still as accurate as the day that I got them.”

Chris Forster | Flowstate Tiling





TRADE TRIM /FILLET CUTTER

FEATURES

- Chrome plated
- Integral angle gauge
- Soft moulded hand grips

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-T151010 | 9341231029523 | 216mm | 6 | 48 |



PRO STRAIGHT SET TILE NIPPER – TWO STRAIGHT

FEATURES

- Strong drop forged body
- Cuts round and irregular shapes
- OXGRIP handles
- Tungsten – solid tip, set in and ground/polished finished

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P152180 | 9341231029462 | 200mm | 12 | 60 |



PRO STRAIGHT SET TILE NIPPER – TWO CURVED

FEATURES

- Strong drop forged body
- Cuts round and irregular shapes
- OXGRIP handles
- Tungsten – solid tip, set in and ground/polished finished

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P152280 | 9341231029479 | 200mm | 12 | 60 |



PRO PARROT BEAK TILE NIPPER

FEATURES

- Strong drop forged body
- Cuts round and irregular shapes
- OXGRIP handles
- Tungsten – solid tip, set in and ground/polished finished

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P152475 | 9341231029516 | 190mm | 12 | 72 |



TRADE V NOTCH TROWEL

FEATURES

- Carbon steel blade & timber handle
- Aluminium shank
- Size: 115 x 280mm

| PRODUCT CODE | BARCODE | V SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-T401804 | 9341231029721 | 4mm | 8 | 16 |



TRADE NOTCHED TILING TROWEL

FEATURES

- Flexible blade
- Comfortable soft grip
- Heavy duty aluminium shank
- Carbon Steel

| PRODUCT CODE | BARCODE | BLADE SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-T535106 | 5060530354122 | 6 x 6mm | 8 | 16 |
| OX-T535108 | 5060530354139 | 8 x 8mm | 8 | 16 |
| OX-T535110 | 5060530354146 | 10 x 10mm | 8 | 16 |
| OX-T535112 | 5060530354153 | 12 x 12mm | 8 | 16 |
| OX-T535115 | 5060530357819 | 15 x 15mm | 8 | 16 |



PRO NOTCH TROWEL

FEATURES

- Carbon steel blade & aluminium shank
- OXGRIP handle
- Size: 115 x 280mm

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|-----------|
| OX-P013406 | 9341231024146 | 6 x 6mm | 4 | 24 |
| OX-P013408 | 9341231024153 | 8 x 8mm | 4 | 24 |
| OX-P013410 | 9341231024160 | 10 x 10mm | 4 | 24 |
| OX-P013412 | 9341231024177 | 12 x 12mm | 6 | 36 |



PRO SQUARE FRONT TROWEL

FEATURES

- High quality carbon steel blade square front trowel
- Heavy duty forged straight shank design
- OXGrip handle with finger stop protection

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P013716 | 9341231051425 | 160mm | 4 | 32 |
| OX-P013718 | 5060242330506 | 180mm | 4 | 32 |
| OX-P013720 | 9341231022517 | 200mm | 6 | 32 |

PRO GAUGING TROWEL

FEATURES

- Welded shank
- Precision taper ground blade
- OXGRIP handle
- 'S' style shank - will 'hang' on the side of a bucket

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P011407 | 5060242330261 | 88 x 178mm | 6 | 60 |
| OX-P011408 | 9341231010804 | 95 x 203mm | 6 | 60 |

PRO DIAMOND HAND POLISHING PADS

FEATURES

- Used for the smoothing of ceramic and porcelain tile edges
- Hard wearing synthetic diamond surface
- Comfortable foam grip
- Grit 60, 200, 400, 600

| PRODUCT CODE | BARCODE | GRIT | INNER QTY | OUTER QTY |
|--------------|---------------|----------|-----------|-----------|
| OX-DHPP-60 | 9341231051364 | 60 Grit | 10 | 200 |
| OX-DHPP-200 | 9341231051371 | 200 Grit | 10 | 200 |
| OX-DHPP-400 | 9341231051388 | 400 Grit | 10 | 200 |
| OX-DHPP-600 | 9341231051395 | 600 Grit | 10 | 200 |

PRO SINGLE CUP RUBBER/ALUMINIUM SUCTION LIFTER

FEATURES

- 4.5" pro suction cup, plastic cup & rubber pad
- Suits most substrates including uneven surfaces
- Metal handle & valve
- 40kg Lifting Capacity

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-P170545 | 9341231043598 | 4.5" / 115mm | 12 | 24 |


PRO SINGLE CUP RUBBER SUCTION LIFTER

FEATURES

- Easy single handed use
- Grips on to any smooth flat surface
- Easy to use - press-on for suction - lift lipped edge for release
- Max lift capacity 20kg

| PRODUCT CODE | BARCODE | CUP SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|----------|-----------|-----------|
| OX-P170403 | 9341231026041 | 80mm | 12 | 72 |





PRO 7 PIECE TILERS SET – COMPLETE LEVEL SET

FEATURES

- Magnified centre vial
- Made from structural aircraft alloy
- Plexiglass shock proof vials
- Accuracy +/- 0.5mm/m
- 2 Vials: 300mm x 1, 400mm x 1, 600mm x 1, 800mm x 1, 1000mm x 1
- 3 Vials: 1200mm x 1, 2000mm x 1

| PRODUCT CODE | BARCODE | CONTENT | INNER QTY | OUTER QTY |
|--------------|---------------|----------|-----------|-----------|
| OX-P21SET7 | 9341231034152 | 7 pieces | 1 | 4 |



PRO TILERS LEVEL - 2 VIAL

FEATURES

- Magnified centre vial
- Made from structural aircraft alloy
- Plexiglass shock proof vials
- Accuracy +/- 0.5mm/m

| PRODUCT CODE | BARCODE | LENGTH | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P021204 | 9341231030048 | 400mm | 3 | 30 |
| OX-P021206 | 9341231030055 | 600mm | 3 | 6 |
| OX-P021208 | 9341231030062 | 800mm | 3 | 3 |
| OX-P021212 | 9341231045042 | 1200mm | 1 | 10 |



PRO TILERS LEVEL - 3 VIAL

FEATURES

- Magnified centre vial
- Made from structural aircraft alloy
- Plexiglass shock proof vials
- Accuracy +/- 0.5mm/m

| PRODUCT CODE | BARCODE | LENGTH | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P023115 | 9341231030109 | 1500mm | 3 | 6 |



PRO SOFT RUBBER GROUT FLOAT

FEATURES

- Soft body for cleaning textured tile and stone
- Heavy duty- pure urethane construction
- Ergonomic plastic handle
- Easy to spread, leaves surfaces clean

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P142910 | 9341231051128 | - | 3 | 6 |



PRO POINTED RUBBER GROUTER

FEATURES

- Timber handle
- Foam-rubber blade with steel insert - for rigidity

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P011995 | 9341231029844 | 86 x 240mm | 6 | 72 |



PRO RECTANGULAR DOUBLE RUBBER GROUTER

FEATURES

- Ergonomic plastic handle
- Gum rubber blade with bevelled edges
- Plastic backer with foam cushion for even pressure

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P011895 | 9341231027192 | 100 x 240mm | 12 | 48 |



PRO SLOTTED HYDRO SPONGE FLOAT

FEATURES

- Ultimate tilers hydro sponge for the jobsite applications
- Hydro technology material for ultimate water holding properties
- Open cell design for the most effective dirt release when rinsing
- One piece moulded handle design for added strength

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-----------|
| OX-P404814 | 9341231035104 | 140mm x 280mm | 10 | 40 |



PRO SLOTTED HYDRO SPONGE

FEATURES

- The ultimate tilers sponge - made from 'Hydro' material for ultimate water holding properties
- Open cell design with the 'Hydro' material, creates the most effective dirt release during 'compression load deflection'
- The OX slotted surface design creates multiple edges to perform the cleanest 'wipe' after one swipe

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------------|-----------|-----------|
| OX-P250113 | 9341231030192 | 200 x 130 x 50mm | 12 | 96 |



PRO VELCRO SLOTTED HYDRO SPONGE

FEATURES

- All-purpose type sponge for general cleaning
- Coarse pore for removal of heavy dirt
- Consists of large and small cell structure

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------------|-----------|-----------|
| OX-P250311 | 9341231030154 | 110 x 165 x 65mm | 12 | 14 |
| OX-P250313 | 9341231030161 | 130 x 200 x 70mm | 12 | 144 |



PRO HYDRO HAND SPONGE

FEATURES

- The ultimate tilers sponge - made from 'Hydro' material for ultimate water holding properties
- 'Open cell' design with the 'Hydro' material, creates the most effective dirt release during 'compression load deflection'

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------------|-----------|-----------|
| OX-P250411 | 9341231030178 | 110 x 165 x 65mm | 6 | 24 |
| OX-P250413 | 9341231030185 | 130 x 200 x 70mm | 12 | 24 |



TRADE MULTI TOOL SILICONE REMOVER & SMOOTHER

FEATURES

- Effective removal of silicone and grout
- Perfect to assist with preparation before the use of corner tape
- Multi-Tool – Silicone remover and smoother tool
- Multiple profiles for different smoothing options

| PRODUCT CODE | BARCODE | V SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-T051801 | 9341231051135 | 4mm | 4 | 32 |



PRO HEAVY DUTY SCRAPER

FEATURES

- Chrome plated shaft
- Triple screw blade clamp
- Power weighed OXGRIP end
- Size: 450mm


| PRODUCT CODE | BARCODE | BLADE SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P050105 | 9341231029912 | 127mm | 4 | 12 |



FEATURES

- Replacement blades - 10pk
- Made from high quality carbon steel
- Suits OX-P050105

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|----------------|-----------|-----------|
| OX-P059905 | 9341231029929 | 127 x 19 x 1mm | 4 | 12 |



PRO HEAVY DUTY SCRAPER REPLACEMENT BLADES

FEATURES

- Replacement blades
- 10 blades per pack (OX-T059504)



| PRODUCT CODE | BARCODE | BLADE SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-T059504 | 9341231036255 | 100mm | 25 | 200 |



PRO GROUT REMOVER

FEATURES

- Tungsten carbide tipped blade
- Ergonomic body and grip with blade storage compartment in the hilt
- Size: 210mm

| PRODUCT CODE | BARCODE | BLADE SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P130201 | 9341231029899 | 50mm | 12 | 72 |

REPLACEMENT BLADES

- Replacement blades (2 pack)
- Tungsten carbide tipped blade
- Suits OX-P130201

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P139802 | 9341231060502 | - | - | - |

PLUMBING & ELECTRICAL TOOLS

“Good quality products are something every plumber looks for, as well as products that are backed by the manufacture. OX Tools is my go-to as they feel heavy duty. After working with a variety of different brands over the years it's nice to have tools that are reliable, something you can throw around and not worry about getting damaged. They also have a great range of plumbing tools tailored to all different types of plumbing.”

James Mansell | Mansell Plumbing



POLYZIP™ FLEX

INNOVATIVE


Patented flex technology for multi diameter cutting

Efficient and precise leaving zero pipe deformation

Zero swarf

Spare blade and safety insert included

Quick change stainless blade (reversible dual life)



PRO POLYZIP™ FLEX PIPE CUTTERS - C1 & C2

FEATURES

- Patented flex technology for multi diameter cutting
- Perfect for most popular plumbing pipes and electrical conduits including most flexible conduits
- Ultra-Square cut
- Efficient and precise leaving zero pipe deformation
- Spare blade and safety insert included
- Quick change stainless blade (reversible dual life)
- Zero swarf



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|----------------|-----------|-----------|
| OX-P563328 | 5060530358755 | (C1) 15 - 28mm | 3 | 36 |
| OX-P563355 | 5060530358762 | (C2) 25 - 55mm | 3 | 36 |

FEATURES

- Pro PolyZip Replacement Blade Pack- 3 Pack

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P562701 | 5060530353491 | 3 Pack | 10 | 20 |



NEW





PRO ADJUSTABLE TUBE CUTTER

FEATURES

- Heavy duty telescopic tube cutter
- Smooth and accurate telescopic adjustment
- Cuts tubes from 6 – 35mm
- Deburring attachment for removing swarf
- Cuts copper, brass, aluminium and thin walled steel tubes

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|----------|-----------|-----------|
| OX-P448635 | 5060359914668 | 3 - 35mm | 1 | 25 |

FEATURES

- Pro Replacement Cutting Wheel for Adjustable Pipe Cutter - (2 Pack)

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P560302 | 5060359919168 | - | 2 | 12 |



TRADE COPPER PIPE CUTTER

FEATURES

- Fast clean cutting
- Zinc alloy housing
- For use in tight spaces
- Cuts, copper & aluminium

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-T563912 | 5060328040060 | 12mm | 8 | 32 |
| OX-T563919 | 5060328040077 | 19mm | 8 | 32 |



TRADE PVC PIPE CUTTER

FEATURES

- Aluminium blade
- Cuts through any PVC pipe effortlessly
- Exceptionally sharp stainless-steel blade
- One handed locking mechanism

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-T563801 | 5060530359769 | - | 12 | 36 |



PRO PVC PIPE CUTTER 16 - 42MM

FEATURES

- V Shape blade for immediate penetration.
- Exceptionally sharp stainless steel blade.
- Cuts through any MUPVC/PVC pipe effortlessly without kinking or shattering
- Replacement blade available(OX-P449701)

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|-----------|
| OX-P449542 | 5060359915795 | 16 - 42MM | 12 | 36 |

FEATURES

- PVC Pipe Cutter Replacement Blade

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P449701 | 5060359915993 | 200mm | 1 | 24 |



TRADE ULTRA-WIDE JAW ADJUSTABLE WRENCH

FEATURES

- Wide jaw that can expand up to 34mm - 61mm in width
- Slim head and pointed jaws for use in narrow spaces
- Measurement scale engraved into the hardened wrench body
- Eyelet in handle for easy tethering and hanging

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-T563606 | 5060530358892 | 6" / 152mm | 6 | 60 |
| OX-T563608 | 5060530358908 | 8" / 200mm | 6 | 36 |
| OX-T563610 | 5060530358915 | 10" / 250mm | 6 | 36 |
| OX-T563612 | 5060530358922 | 12" / 300mm | 6 | 24 |



PRO ULTRA-WIDE JAW ADJUSTABLE WRENCH

FEATURES

- Ultra wide jaw opening
- Very slim head for access into tight spaces
- Precision hardened for durability
- Soft grip handle
- Measurement scale on jaw



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P324606 | 5060242337512 | 6" / 152mm | 6 | 12 |
| OX-P324608 | 5060242337529 | 8" / 200mm | 4 | 12 |
| OX-P324610 | 5060242337536 | 10" / 250mm | 4 | 12 |
| OX-P324612 | 5060242337543 | 12" / 300mm | 4 | 12 |



PRO SLIM-JAW ADJUSTABLE WRENCH

FEATURES

- Ultra slim head for easy accessibility in the most confined spaces
- Double ended with a fixed jaw at one end for nuts, bars, screws etc.
- Precision hardened construction
- Measurement scale on jaw
- Special coating to eliminate rusting

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P560208 | 5060359918932 | 8" / 200mm | 1 | 6 |




PRO ADJUSTABLE STUBBY WRENCH EXTRA WIDE JAW

FEATURES

- Short handled wrench for access in restricted spaces
- 0 - 53mm ultra wide opening slim jaws
- Dipped handle for comfort
- Heavy duty build for long life

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P560507 | 5060530350735 | 7" / 180mm | 6 | 36 |



NEW

PRO MULTI ANGLE WRENCH

FEATURES

- 180° Quick action adjustable handle
- 10 Individual lockable handle positions
- Fully adjustable jaw up to 53mm
- Lightweight aluminium handle for strain free all-day use.
- Perfect for use in restricted areas

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P560610 | 5060530352173 | 10" / 250mm | 1 | 6 |



TRADE ADJUSTABLE BASIN WRENCH

FEATURES

- Telescopic basin nut wrench
- Reversible jaw for easy access
- 4 Adjustment sizes
- 10 To 32mm jaw capacity

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-T563401 | 5060530358830 | 10 - 32 mm | 1 | 15 |



PRO ADJUSTABLE BASIN WRENCH

FEATURES

- Heavy duty construction
- Reversible jaw for easy access
- 4 Adjustment sizes
- 10 To 32mm jaw capacity

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P448401 | 5060359914620 | 10 - 32 mm | - | - |



PRO ALUMINIUM STILLSON WRENCH

FEATURES

- Grooved jaws for maximum grip
- Lightweight high strength aluminium design
- Self-clamping one hand use
- Anti-corrosion treated coating

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P563712 | 5060530359738 | 12" / 300mm | 6 | 12 |
| OX-P563714 | 5060530359745 | 14" / 350mm | 6 | 12 |
| OX-P563718 | 5060530359776 | 18" / 450mm | 3 | 6 |



PRO MAX LEVERAGE STRAIGHT JAW GRIPS

FEATURES

- Push button release for super fast and accurate adjustment
- Ultimate force distribution from jaws to handle providing incredible grip
- Leverage design allows for strong grip while always keeping jaws parallel

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P562525 | 5060530353095 | 10" / 250mm | 1 | 6 |

PLUMBING & ELECTRICAL TOOLS

Perfect for working with stainless steel tubes

Jaws Size: 34mm

Heavy-duty construction guarantees longevity



Signature OX strength self-locking grip

250mm/10" length

Super-lightweight aluminium handle ensures optimal maneuverability without sacrificing strength.



PRO HEAVY DUTY SELF LOCKING WRENCH

FEATURES

- OX strength self locking grip
- Grips stainless steel tubes
- Super lightweight aluminium handle

| PRODUCT CODE | BARCODE | SIZE / JAW SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------|-----------|-----------|
| OX-P560110 | 5060359918789 | 10" / 250mm, 34mm | 1 | 12 |



PRO AUTOMATIC WATERPUMP PLIERS

FEATURES

- Double dipped handle for comfort
- Tough chrome vanadium steel
- Automatic waterpump pliers for fast one hand size adjustment

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P326010 | 5060359914521 | 250mm / 10" | 6 | 48 |
| OX-P326012 | 5060359914538 | 300mm / 12" | 6 | 48 |



TRADE LOCKING PLIERS

FEATURES

- Forged and machined jaws for ultra strong grip
- Quick jaw release lever for ease of opening
- Soft grip dipped handle for greater comfort

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-T563518 | 5060530359714 | 7" / 180mm | 6 | 48 |
| OX-T563525 | 5060530359721 | 9" / 230mm | 6 | 36 |



PRO LOCKING PLIERS

FEATURES


- Forged and machined jaws for ultra strong grip on multiple surface shapes
- Ideal for gripping pipes and bolts
- Chrome plated durable body
- Quick jaw release lever for ease of opening

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P449323 | 5060359915412 | 9" / 230mm | 6 | 48 |

STRIKING & STRUCK TOOLS

“I’ve been using a variety of tools from the OX striking range and I definitely rate them. As always, you’re a little skeptical moving from some of the traditional or legacy brands that are available, however I’ve got to say this gear doesn’t miss a beat. It’s durable, functional, comfortable and 100% gets the job done every time. I’d recommend it!”

Aaron | A&M Landscaping



ULTRA STRIKE



PRO ULTRA STRIKE CLAW HAMMER

FEATURES

- Side nail remover
- Magnetic nail starter

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P086516 | 9341231049903 | 16oz / 450g | 4 | 24 |
| OX-P086520 | 9341231049910 | 20oz / 570g | 4 | 24 |
| OX-P086524 | 9341231051029 | 24oz / 680g | 4 | 16 |



LIFETIME GUARANTEE

PRO ULTRA STRIKE STRAIGHT CLAW HAMMER

FEATURES

- Side nail remover
- Extended framing shaft

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P087320 | 9341231054082 | 20oz / 560g | 4 | 24 |
| OX-P087322 | 9341231054266 | 22oz / 620g | 4 | 16 |



LIFETIME GUARANTEE



LIFETIME GUARANTEE

TRADE FIBREGLASS CLAW HAMMER

FEATURES

- Hardened & Tempered Steel Head
- Unique OX Fiberglass Handle
- Ergonomic TPR Grip
- Lightweight feel and perfect balance

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-T081220 | 9341231019982 | 20oz / 570g | 6 | 24 |



LIFETIME GUARANTEE

PRO CLAW HAMMER

FEATURES

- Non-slip grip handle with shock reduction
- Precision balanced
- Forged, one piece steel construction
- High quality steel for durability

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P080116 | 5060242337994 | 16oz / 450g | 4 | 24 |
| OX-P080120 | 9328217003401 | 20oz / 560g | 4 | 24 |
| OX-P080124 | 5060242338007 | 24oz / 680g | 4 | 24 |



LIFETIME GUARANTEE

PRO STRAIGHT CLAW HAMMER

FEATURES

- Non-slip grip handle with shock reduction
- Precision balanced
- Forged, one piece steel construction
- High quality steel for durability

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P082920 | 5060242338502 | 20oz / 560g | 4 | 24 |

STRIKING & STRUCK TOOLS



TRADE BRICK HAMMER

FEATURES

- Hardened and tempered steel head
- Solid core fibreglass handle
- Ergonomic rubber grip
- Head weight 24oz

| PRODUCT CODE | BARCODE | HANDLE LENGTH | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-----------|
| OX-T081024 | 9341231013638 | 24oz / 680g | 6 | 24 |



PRO BRICK HAMMER

FEATURES

- Accurately ground chisel end for clean cutting
- Non-slip grip handle with shock reduction
- Forged, one piece steel construction
- Precision balanced

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P082424 | 5060242338021 | 24oz / 680g | 4 | 24 |

LIFETIME GUARANTEE



PRO DRYWALL HAMMER

FEATURES

- Crowned, scored hammer head to reduce the chance of impact marks on plasterboard
- Cutaway and notched cutting blade for withdrawing nails and cutting laths
- Non-slip grip handle with shock reduction

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P082614 | 5060242338038 | 14oz / 400g | 4 | 24 |

LIFETIME GUARANTEE

STRIKING & STRUCK TOOLS



LIFETIME GUARANTEE

PRO ROCK PICK

FEATURES

- Accurately ground point end for accurate picking
- Non-slip grip handle with shock reduction
- Forged, one piece steel construction
- Precision balanced

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P083222 | 9341231035074 | 22oz / 620g | 4 | 24 |



TRADE FIBREGLASS CLUB HAMMER

FEATURES

- Hardened high quality steel
- Extremely strong fibreglass handle
- Available in 3LB & 4LB

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-T081303 | 9341231013645 | 3lb / 1.3kg | 6 | 12 |
| OX-T081304 | 5060242332241 | 4lb / 1.8kg | 6 | 12 |



LIFETIME GUARANTEE

PRO CLUB HAMMER

FEATURES

- Forged, one piece steel construction
- Non-slip grip handle with shock reduction
- High quality steel for durability

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P082703 | 5060242338045 | 3lb / 1.3kg | 4 | 12 |
| OX-P082704 | 5060242338052 | 4lb / 1.8kg | 4 | 12 |

STRIKING & STRUCK TOOLS



TRADE 3LB BRICKLAYERS CLUB HAMMER

FEATURES

- Flat face finish
- Manufactured from FineGrain High Carbon Steel
- Drop Forged, Heat Treated, Induction hardened & tempered with fine polished faces

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-T086115 | 9341231018985 | 3lb / 1.25kg | 4 | 16 |



TRADE FIBREGLASS DEMOLITION HAMMER

FEATURES

- Hardened and tempered steel head
- Solid core fibreglass handle
- Ergonomic rubber grip

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-T082004 | 9341231013676 | 4lb / 1.8kg | 4 | 8 |



TRADE FIBREGLASS SLEDGE HAMMER

FEATURES

- Hardened high quality steel
- Extremely strong fibreglass handle
- Available in 7LB, 10LB, 12LB & 14LB

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-T081507 | 9341231013706 | 7lb / 3.2kg | 2 | 4 |
| OX-T081510 | 5060242332265 | 10lb / 4.5kg | 2 | 4 |
| OX-T081512 | 9341231013720 | 12lb / 5.4kg | 1 | 2 |
| OX-T081514 | 9341231013737 | 14lb / 6.3kg | 2 | 4 |



PRO 6LB MINI SLEDGE HAMMER

FEATURES

- 6LB Mini Sledge Hammer
- manufactured from fine grain high carbon steel
- Drop forged, heat treated, induction hardened & tempered with fine polished faces
- Clear lacquer finish to deter corrosion on hammer head
- Straight grain 400mm hickory handle
- Milled hammer face with chamfered edges
- Tapered eye hole to prevent accidental handle pull out

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P085906 | 9341231017926 | 46 x 3 x 15 | 1 | 4 |

STRIKING & STRUCK TOOLS



PRO HICKORY HANDLE SLEDGE HAMMER

FEATURES

- Hardened high quality steel
- Genuine hickory handle
- Fitted with steel wedges

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-P080204 | 9341231001918 | 4lb / 1.8kg | 1 | 2 |
| OX-P080207 | 9341231001925 | 7lb / 3.2kg | 1 | 2 |
| OX-P080210 | 9341231001932 | 10lb / 4.5kg | 1 | 2 |
| OX-P080214 | 9341231001949 | 14lb / 6.3kg | 1 | 2 |



TRADE BLACK RUBBER MALLET

FEATURES

- Quality, durable rubber mallet
- Solid core fibreglass handle
- Ergonomic rubber grip

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-T081724 | 5060242332296 | 24oz / 680g | 6 | 24 |



PRO ONE PIECE RUBBER MALLET

FEATURES

- White non marking rubber
- Steel reinforcement core
- Comfortable grip
- One piece moulded rubber

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-P080610 | 9341231011733 | 35oz / 1000g | 4 | 12 |



PRO WHITE RUBBER MALLET

FEATURES

- Quality, durable rubber mallet

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P081832 | 5060242332333 | 32oz / 900g | 6 | 24 |

STRIKING & STRUCK TOOLS



PRO SINGLE ENDED SCUTCH HAMMER

FEATURES

- Hickory handle
- High quality drop forged steel head
- Head weight 28oz

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P080528 | 9341231001901 | 28oz / 790g | 4 | 24 |



PRO DOUBLE ENDED SCUTCH HAMMER

FEATURES

- High quality drop forged steel head
- Head weight 22oz
- Hickory handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P080522 | 9341231001895 | 22oz / 620g | 4 | 24 |




PRO SCUTCH COMBS HOLDERS

FEATURES

- For detachable stone dressing combs
- Heavy duty high carbon steel
- Hardened & tempered for durability

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------------|-----------|-----------|
| OX-P090310 | 9341231020759 | 200 x 25mm / 8 x 1" | 6 | 30 |
| OX-P090315 | 9341231020766 | 200 x 38mm / 8 x 1 1/2" | 6 | 30 |



PRO SCUTCH COMBS

FEATURES

- To fit into a scutch comb holder
- For preparation of surface prior to re-rendering
- 4 included in a pack



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P080725 | 9341231010712 | 25mm | 10 | 40 |
| OX-P080738 | 9341231010729 | 38mm | 4 | 40 |

STRIKING & STRUCK TOOLS



PRO CONCRETE CHISEL

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & breaking of concrete

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------------|-----------|-----------|
| OX-P092501 | 5060242334535 | 3/4" x 12" / 20 x 300mm | 5 | 20 |



TRADE ELECTRICIANS BOLSTER

FEATURES

- Drop forged steel
- Rubber grip handle

| PRODUCT CODE | BARCODE | BLADE WIDTH | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-----------|
| OX-T090502 | 5060242331497 | 2 1/4" / 57mm | 4 | 32 |



PRO ELECTRICIAN'S CHISEL

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & trimming of wood, wallboard & masonry

| PRODUCT CODE | BARCODE | BLADE WIDTH | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-----------|
| OX-P092002 | 5060242334573 | 2 1/4" / 55mm | 5 | 20 |



PRO FLOOR CHISEL

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting, prying & ripping of nails & hard wood flooring

| PRODUCT CODE | BARCODE | BLADE WIDTH | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P092103 | 5060242334542 | 3" / 75mm | 5 | 20 |

STRIKING & STRUCK TOOLS



PRO COLD CHISEL

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & shaping iron, steel, aluminium, copper, brass, nuts & bolts

| PRODUCT CODE | BARCODE | BLADE WIDTH | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P092401 | 5060242334566 | 1" / 25mm | 5 | 20 |



TRADE BRICK BOLSTER

FEATURES

- Drop forged steel
- OXGRIP handle

| PRODUCT CODE | BARCODE | BLADE WIDTH | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-T090945 | 5060242332227 | 4½" / 115mm | 4 | 16 |



PRO BRICK BOLSTER

FEATURES

- Forged chrome vanadium steel
- Dual hand guard
- Soft grip handle
- For cutting & splitting of bricks & masonry

| PRODUCT CODE | BARCODE | BLADE WIDTH | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P092303 | 5060242334511 | 3" / 75mm | 5 | 20 |
| OX-P092345 | 5060242339424 | 4½" / 115mm | 5 | 20 |



TRADE COLD CHISEL

FEATURES

- One piece forged steel for ultimate strength
- Hardened & tempered for durability
- For cutting & shaping masonry

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------|-----------|-----------|
| OX-T090112 | 5060242330865 | 1" X 12" / 25 X 300mm | 6 | 24 |

STRIKING & STRUCK TOOLS



PRO GROOVED PLUGGING CHISEL

FEATURES

- High quality carbon steel
- Hexagonal shaft
- Fluted design - to prevent 'jamming'
- Chamfered striking end

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|-----------|
| OX-P090210 | 9341231022395 | 250 x 6mm | 4 | 20 |



PRO NAIL PUNCH WITH GRIP

FEATURES

- Hexagonal anti-roll profile
- Forged and hardened full steel core
- Wide grip head for finger protection
- Colour coded for easy identification

| PRODUCT CODE | BARCODE | COLOUR / SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------------|-----------|-----------|
| OX-P094908 | 9341231057427 | Yellow / 0.8mm | 10 | 60 |
| OX-P094916 | 9341231057434 | Grey / 1.6mm | 10 | 60 |
| OX-P094924 | 9341231057441 | Red / 2.4mm | 10 | 60 |
| OX-P094930 | 9341231057458 | Blue / 3mm | 10 | 60 |
| OX-P095031 | 9341231057496 | 3 Pack: 0.8mm, 1.6mm, 2.4mm | 10 | 60 |
| OX-P095032 | 9341231057502 | 3 Pack: 1.6mm, 2.4mm, 3mm | 10 | 60 |



PRO DEMOLITION BAR

FEATURES

- Heat treated, forged steel
- For pulling, lifting or prying
- Powder coated to provide maximum resistance to rusting

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P093015 | 5060242338083 | 15" / 380mm | 8 | 48 |



PRO HANDY BAR

FEATURES

- Heat treated, forged steel
- Designed for maximum pulling, lifting and prying
- Powder coated finish prevents rusting
- Angled edge allows you to wedge into tight spaces
- Scraper removes unwanted residue from hard surfaces

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P095401 | 9341231061899 | 9.5" | 8 | 72 |

STRIKING & STRUCK TOOLS



TRADE WRECKING BAR

FEATURES

- Solid steel wrecking bar
- Forged high carbon steel - one piece

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-T091012 | 5060242330803 | 12" / 300mm | 10 | 20 |
| OX-T091018 | 5060242330810 | 18" / 450mm | 6 | 12 |
| OX-T091024 | 5060242330827 | 24" / 600mm | 5 | 10 |
| OX-T091030 | 5060242331503 | 30" / 750mm | 5 | 10 |
| OX-T091036 | 5060242330834 | 36" / 900mm | 5 | 10 |



PRO HEAVY DUTY PRY BAR

FEATURES

- Powder coated finish all steel
- Hardened steel claw
- Ideal for prying formwork

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-P092856 | 9341231025846 | 56" / 1425mm | 4 | 16 |



PRO MOULDING BAR

FEATURES

- Unique hammer head
- Multi-functional moulding bar with extra wide chisel blade
- Comfort non-slip grip handle
- Polished bevelled claw for better access

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P083110 | 5060242338076 | 10" / 250mm | 6 | 48 |



PRO CLAW BAR

FEATURES

- Unique hammer head
- Multi-functional claw bar for striking, prying & pulling
- Comfort non-slip grip handle
- Polished bevelled claw for better access

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P083010 | 5060242339981 | 10" / 250mm | 6 | 48 |
| OX-P083012 | 5060242338069 | 12" / 300mm | 6 | 36 |

MEASURING TOOLS

“The wide range of measuring tools that are available from OX stand out from the other brands out there! From the tough tapes to the functionality and durability of the carpenters and combi squares the OX range is definitely our go-to for set-out and everyday measuring.”

Jamie Morrison | EST Building



MEASURING TOOLS



TRADE DOUBLE LOCKING TAPE MEASURE

FEATURES

- Patented dual locking mechanism
- Shockproof "tuff" casing
- Lanyard Capable



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-T505208 | 9341231042881 | 8m | 12 | 24 |



TRADE COMPACT TAPE MEASURE

FEATURES

- Ultra-tough nylon coated blade for longer life
- Compact & ergonomic design for greater comfort
- Easy-catch hook for versatile applications
- 25mm wide blade for greater stand out
- Professional trade durability



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-T509308 | 9341231058714 | 8m | - | - |

* Free counter display with every purchase of 12 tapes.



PRO DURAGRIP TAPE MEASURE

FEATURES

- OXGRIP moulded rubber case
- Triple rivetted hook end
- 25mm wide metric blade



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P020108 | 9341231000706 | 8m | 18 | 36 |

* Free counter display with every purchase of 18 tapes.

ULTRA BLADE

Impact-resistant ABS housing and TPR overmould


Wire belt clip allows for easy access when mounting and dismantling the tape

32mm Nylon Wrapped Anti Tear Coating Reinforces the Blade and Reduces Tear

Magnetic End Hook improves both horizontal and lateral grip on metal surfaces

Lanyard-Ready for Quick and Easy Tethering

Double-sided printing for easy reading in all applications



NEW

PRO ULTRABLADE TAPE MEASURE

FEATURES

- 32mm Nylon Wrapped Anti Tear Coating
- Up to 4m of Standout
- Impact-resistant ABS housing and TPR overmould
- Double-sided tape markings



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P508108 | 9341231057236 | 8m | 1 | 2 |

* Free counter display with every purchase of 6 tapes.

MEASURING TOOLS



TRADE OPEN REEL TAPE, METRIC STEEL BLADE

FEATURES

- High impact abs plastic
- Steel blade with nylon wrap
- 13mm blade width
- 3x rewind

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-T507630 | 9341231056161 | 30m | - | - |
| OX-T507650 | 9341231056970 | 50m | - | - |



PRO METRIC TUFF RULE - 600MM

FEATURES

- Length 600mm - This is the standard stud wall spacing + floor joist spacing
- Width 45mm - Common framing timber 90mm x 45mm
- Reinforced hinge and ABS plastic for extra durability
- Centre-line feature for measuring offset lines or splitting centres
- Central Swivel Hinge = Easy angle finder 0-180°

| PRODUCT CODE | BARCODE | COLOUR | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P507206 | 9341231054488 | Black | 40 | 160 |
| OX-P507216 | 9341231054815 | White | 40 | 160 |




PRO METRIC TUFF RULE - 1200MM

FEATURES

- Length 1200mm for working with sheets of ply / gyprock for larger marking out and nailing floor screw spacings 300mm, 600mm, 900mm & 1200mm
- Width 45mm - Common framing timber 90mm x 45mm
- Bevelled edges for ease of use

| PRODUCT CODE | BARCODE | COLOUR | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P509032 | 9341231060724 | Cyan | 28 | 112 |

MEASURING TOOLS



Centre-line feature for measuring offset lines or splitting centers


Central Swivel Hinge = Easy angle finder 0-180°

Reinforced hinge and ABS plastic for extra durability

Collapsed width of 45mm - Common framing timber 90mm x 45mm




45MM




FRAMING TIMBER AND STUD WIDTH—NOGS + DWANGS

180°




EASY ANGLE FINDER

300MM






STANDARD SCREW SPACING — GIB + PLY

600MM



STANDARD WIDTH — 1/2 SHEET + STUD SPACING + FLOOR JOIST SPACING




MEASURING TOOLS




**2 IN 1 - FOLDING RULE
& BRICK GAUGE**






**ABS BODY AND
BRASS HINGES FOR
JOBSITE DURABILITY**



**CLEAR MARKINGS AND
INCREMENTS FOR MANY
APPLICATIONS**



**POPULAR BRICK GAUGE
MARKINGS FOR MOST
COMMON GAUGES, AND
ADDITIONAL HALF AND
FULL BRICK MARKINGS**



PRO METRIC TUFF RULE - BRICK GAUGE

FEATURES

- Stretcher bond up to 1200mm
- Suits 84, 85, 86, 87 gauges
- 2 in 1 - Folding rule & brick gauge
- Set your datum height
- Clear markings and increments for many application

| PRODUCT CODE | BARCODE | COLOUR | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P509013 | 9341231060731 | White | 28 | 112 |

NEW



Scribe notches for marking 5mm increments

Metric markings and conversion tables

Extra Wide Base ensures a secure hold and guide when scribing on materials

Easy read laser-etched markings



PRO ALUMINIUM RAFTERS SQUARE

FEATURES

- Scribe notches for marking 5mm increments
- Easy read laser-etched markings
- Metric markings and conversion tables
- Extra-thick extruded aluminium body
- Wide base ensures a secure hold on materials

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P506518 | 9341231050473 | 180mm | 10 | 40 |
| OX-P506530 | 9341231051036 | 300mm | 8 | 32 |



PRO COMBINATION SQUARE

FEATURES

- High quality cast and machined sliding stock
- Stainless steel rule engraved with metric graduations
- Can mark 90° and 45° with adjustable depth for repetition marking and scribing

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P500515 | 9341231054013 | 150mm | 6 | 72 |
| OX-P500531 | 9341231039096 | 305mm | 6 | 36 |
| OX-P500540 | 9341231055980 | 400mm | 6 | 36 |

PRO CARPENTER'S SQUARE

FEATURES

- Metric markings with writing area for notes
- Heavy duty carbon steel
- Epoxy coated


| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------------------|-----------|-----------|
| OX-P021064 | 9341231001987 | 24 x 16" / 600 x 400mm | 6 | 24 |

LAYOUT TOOLS

“Day to day use of the tuff carbon pencil, levels, chalk reels are yet to fail like a lot of other brands used in the past. There’s only one aisle when you walk into that tool shop now that you walk down because the quality of these products you know are the best!”

Jye Green | EST Building






PRO SPIRIT LEVEL

FEATURES

- The strongest level EVER or your money back!
- Unique dual view
- Silicone air cushioned handles
- Shock proof end caps
- Two milled surfaces
- One horizontal and two vertical vials



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P024406 | 5060242333897 | 600mm | 4 | 40 |
| OX-P024408 | 5060242333903 | 800mm | 4 | 40 |
| OX-P024409 | 5060242333910 | 900mm | 4 | 40 |
| OX-P024412 | 5060242333934 | 1200mm | 4 | 40 |
| OX-P024418 | 5060242333941 | 1800mm | 4 | 128 |
| OX-P024420 | 5060242333958 | 2000mm | 4 | 128 |
| OX-P024424 | 5060242333965 | 2400mm | 4 | 128 |



PRO TUFF LEVEL

FEATURES

- Built and designed for the toughest work site conditions
- Ultra-precise level vials calibrated to 0.005"/" (0.5mm/m)
- Fine milled surface along top and bottom for 100% precision
- Easy to clean profile
- Easy grip ribbed profile
- Strong, lightweight aluminium profile
- High impact 9mm rubber end caps

| PRODUCT CODE | BARCODE | DESCRIPTION/SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------------|-----------|-----------|
| OX-P503406 | 9341231038891 | 600mm | 4 | 12 |
| OX-P503408 | 9341231054242 | 800mm | 4 | 12 |
| OX-P503412 | 9341231038907 | 1200mm | 4 | 12 |
| OX-P503420 | 9341231054259 | 2000mm | 4 | 12 |



TRADE LEVEL SET - 4PK

FEATURES

- 3 Solid Acrylic Vials with Accuracy of .05mm or .0005in/in
- UV Resistant Vials
- Milled Surface on Base up to 1200mm Length
- Shock Absorbing Rubber End Caps
- Lifetime Vial Warranty
- Strong, Lightweight Aluminium Profile
- Includes: 600mm, 1200mm, 1800mm Trade Levels & 230mm Torpedo Level

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------------------|-----------|-----------|
| OX-T500404 | 5060359914729 | 600mm, 1200mm, 1800mm & 230mm | 4 | 6 |



TRADE TORPEDO LEVEL - 230MM

FEATURES

- Light weight trade torpedo level
- 3 easy to read vials (horizontal, vertical, 45 degrees)
- Magnetic V-groove for pipe work and scaffolding
- Tough rubber end caps



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-T026323 | 9341231040214 | 230mm | 20 | 80 |



PRO TORPEDO LEVEL - 230MM

FEATURES

- Die cast aluminium body
- 3 Solid block vials
- Fitted horizontal vial for direct view of bubble
- Fine milled surface with V-groove for accurate and easy placement on pipes and curved surfaces
- Accuracy <0.0005" / " (0.5mm/m)

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P027625 | 5060242338854 | 230mm | 5 | 40 |



TRADE SLIDING BEVEL - 200MM

FEATURES

- Built in dual vials offering extra functionality and accuracy
- High-quality stainless-steel blade and a UV abs glass-filled nylon handle
- Reinforced locking nut for easy transfer of angles.
- Easy read laser etched markings

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-T507420 | 9341231055959 | 200m | 20 | 80 |



CONTRACTOR 30M ALUMINIUM CHALK REEL - BASIC FINE LINE / 1:1 GEAR RATIO

FEATURES

- Compact & durable aluminium housing
- 30m Basic Fine Line
- Cotton + Nylon line
- Integrated hook storage in housing
- Pointed Tip for easy corner access
- Steel crank for durability

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-T630501 | 9341231061196 | 30m | 12 | 72 |



CONTRACTOR 30M ABS CHALK REEL - BASIC BOLD LINE / 1:1 GEAR RATIO

FEATURES

- Large Capacity & durable ABS plastic Case
- 30m Basic Bold Line
- Cotton line reinforced with nylon
- Integrated hook storage in housing
- Pointed Tip for easy corner access
- Transparent window for monitoring chalk volumes

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-T630502 | 9341231061202 | 30m | 8 | 64 |



TRADE 30M ABS CHALK REEL VALUE PACK - STANDARD FINE LINE / 3:1 GEAR RATIO

FEATURES

- ABS Body
- 30m standard fine line
- Cotton + Nylon line
- Integrated hook storage in housing
- 3:1 Planetary Gears for quick reeling
- Pointed Tip for easy corner access
- Clutch Release & Steel crank for durability

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-T630601 | 9341231061219 | 30m | 8 | 48 |



TRADE 30M ABS CHALK REEL W/ GRIP VALUE PACK - STANDARD BOLD LINE / 6:1 GEAR RATIO

FEATURES

- ABS Body with rubber over mould
- 30m standard bold line
- Cotton + Nylon line
- Integrated hook storage in housing
- 6:1 Planetary Gears for quick reeling
- Pointed Tip for easy corner access
- Clutch Release & Steel crank for durability

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-T630602 | 9341231061226 | 30m | 8 | 48 |



PRO 15M PRECISION CHALK REEL VALUE PACK - KEVLAR ULTRA FINE LINE / 3:1 GEAR RATIO

FEATURES

- ABS Body with rubber over mould
- 15m Ultra Fine Line
- KEVLAR® Ultra Fine Line For increased line strength
- Integrated hook storage in housing
- 3:1 Planetary Gears for quick reeling
- Integrated Pin & Hook design for quick snaps
- Clutch release for easy reeling

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P630702 | 9341231061240 | 15m | 8 | 48 |

Clutch release
for easy reeling

KEVLAR®
Bold Line For
increased line
strength

BUILT WITH

Kevlar

Integrated
hook storage
in housing

Aluminium
body

6:1 Planetary
Gears for quick
reeling

Integrated Pin &
Hook design for
quick snaps



PRO 30M ALUMINIUM CHALK REEL VALUE PACK - KEVLAR BOLD LINE / 6:1 GEAR RATIO

FEATURES

- Aluminium body
- 30m Bold Line
- KEVLAR® Bold Line For increased line strength
- Integrated hook storage in housing
- 6:1 Planetary Gears for quick reeling
- Integrated Pin & Hook design for quick snaps
- Clutch release for easy reeling

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P630701 | 9341231061233 | 30m | 8 | 48 |



PRO 45M ABS GIANT CHALK REEL - BASIC EXTRA BOLD LINE / 4:1 GEAR RATIO

FEATURES

- ABS Body with Rubber overmould grip
- 45m Extra bold line
- Cotton + Nylon line
- Integrated Loop Storage
- 4:1 Planetary Gears for quick reeling
- Steel crank for durability
- Stands on side for hands free refills

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P630703 | 9341231061257 | 45m | 8 | 48 |

LAYOUT TOOLS



KITS INCLUDES

- Li-ion USB-C Charging
- Fine Adjustment Bracket
- Removable USB-C Battery
- Spare USB-C Battery
- Hard Case Storage Box
- Laser Target
- Charging Cord and Wall Plug





NEW

PRO 3 AXIS LASER KIT - 45M

FEATURES

- Impact resistant casing with rubber over moulds
- Pulse mode compatible with laser receivers
- Li-ion USB-C Charging
- Fine Adjustment Bracket
- Removable USB-C Battery
- Spare USB-C Battery
- Hard Case Storage Box
- Laser Target
- Charging Cord and Wall Plug

| PRODUCT CODE | BARCODE | RANGE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P634903 | 9341231063350 | 45m | 1 | 4 |



NEW

PRO 3 AXIS GREEN LASER LEVEL

FEATURES

- Small compact design, easy to fit in one hand
- USB-C charging design, convenient and fast for on the go work
- Adjustable laser brightness with 2 gears
- Pulse mode, manual mode, self-leveling mode



| PRODUCT CODE | BARCODE | RANGE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P507530 | 9341231056116 | 30m | 1 | 20 |



PRO LASER DISTANCE MEASURE - 40M

FEATURES

- Calculates perimeter, area, hypotenuse, and other features
- Impact resistant casing with rubber over moulds
- IP55 rating
- Red Laser
- Auto – angle finder
- 40m Range
- Li-ion USB-C charging

| PRODUCT CODE | BARCODE | RANGE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P634804 | 9341231063336 | 40m | 1 | 50 |


MARKING TOOLS

“We have tried, tested and abused the OX Tuff Carbon Marking Pencils and they hold up to the name! Easy to use and a great addition to anyone's tool kit.”


Brennen Lavery | Lavery Constructions



MARKING TOOLS



WRITES ON MOST SURFACES





PRO TUFF CARBON MARKING PENCIL

FEATURES

- Belt clip
- Long life automatic marking pencil - automatic lead feed
- Made of high quality PP/ABS/stainless steel
- Fitted with ABS protection cap for the lead protection
- Stainless steel lead feed tube - diameter of lead 2.8mm
- Integrated lead sharpener built into the cap



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P503201 | 9341231018305 | 15mm | 10 | 100 |



PRO TUFF CARBON - MARKING PENCIL VALUE PACK

FEATURES

- Lead sharpener built into the cap
- Writes on most surfaces
- 4 Leads included

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P503210 | 9341231018336 | 15mm | 10 | 120 |



PRO TUFF CARBON LEADS

FEATURES

- Refills - 10 Leads
- For all surfaces
- Damp wipeable

| PRODUCT CODE | BARCODE | COLOURS / QTY | INNER QTY | OUTER QTY |
|--------------|---------------|---|-----------|-----------|
| OX-P503202 | 9341231018312 | 10 Multi Leads (3 Basic, 3 Color, 5 Graphite) | 10 | 100 |
| OX-P503203 | 9341231018329 | 10 Graphite Leads | 10 | 100 |
| OX-P503204 | 9341231044380 | 10 Tile Leads | 10 | 100 |





PRO TUFF CARBON MARKING PENCIL DISPLAY PACK

FEATURES

- 24x Tuff Carbon Marking Pencils
- 5x Basic Colour & Graphite Leads (10pk)
- 5x Graphite Leads (10pk)
- 5x Tiling Leads (10pk)

| PRODUCT CODE | BARCODE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|
| OX-P433401 | 9341231045714 | 1 | 25 |



TRADE CARPENTER'S PENCIL - 10 PK


FEATURES

- Traditional shape chamfered rectangle
- Ideal for marking saw cuts
- High quality lead
- FREE sharpener included



| PRODUCT CODE | BARCODE | TYPE | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-T022910 | 5060135479916 | Red / Medium | 12 | 48 |
| OX-T023010 | 9341231035012 | Green / Hard | 12 | 48 |

* Free counter display when you purchase 12 packs



TRADE CARPENTER'S PENCILS - 72 PK

FEATURES

- Traditional shape chamfered rectangle
- Ideal for marking saw cuts
- High quality lead



| PRODUCT CODE | BARCODE | TYPE | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-T022972 | 5060135479947 | Red / Medium | 1 | 4 |
| OX-T023072 | 9341231025808 | Green / Hard | 4 | 8 |



NEW

PRO STANDARD MARKING CHALK - PERMANENCE 1

FEATURES

- High-flow nozzle for controlled refills
- Leak and loss-proof quarter-turn twist cap
- Dustoff to permanence 4 marking applications
- High visibility chalk colours

| PRODUCT CODE | BARCODE | COLOUR / SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------|-----------|-----------|
| OX-P630802 | 9341231061288 | Blue / 8-ounce | 8 | 64 |
| OX-P630808 | 9341231061349 | Blue / 40-ounce | 5 | 15 |



NEW

PRO HI-VISIBILITY MARKING CHALK - PERMANENCE 2

FEATURES

- High-flow nozzle for controlled refills
- Leak and loss-proof quarter-turn twist cap
- Dustoff to permanence 4 marking applications
- High visibility chalk colours

| PRODUCT CODE | BARCODE | COLOUR / SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------------|-----------|-----------|
| OX-P630803 | 9341231061295 | Orange / 8-ounce | 8 | 64 |



NEW

PRO PERMANENT MARKING CHALK - PERMANENCE 3

FEATURES

- High-flow nozzle for controlled refills
- Leak and loss-proof quarter-turn twist cap
- Dustoff to permanence 4 marking applications
- High visibility chalk colours

| PRODUCT CODE | BARCODE | COLOUR / SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------|-----------|-----------|
| OX-P630805 | 9341231061318 | Red / 8-ounce | 8 | 64 |
| OX-P630806 | 9341231061325 | Black / 8-ounce | 8 | 64 |
| OX-P630809 | 9341231061356 | Red / 40-ounce | 5 | 15 |



PRO HI- PERMANENT MARKING CHALK
- PERMANENCE 4

FEATURES

- High-flow nozzle for controlled refills
- Leak and loss-proof quarter-turn twist cap
- Dustoff to permanence 4 marking applications
- High visibility chalk colours

| PRODUCT CODE | BARCODE | COLOUR / SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------------------|-----------|-----------|
| OX-P630807 | 9341231061332 | Crimson Red / 8-ounce | 8 | 64 |
| OX-P630810 | 9341231061363 | Crimson Red / 40-ounce | 5 | 15 |



WOODWORKING TOOLS

“With a crew that uses OX for almost everything, it shows that we believe in the brand and the quality of tools we are using. The quality of their woodworking tools stands out, from their heavy-duty wood chisels to their door clamps and the Heavy Duty Bar Clamps are a game-changer for us enhancing efficiency on the job site and ultimately pushing our overall performance to that next level!”


Andrew Head | EST Building




SAVE
 **15** MINS
 PER
DOOR



1. Place on floor and spread support feet
2. Open clamp using foot pedal



3. Insert Door
4. Release foot from pedal



5. Complete work on door



PRO SOLID STEEL DOOR CLAMP

FEATURES

- Solid steel, fully welded
- Holds door during; attaching hinges, routing, hanging, rebating
- Comfortable soft grip handles
- Felt covered jaws for protection against door damage
- Fits all doors – from 10mm - 50mm

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-----------|
| OX-P200101 | 9341231001994 | 490mm x 300mm | 3 | 6 |



PRO MINI BAR CLAMP 50KG 4PK - 150MM

FEATURES

- 50kg clamping force
- 60mm throat depth
- Reinforced nylon body and heat-treated steel
- bar for strength and durability
- One-handed operation for ease of use
- Removable jaw pads helps reduce marking



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P204004 | 9341231063282 | 150mm | 1 | 3 |



PRO HEAVY DUTY BAR CLAMP - 150KG

FEATURES

- 150Kg clamping force
- Strong engineered ABS plastic
- Induction hardened rail for improved strength and durability
- Long leverage design for reaching high pressure faster
- Can be quickly converted to spreader

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P203915 | 9341231060526 | 150mm | 1 | 10 |
| OX-P203930 | 9341231060533 | 300mm | 1 | 10 |
| OX-P203945 | 9341231060540 | 450mm | 1 | 10 |
| OX-P203960 | 9341231060557 | 600mm | 1 | 10 |
| OX-P203990 | 9341231060564 | 900mm | 1 | 10 |



PRO HEAVY DUTY BAR CLAMP - 300KG

FEATURES

- 300Kg clamping force
- Strong engineered ABS plastic
- Induction hardened rail for improved strength and durability
- Long leverage design for reaching high pressure faster
- Can be quickly converted to spreader
- Optional version with extended cushions

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P203515 | 9341231056192 | 150mm | 1 | 6 |
| OX-P203530 | 9341231051869 | 300mm | 1 | 6 |
| OX-P203545 | 9341231055775 | 450mm | 1 | 6 |
| OX-P203560 | 9341231051876 | 600mm | 1 | 6 |
| OX-P203590 | 9341231051883 | 900mm | 1 | 6 |

300KG
CLAMPING FORCE



PRO HEAVY DUTY WOOD CHISEL

FEATURES

- Forged steel core - superior strength & durability
- High quality hardened steel blade giving sustained performance and edge retention
- Extra large strike cap to withstand hammer strikes and can be hit from multiple angles
- Split-proof acetate handle designed tough to last

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P371106 | 5060530352203 | 6mm | 6 | 36 |
| OX-P371113 | 5060530352227 | 13mm | 6 | 36 |
| OX-P371116 | 5060530352234 | 16mm | 6 | 36 |
| OX-P371119 | 5060530352241 | 19mm | 6 | 36 |
| OX-P371125 | 5060530352265 | 25mm | 6 | 36 |
| OX-P371132 | 5060530352272 | 32mm | 6 | 36 |
| OX-P371138 | 5060530352289 | 38mm | 6 | 36 |



PRO 3 PC CHISEL SET

FEATURES

- Forged steel core for superior strength and durability
- Split-proof acetate handles
- High quality hardened steel blade
- Includes 19mm, 25mm and 32mm chisels
- Professional 3 piece set of high-quality pro wood chisels in a high quality storage case.

| PRODUCT CODE | BARCODE | SIZES | INNER QTY | OUTER QTY |
|--------------|---------------|---------------------|-----------|-----------|
| OX-P370903 | 9341231018527 | 19mm, 25mm and 32mm | 6 | 24 |



PRO 5 PC CHISEL SET

FEATURES

- Forged steel core for superior strength and durability
- Split-proof acetate handles
- High quality hardened steel blade
- Includes 16mm, 19mm, 25mm, 32mm and 38mm chisels
- Professional 5 piece set of high-quality pro wood chisels in a high quality storage case.

| PRODUCT CODE | BARCODE | SIZES | INNER QTY | OUTER QTY |
|--------------|---------------|---------------------------------|-----------|-----------|
| OX-P370905 | 9341231018534 | 16mm, 19mm, 25mm, 32mm and 38mm | 4 | 8 |



PRO WOOD CHISEL SET

FEATURES

- Metal striking cap
- Steel shaft for ultimate strength
- OXGRIP handle for total control
- Special hardened chrome vanadium
- Comes with heavy duty plastic carry case



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------------------------|-----------|-----------|
| OX-P370105 | 5060242333644 | 6mm, 13mm, 19mm, 25mm, 32mm | 5 | 10 |

CUTTING TOOLS

“Over the years we’ve found that OX hand tools are just at that next level above a lot of the other brands out there. We use a wide range of products from the Pro handsaw to the utility knives, snips and now their new masonry saw which is a game-changer when cutting Hebel panels!”

Mitch Coslovich | A&M Landscaping



CUTTING TOOLS



TRADE SNAP OFF KNIFE - 18MM

FEATURES

- 18mm Snap off blade
- Auto lock feature
- Rubber grip
- Removable end cap to use to snap blades
- Display box of 24pcs



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|---------------|----------------|-----------------|-----------|-----------|
| OX-T224018-24 | 19341231016032 | 3.2 x 8 x 21 cm | 1 | 4 |



PRO SNAP OFF KNIFE COMBO PACK

FEATURES

- Reinforced Twist lock for extra strength
- SK5 Type coated blade that stay sharp for longer
- OXGrip TPR body

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P224625 | 9341231045356 | 25mm | 6 | 48 |



PRO SLIDE LOCK KNIFE COMBO PACK

FEATURES

- SK2 blades with non-slip coating that stay sharper for longer
- Slide lock for easy extension and retraction
- Robust and ergonomic handle for everyday use
- Bonus 5 pack of blades



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P223318 | 9341231054785 | 18mm | 6 | 48 |



PRO SNAP OFF BLADES - 10 PACK

FEATURES

- SK5 coated blades for maximum sharpness and durability
- 7 snap-off sections for constant sharpness and long life

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P224518 | 9341231045325 | 18mm | 20 | 80 |
| OX-P224525 | 9341231045332 | 25mm | 20 | 80 |



TRADE TWIN PACK UTILITY KNIVES

FEATURES

- 1 pc retractable utility knife (metal casing)
- TPR grips for added comfort
- 1 pc lock back knife with quick change blade function
- Foldable design

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-T432602 | 9341231042997 | - | 6 | 24 |



PRO SOFT GRIP UTILITY KNIFE

FEATURES

- Sleek "flipout" blade storage cartridge in the back of the handle for extra blades
- Quick blade change – "push the button"
- Ergonomic grip for ease of use
- Dual cutting position

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P220801 | 9341231032370 | - | 12 | 120 |



PRO HEAVY DUTY FIXED BLADE FOLDING KNIFE

FEATURES

- Ultra sharp steel blades
- Tool free blade change
- Quick fold action
- Strong lightweight construction
- Ergonomical design handle
- Notched thumb rest for enhanced grip
- Sturdy belt hook on reverse
- Built in notch for stripping wire and straps
- Lanyard eyelet for tethering

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P224301 | 5060530357390 | - | 8 | 64 |




PRO HEAVY DUTY SK5 TYPE KNIFE BLADES

FEATURES

- SK5 type coated blades for maximum sharpness and durability
- Reversible for longer life and use

| PRODUCT CODE | BARCODE | QTY | INNER QTY | OUTER QTY |
|--------------|---------------|---------|-----------|-----------|
| OX-P221810 | 9341231050190 | 10 pack | 36 | 216 |
| OX-P221905 | 9341231050206 | 50 pack | 12 | 48 |

EASY START



PRO EASY START HANDSAW

FEATURES

- Teflon Coated Blade (reduces friction/increased cutting efficiency)
- Easy start feature: 8TPI / 13TPI easy start up in soft timber
- 45/90 degree angle finder integrated into handle
- TPR Overmould
- OX comfort grip handle
- 550mm Length



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P133855 | 9341231044984 | 550mm | 12 | 36 |



TRADE HAND SAW

FEATURES

- 500mm/20" Length
- Dual angle, 8tpi teeth for superior cutting performance
- High quality 65MN steel blade
- OX ergo fit handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-T130950 | 9341231016646 | 500mm | 10 | 40 |



PRO HAND SAW

FEATURES

- 550mm Length
- Dual Angle 8T/9P Teeth
- Re-usable Blade Protector
- OX Comfort Grip handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P291355 | 9341231039072 | 550mm | 10 | 40 |



PRO HIGH TENSION 12" (300MM) HACKSAW

FEATURES

- Quick change blade design
- Bi-grip rubber handle
- Blade in either 45° / 90° cut position
- No tools needed to change blade

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P130730 | 5060242331640 | 12" / 300mm | 4 | 16 |



PRO HACKSAW BLADES (300MM) - 4 PACK

FEATURES

- Cuts aluminium, iron, copper, carbon steel and hard plastic
- Pack of 4 blades

| PRODUCT CODE | BARCODE | TPI | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P131318 | 5060242331879 | 18 TPI | - | - |
| OX-P131324 | 5060242331886 | 24 TPI | - | - |
| OX-P131332 | 5060242331916 | 32 TPI | - | - |

CUTTING TOOLS

PRO MASONRY SAW

FEATURES

- 750mm carbide tipped
- 34 tungsten carbide tipped teeth
- Suitable for lightweight concrete

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P133034 | 9341231020209 | 750mm | 2 | 6 |

TRADE JAB SAW AND HOLSTER PACK

FEATURES

- Supplied with protective holster for safety when not in use
- Hardened & tempered steel blade for increased life
- 8 Teeth per inch
- Non-slip ergonomic handle
- Excellent for wood, plastic & drywall

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------------|-----------|-----------|
| OX-T131516 | 5060242338717 | 6.5" / 165mm | 12 | 36 |

TRADE FIBRO CUTTER

FEATURES

- Steel handles
- Easy to use
- Clean cut

| PRODUCT CODE | BARCODE | CAPACITY | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-T230401 | 9341231013010 | 3/8" / 10mm | 4 | 12 |

PRO AVIATION SNIPS

FEATURES

- Heat treated alloy jaws
- Rated to cut HRC49
- Max cut 1.5mm mild steel / 0.9 stainless steel

| PRODUCT CODE | BARCODE | CUT DIRECTION | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------|-----------|-----------|
| OX-P231001 | 9341231032448 | Left (Red) | 4 | 12 |
| OX-P231002 | 9341231032455 | Right (Green) | 4 | 12 |
| OX-P231003 | 9341231032462 | Straight (Yellow) | 4 | 12 |

SITE TOOLS & ACCESSORIES

“OX has a great range when it comes to site tools, our guys use the OX shovels and floor scrapers to clean up all our mess after each job. I'd have to say that the tools are built tough and are consistently reliable.”

Matt Jamieson | Render X



PRO DUAL THRUST CAULK GUN

FEATURES

- Patented Quick Switch Dual Thrust Ratio 12:1 & 24:1
- Suits 600mm bulk cartridges
- Patented no gaps trigger design
- Twin Heat Treatment Steel Push Plates & 1.5mm Steel Push Piston
- Glass Fibre impregnated body with TPR handle
- Suitable For Low To High
- Viscosity Materials



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P045430 | 9341231042942 | 310ml | 4 | 12 |

PRO DUAL THRUST SEALANT GUN

FEATURES

- Patented Quick Switch Dual Thrust Ratio 12:1 & 24:1
- Glass Fibre impregnated body with TPR handle
- Patented no gaps trigger design
- Patented 360° Barrel Rotary type Anodized Aluminum Barrel
- Patented Quick Fit & Toolless Plunger System (honeycomb design)
- Suitable For Low To High Viscosity Materials



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P045560 | 9341231042966 | 600ml/20oz | 4 | 10 |

PRO RODLESS CAULK GUN

FEATURES

- Single component applicator
- Unique design rodless gun
- Rivetted & reinforced carriage
- Suitable for narrow space application
- Ergonomic operation design
- Ideal for use with latex & silicone caulks
- Total Length: 340mm



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|---------------------------|-----------|-----------|
| OX-P044910 | 9341231018626 | 340 mm / 7:1 Thrust Ratio | 1 | 12 |



TRADE SKELETON CAULK GUN

FEATURES

- Seal Punch
- Drip to non-drip switch
- Steel / Aluminium Housing
- 10:1 Thrust Ratio



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-T046206 | 9341231062230 | 295ml | 1 | 24 |



TRADE HEAVY DUTY CAULK GUN

FEATURES

- Seal Punch
- 18:1 Thrust Ratio
- Aluminium Handle & Trigger
- 360 Degrees Rotary Barrel



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-T046201 | 9341231062186 | 295ml | 1 | 12 |



PRO TUBULAR SEALANT GUN

FEATURES

- Quick release lever
- Suits 600mm bulk cartridges
- Aluminium tube



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P040215 | 9341231007361 | 600ml | 1 | 10 |

SITE TOOLS & ACCESSORIES




PRO 15" TUBULAR SEALANT GUN

FEATURES

- Quick release lever
- Suits 600mm bulk cartridges
- Aluminium tube

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| BI-P040215 | 9341231018459 | 600mm | 4 | 12 |



PRO SPARE SEALANT GUN TIPS - 6 PACK

FEATURES

- Genuine replacement nozzles

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P049801 | 9341231011702 | 6 Pack | 12 | 120 |



PRO SPARE HIGH FLOW SEALANT GUN TIPS - 6 PACK

FEATURES

- Genuine replacement nozzles

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P049805 | 9341231051074 | 600mm | 4 | 12 |



PRO TOUGH XL WIPES (80 PACK)

FEATURES

- 80 wipes per pack
- Heavy duty double sided wipes ideal for aggressive cleaning with one side and smooth wiping and soaking up with the other!
- Extra large wipes - 20% better value
- Anti-bacterial - kills 99.99% of germs!
- Added Aloe Vera - keeps skin healthy
- Double sided - abrasive side & smooth side for dual action
- Removes: Oil, Adhesive, Paint, Silicone, Glue, Sealant, Grime, PU Foam, Plaster & Cement

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|-----------|
| OX-P350580 | 5060359916792 | 80 Sheets | 1 | 12 |

SITE TOOLS & ACCESSORIES



TRADE RATCHET TIE DOWNS - 25MM WIDE 250KGLC

FEATURES

- Heavy duty ratchet tie down straps
- 25mm x 4m blue polyester webbing
- 250kg lashing capacity and 600kg breaking strength
- Vinyl coated 's' hooks for added protection
- 4 pack



| PRODUCT CODE | BARCODE | LASHING CAPACITY | INNER QTY | OUTER QTY |
|--------------|---------------|------------------|-----------|-----------|
| OX-T201504 | 9341231055478 | 250kg | 1 | 5 |



PRO 35MM RATCHET TIE DOWN - SINGLE

FEATURES

- Light weight
- Double locking mechanism
- 2 protective sleeves
- Complies with AS/NZS
- 35mm x 9m blue polyester strap
- Lashing capacity 1250kg
- Breaking strength 2500kg

| PRODUCT CODE | BARCODE | LASHING CAPACITY | INNER QTY | OUTER QTY |
|--------------|---------------|------------------|-----------|-----------|
| OX-P201306 | 9341231019241 | 1250kg | 1 | 5 |



PRO 50MM RATCHET TIE DOWN - SINGLE

FEATURES

- Light weight
- Double locking mechanism
- 2 protective sleeves
- Complies with AS/NZS
- 50mm x 9m blue polyester strap
- Lashing capacity 2500kg
- Breaking strength 5000kg

| PRODUCT CODE | BARCODE | LASHING CAPACITY | INNER QTY | OUTER QTY |
|--------------|---------------|------------------|-----------|-----------|
| OX-P201109 | 9341231011078 | 2500kg | 1 | 5 |



12
BOX

TRADE SPOT MARKING PAINT - 12 PACK

FEATURES

- 12 Pack
- Lead free
- 350g aerosol can
- Professional quality hi-visibility colours
- Use on asphalt, dirt, concrete & timber
- Unique trigger cap for easy, safe, inverted marking
- Ideal for marking out roadworks, building sites, grass and sporting areas



| PRODUCT CODE | BARCODE | SIZE / COLOUR | INNER QTY | OUTER QTY |
|--------------|---------------|---------------------|-----------|-----------|
| OX-T022501 | 9341231000553 | 350g / Blue | 1 | 12 |
| OX-T022502 | 9341231000560 | 350g / Fluro Green | 1 | 12 |
| OX-T022503 | 9341231000577 | 350g / Fluro Orange | 1 | 12 |
| OX-T022504 | 9341231000584 | 350g / Fluro Pink | 1 | 12 |
| OX-T022505 | 9341231000591 | 350g / Fluro Red | 1 | 12 |
| OX-T022506 | 9341231000607 | 350g / White | 1 | 12 |
| OX-T022507 | 9341231000614 | 350g / Fluro Yellow | 1 | 12 |

SITE TOOLS & ACCESSORIES

PAIR



NEW

TRADE PACK DOWN 800MM SAW HORSES - PAIR

FEATURES

- Saves space in ute/truck and other areas.
- Locking pin
- Lockable legs
- Length 800mm in height
- Solid bamboo benchtop 800mm
- 350kg weight rated

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-T335575 | 9341231055713 | 800mm | 5 | 10 |

PAIR



PRO 750MM SAW HORSE - PAIR

FEATURES

- Locking pin
- Lockable legs
- Length 750mm in height
- Solid bamboo benchtop 800mm
- Durable and sturdy saw horse set

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P335675 | 9341231034466 | 750mm | 5 | 10 |

PAIR



PRO 900MM SAW HORSE - PAIR

FEATURES

- Locking pin
- Lockable legs
- Length 900mm in height
- Solid bamboo benchtop 1000mm
- Durable and sturdy saw horse set



| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------|-----------|-----------|
| OX-P335690 | 9341231016325 | 900mm | 1 | 2 |

PAIR



PRO METAL SAWHORSE - ADJUSTABLE LEGS - PAIR

FEATURES

- Collapsible compact design
- Adjustable legs 760mm - 860mm
- 635kg max capacity
- Lightweight

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P336401 | 9341231059889 | 760 - 860mm | 1 | 2 |



NEW

TRADE HAND RIVET GUN

FEATURES

- Interchangeable nozzle sizes to suit most standard rivet sizes: 2.4mm, 3.2mm, 4mm, 4.8mm
- Knurled nozzle inserts for toolless insert changes when using different rivet sizes
- Thick, curved handle for additional leverage, with textured and comfortable handle
- Long tool head for access to deep holes and confined spaces

| PRODUCT CODE | BARCODE | SUIT RIVET SIZES | INNER QTY | OUTER QTY |
|--------------|---------------|--------------------------|-----------|-----------|
| OX-T327025 | 9341231061837 | 2.4mm, 3.2mm, 4mm, 4.8mm | 6 | 24 |



NEW

TRADE HEX ALLEN KEY 30PC SET

FEATURES

- Includes both Metric and Imperial sizes
- Plastic case
- Black oxide coated hex keys
- Imperial and Metric Sets

| PRODUCT CODE | BARCODE | PIECES | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-T322530 | 9341231061844 | 30pc | 4 | 10 |



NEW

PRO HEX ALLEN KEY LONG 9PC SET

FEATURES

- Ballpoint tip allowing larger range of access to the head of bolts
- S2 Steel
- Colour coded blue to industry standard so end-users know its a Hex key set
- Coating to protect the set and the objects you are working around

| PRODUCT CODE | BARCODE | PIECES | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P322609 | 9341231061851 | 9pc | 6 | 24 |



NEW

PRO TAMPERPROOF TORX KEY LONG 9PC SET

FEATURES

- Coating to protect the set and the objects you are working around.
- S2 Steel
- Colour coded orange to industry standard so end-users know its a tamper Torx key set

| PRODUCT CODE | BARCODE | PIECES | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P322709 | 9341231061868 | 9pc | 4 | 12 |



PRO 7PC SCREWDRIVER KIT - PH & BLADE

FEATURES

- 7 Screwdrivers Included (3x Phillips & 2x Blade - Parallel & 2x Blade - Flared)
- Phillips PH0 x 75mm
- Phillips PH1 x 75mm
- Phillips PH2 x 100mm
- Blade - Parallel 3.5 x 75mm
- Blade - Parallel 5.5 x 100mm
- Blade - Flared 6.5 x 38mm
- Blade - Flared 6.5 x 100mm

| PRODUCT CODE | BARCODE | PIECES | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-P361717 | 9341231063381 | 7pc | 1 | 2 |



PRO SLOTTED FLARED SCREWDRIVER

FEATURES

- High quality screwdriver with chrome vanadium steel bar
- Soft grip handle moulded directly to shaft for ultimate strength
- Colour coded handle & magnetic tip
- Slotted Flared Design

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P362212 | 5060242339127 | 125 x 6.5mm | 12 | 120 |
| OX-P362215 | 5060242339134 | 150 x 8mm | 6 | 60 |
| OX-P362220 | 5060242339141 | 200 x 10mm | 6 | 60 |



PRO SLOTTED FLARED SCREWDRIVER STUBBY

FEATURES

- High quality screwdriver with chrome vanadium steel bar
- Soft grip handle moulded directly to shaft for ultimate strength
- Colour coded handle & magnetic tip
- Slotted Flared Stubby 6.5x38mm

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P362338 | 5060242339165 | 6.5 x 38mm | 12 | 240 |



PRO SLOTTED PARALLEL SCREWDRIVER

FEATURES

- High quality screwdriver with chrome vanadium steel bar
- Soft grip handle moulded directly to shaft for ultimate strength
- Colour coded handle & magnetic tip
- Slotted Parallel Design

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P362410 | 5060242339172 | 100 x 4mm | 12 | 240 |
| OX-P362425 | 5060242339202 | 250 x 6.5mm | 12 | 120 |
| OX-P362435 | 9341231063459 | 75 x 3.5mm | 1 | 2 |
| OX-P362455 | 9341231063466 | 100 x 5.5mm | 1 | 2 |



PRO PHILLIPS SCREWDRIVER

FEATURES

- High quality screwdriver with chrome vanadium steel bar
- Soft grip handle moulded directly to shaft for ultimate strength
- Colour coded handle & magnetic tip
- Phillips Design

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P362507 | 9341231063404 | PH0 x 75mm | 1 | 2 |
| OX-P362510 | 5060242339226 | PH2 x 100mm | 12 | 120 |
| OX-P362525 | 9341231063435 | PH2 x 250mm | 1 | 2 |
| OX-P362535 | 9341231063442 | PH3 x 150mm | 1 | 2 |
| OX-P362538 | 9341231063428 | PH2 x 38mm | 1 | 2 |
| OX-P362575 | 5060242339219 | PH1 x 75mm | 12 | 120 |



PRO HEAVY DUTY EXTENSION LEAD

FEATURES

- Heavy duty 15A Lead Cable
- Industrial 3 pin insulated socket
- 10A Plug
- LED Light in socket – on/off indicator

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P311720 | 9341231029448 | 20m | 1 | 4 |
| OX-P311730 | 9341231029455 | 30m | 1 | 4 |



PRO MASONRY BUCKET

FEATURES

- Flexible HDPE material
- Non-marking smooth base
- Safety metal handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P110215 | 9341231007354 | 15L | 10 | 20 |



PRO PLASTIC BUCKET - 10L

FEATURES

- The bucket is made of Low Density Polyethylene (LDPE), which gives it hardness and lightness
- It has reinforcing lateral nerves and reinforced base, inferior brim for easy pouring, galvanized ø4mm metallic handle
- This bucket has a slight conical shape for easy stacking

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P110610 | 9341231035715 | 10L | 10 | 20 |



PRO RUBBER BUCKET WITH POURING LIP - 15L

FEATURES

- The bucket is made of High grade moulded rubber, which makes it flexible and resistant
- It has reinforcing lateral nerves and reinforced base, pouring beak, interior capacity indication (l)
- Inferior brim for easy pouring, galvanized ø4mm metallic handle
- This bucket has a slight conical shape for easy stacking

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P110615 | 9341231034473 | 15L | 10 | 20 |



PRO HEAVY DUTY PLASTIC BUCKET - 40L

FEATURES

- The bucket is made of Low Density Polyethylene (LDPE), which gives it hardness and lightness.
- It has Two extremely strong handles for easy handling
- This bucket has a slight conical shape for easy stacking

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P110640 | 9341231034435 | 40L | 10 | 20 |



TRADE CONCRETERS SHOVEL - HAMMERTONE

FEATURES

- Length: 1040mm
- 'D' grip handle
- Head size: 250mm x 300mm
- All steel, pressed and welded construction with a hammertone finish

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-T281307 | 9341231016660 | 1040mm | 4 | 12 |



TRADE SQUARE MOUTH SHOVEL

FEATURES

- 'D' grip handle
- All steel, pressed and welded construction
- High visibility blue powder coated
- Head size: 250 x 300mm

| PRODUCT CODE | BARCODE | LENGTH | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-T280107 | 9341231000089 | 1040mm | 1 | 6 |
| OX-T280109 | 9341231000072 | 1200mm | 1 | 6 |



TRADE SQUARE MOUTH SHOVEL - LONG HANDLE

FEATURES

- Long handle – rubber grip
- All steel, pressed and welded construction
- High visibility blue powder coated
- Head size: 250 x 300mm

| PRODUCT CODE | BARCODE | LENGTH | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-T280212 | 9341231000096 | 1500mm | 1 | 6 |




TRADE POST HOLE SHOVEL

FEATURES

- Post hole shovel for digging deep/narrow holes as well as pits, fencing and shallow trench digging
- Treaded blade allows for easy digging
- 1.2m fiberglass handle (wall thickness of 3mm) with timber reinforcing for strength & durability
- Stainless steel connecting ring (shovel head & handle) used for: concreting, landscaping, gardening & mechanics anti slip handles grips
- 1.6kg overall weight

| PRODUCT CODE | BARCODE | LENGTH | INNER QTY | OUTER QTY |
|--------------|---------------|------------------|-----------|-----------|
| OX-T281601 | 9341231018107 | 153 x 19.8 x 3cm | 6 | 24 |



TRADE FLOOR SCRAPER

FEATURES


- All steel construction & spring steel blade

| PRODUCT CODE | BARCODE | BLADE SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-T050506 | 9341231050671 | 6" / 150mm | 1 | 3 |
| OX-T050508 | 9341231011856 | 8" / 204mm | 1 | 3 |
| OX-T050512 | 9341231011863 | 12" / 300mm | 1 | 3 |
| OX-T050514 | 9341231033742 | 14" / 350mm | 1 | 3 |
| OX-T050520 | 9341231033759 | 20" / 500mm | 1 | 3 |

FEATURES

- Replacement spring steel blade

| PRODUCT CODE | BARCODE | SUITS | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-T059406 | 9341231050688 | OX-T050506 | 10 | 40 |
| OX-T059408 | 9341231033766 | OX-T050508 | 10 | 40 |
| OX-T059412 | 9341231033773 | OX-T050512 | 10 | 40 |
| OX-T059414 | 9341231033780 | OX-T050514 | 10 | 40 |



PRO ALL STEEL FLOOR SCRAPER

FEATURES

- All steel construction
- Spring steel blade
- T-Grip handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P050208 | 9341231001765 | 8" / 204mm | 1 | 3 |

FEATURES

- 204mm Floor Scraper Blade Replacement

| PRODUCT CODE | BARCODE | SUITS | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P059808 | 9341231001789 | OX-P050208 | 4 | 18 |



PRO FLOOR SCRAPER

FEATURES

- Spring steel blade
- Braced for extra strength
- All steel head with hardwood handle

| PRODUCT CODE | BARCODE | BLADE WIDTH | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-P050314 | 9341231013041 | 14" / 356mm | 1 | 3 |



PRO HEAVY DUTY FLOOR SCRAPER

FEATURES

- All steel construction
- Spring steel blade
- Trapezoid blade
- T-Grip handle

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P050408 | 9341231021473 | 8" / 200mm | 1 | 3 |

FEATURES

- Replacement spring steel blade

| PRODUCT CODE | BARCODE | SUITS | INNER QTY | OUTER QTY |
|--------------|---------------|------------|-----------|-----------|
| OX-P059608 | 9341231021480 | OX-P050408 | 6 | 84 |



TOOL STORAGE

“I have just decked myself out with the new black trade leather tool belt and few attachments. They have got it right with the configuration of the pockets and everything seems to sit nicely on your waist. I am loving the blue stitching against the black leather – classy! The boys are using the tool bags also – the tote has taken a beating and hasn’t let us down.”

Andrew Head | EST Building



TOOL STORAGE



PRO TOTE BAG

FEATURES

- Extremely tough construction for ultimate durability
- Injected polypropylene hard base
- Waterproof base moulded to fabric
- Heavy-duty steel handle with rubber grip
- Open structure for quick and easy tool access
- Multiple use tool compartments

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P262618 | 5060242338618 | 18" | 1 | 4 |



PRO TUFF BAG

FEATURES

- Jumbo size tuff bag
- Tough 600D construction with heavy duty webbing, handles and zip
- Integrated castors, handle and detachable shoulder strap

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|---|-----------|-----------|
| OX-P265501 | 9341231043093 | 24in x 12in x 13.5in [61cm x 30.5cm x 34cm] | 1 | 3 |



PRO STORAGE BAG

FEATURES

- 15" Dynamic Nylon storage bag for extreme durability
- Front pouches to hold frequently used tools
- Wide mouth to easily store tools
- Durable shoulder strap for portability
- Reinforced stitching at stress points

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P262930 | 9341231019050 | 15" | 5 | 20 |



PRO HEAVY DUTY TOOL ORGANISER

FEATURES

- Internal separators for organising the interior space
- Transparent and impact-resistant polycarbonate lid
- Body made from strengthened PP mixture
- Optimised metal latches

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-P601110 | 9341231059650 | Deep | 1 | 10 |
| OX-P601111 | 9341231059667 | Slim | 1 | 12 |



TRADE BLACK LEATHER CONSTRUCTION APRON 12 POCKET

FEATURES

- Oil Tanned Heavy Duty Split Leather
- Thickness: Heavy 2mm +
- Belt Tunnel Fits up to 3" Wide Belts

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|-----------|
| OX-T265601 | 9341231043741 | 12 pocket | 4 | 8 |



8
POCKET

TRADE BLACK LEATHER TOOL POUCH 8 POCKET

FEATURES

- Oil Tanned Heavy Duty Split Leather
- Thickness: Heavy 2mm +
- Belt Tunnel Fits up to 3" Wide Belts

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|----------|-----------|-----------|
| OX-T265603 | 9341231043765 | 8 pocket | 6 | 12 |



6
POCKET

TRADE BLACK LEATHER TOOL POUCH 6 POCKET

FEATURES

- Oil Tanned Heavy Duty Split Leather
- Thickness: Heavy 2mm +
- Belt Tunnel Fits up to 3" Wide Belts

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|----------|-----------|-----------|
| OX-T265602 | 9341231043758 | 6 pocket | 6 | 12 |



2
POCKET

TRADE BLACK LEATHER TOOL POUCH 2 POCKET

FEATURES

- Oil Tanned Heavy Duty Split Leather
- Thickness: Heavy 2mm +
- Belt Tunnel Fits up to 3" Wide Belts

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|----------|-----------|-----------|
| OX-T265604 | 9341231043772 | 2 pocket | 6 | 18 |



1
POCKET

TRADE BLACK LEATHER CHISEL HOLDER 1 POCKET

FEATURES

- Oil Tanned Heavy Duty Split Leather
- Thickness: Heavy 3mm +
- Belt Tunnel Fits up to 3" Wide Belts

| PRODUCT CODE | BARCODE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|
| OX-T265703 | 9341231043802 | 8 | 48 |



2
POCKET

TRADE BLACK LEATHER CHISEL HOLDER 2 POCKET

FEATURES

- Oil Tanned Heavy Duty Split Leather
- Thickness: Heavy 3mm +
- Belt Tunnel Fits up to 3" Wide Belts

| PRODUCT CODE | BARCODE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|
| OX-T265704 | 9341231043819 | 8 | 48 |



NEW

TRADE BLACK LEATHER DUAL CHISEL & NIP HOLDER

FEATURES

- Fits up to 2 chisels and 1 pair of nip cutters
- Heavy duty 3mm thick leather
- Robust riverts for increased durability
- Fits belts up to 2" wide

| PRODUCT CODE | BARCODE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|
| OX-T265711 | 9341231054419 | 8 | 48 |



NEW

TRADE BLACK LEATHER DUAL CHISEL & HAMMER HOLDER

FEATURES

- Dual pouch to hold chisels and a hammer
- Heavy duty 3mm thick leather
- Robust riverts for increased durability
- Fits belts up to 2" wide

| PRODUCT CODE | BARCODE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|
| OX-T265713 | 9341231054433 | 8 | 48 |



TRADE BLACK LEATHER NIP HOLDER

FEATURES

- Oil Tanned Heavy Duty Split Leather
- Thickness: Heavy 3mm +
- Belt Tunnel Fits up to 3" Wide Belts

| PRODUCT CODE | BARCODE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|
| OX-T265705 | 9341231043826 | 8 | 48 |



TRADE BLACK LEATHER HAMMER HOLDER - FIXED

FEATURES

- Oil Tanned Heavy Duty Split Leather
- Thickness: Heavy 3mm +
- Belt Tunnel Fits up to 3" Wide Belts

| PRODUCT CODE | BARCODE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|
| OX-T265701 | 9341231043789 | 8 | 48 |



TRADE BLACK LEATHER HAMMER HOLDER - SWIVEL

FEATURES

- Oil Tanned Heavy Duty Split Leather
- Thickness: Heavy 3mm +
- Belt Tunnel Fits up to 3" Wide Belts

| PRODUCT CODE | BARCODE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|
| OX-T265702 | 9341231043796 | 8 | 48 |



TRADE BLACK LEATHER TORPEDO LEVEL HOLDER

FEATURES

- Large pouch to securely hold a torpedo level, nips, tin snips, etc.
- Heavy duty 3mm thick leather
- Robust rivets for increased durability
- Fits belts up to 2" wide

| PRODUCT CODE | BARCODE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|
| OX-T265712 | 9341231054426 | 8 | 48 |



NEW

TRADE BLACK LEATHER AIRGUN HOLDER

FEATURES

- Designed to hold hand held power tools including drills, air guns, nail guns, etc.
- Heavy duty 3mm thick leather that fits belts up to 2" wide
- Robust riverts for increased durability

| PRODUCT CODE | BARCODE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|
| OX-T265714 | 9341231054440 | 8 | 48 |



TRADE BLACK LEATHER TAPE HOLDER

FEATURES

- Fits FatMax 8 mtrs
- Thickness: Heavy 3mm +
- Belt Tunnel Fits up to 3" Wide Belts

| PRODUCT CODE | BARCODE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|
| OX-T265707 | 9341231043840 | 8 | 48 |



NEW

TRADE BLACK LEATHER TAPE MEASURE CLIP HOLDER

FEATURES

- Slim clip design for ease of use
- Heavy duty 3mm thick leather
- Robust rivets for increased durability
- Fits belts up to 2" wide

| PRODUCT CODE | BARCODE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|
| OX-T265710 | 9341231050374 | 8 | 48 |



TRADE BLACK LEATHER MOBILE PHONE HOLDER

FEATURES

- Heavy Duty Oil Tanned Split Leather

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-T265709 | 9341231045011 | XL | 8 | 48 |



TRADE BLACK LEATHER BELT - 2"

FEATURES

- Heavy Duty Oil Tanned Split Leather
- Thickness: 3mm +

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-T265802 | 9341231043857 | 2" | 8 | 32 |



TRADE PADDED NYLON BACK SUPPORT BELT

FEATURES

- 5" (125mm) padded nylon back support
- With 2" (50mm) leather work belt

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-T265804 | 9341231043871 | 5" | 8 | 32 |



TRADE PADDED NYLON SUSPENDERS

FEATURES

- Tough leather straps and padded nylon for durability and comfort
- Fully adjustable belts including centre chest strap to prevent harness spreading
- 2:1 Strap (2 front/1 rear) to evenly distribute the load over shoulders and back
- Water resistant nylon stitching
- Heavy duty belt clips and loop through belt option also included

| PRODUCT CODE | BARCODE | INNER QTY | OUTER QTY |
|--------------|---------------|-----------|-----------|
| OX-T267301 | 9341231050244 | 6 | 18 |



TRADE HEAVY DUTY SUEDE LEATHER 2 POCKET

FEATURES

- Quick Release Buckle
- Heavy Duty Suede Leather; Rivet Reinforced At Stress Points
- Double Row Stitching For Added Strength And Durability
- 2" Wide Heavy Duty Webbing Belt With A Quick Release Plastic Buckle
- One Large Wide Mouth Main Pocket; One Medium Size Front Pocket

| PRODUCT CODE | BARCODE | DESCRIPTION | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------|-----------|-----------|
| OX-T265102 | 9341231018220 | 2 Pocket Nail Bag | 6 | 24 |



TRADE HEAVY DUTY SUEDE LEATHER 6 POCKET

FEATURES

- Quick Release Buckle
- Heavy Duty Suede Leather; Rivet Reinforced At Stress Points
- Double Row Stitching For Added Strength And Durability
- 2" Wide Heavy Duty Webbing Belt With A Quick Release Plastic Buckle
- Two Large Wide Mouth Main Pockets; One Medium Size Front Pocket
- 3 Small Tool/Pencil Pockets; 1 Fixed Type Metal Hammer Holders Leather Pocket To Hold Most Common/Popular Tape Measures

| PRODUCT CODE | BARCODE | DESCRIPTION | INNER QTY | OUTER QTY |
|--------------|---------------|--------------------|-----------|-----------|
| OX-T265301 | 9341231018244 | 6 Pocket Tool Belt | 6 | 24 |



TRADE HEAVY DUTY SUEDE LEATHER 10 POCKET

FEATURES

- Quick Release Buckle
- Heavy Duty Suede Leather; Rivet Reinforced At Stress Points
- Double Row Stitching For Added Strength And Durability
- 2" Wide Heavy Duty Webbing Belt With A Quick Release Plastic Buckle
- Two Large Wide Mouth Main Pockets; Two Medium Size Front Pockets; 6 Small Tool/Pencil Pockets; 2 Fixed Type Metal Hammer Holders

| PRODUCT CODE | BARCODE | DESCRIPTION | INNER QTY | OUTER QTY |
|--------------|---------------|---------------------|-----------|-----------|
| OX-T265202 | 9341231018237 | 10 Pocket Tool Belt | 6 | 24 |

SAFETY EQUIPMENT

“OX safety range is great offering all the PPE essentials safety specs, dust masks and knee pads. It's great to know the gloves are built for the toughest of worksite conditions!”

Matt Miles | EST Building



SAFETY EQUIPMENT



Clear

SAFETY GLASSES – CLEAR

FEATURES

- Stylish design with adjustable nose bridge for comfort
- Medium impact anti-scratch, anti-fog lens
- 99.9% UV protection for outdoor wear
- Complies with AS/NZS1337



| PRODUCT CODE | BARCODE | COLOUR | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-S240210 | 9341231011320 | Clear | 12 | 144 |



Smoked

SAFETY GLASSES – SMOKE

FEATURES

- Stylish design with adjustable nose bridge for comfort
- Medium impact anti-scratch, anti-fog lens
- 99.9% UV protection for outdoor wear
- Complies with AS/NZS1337



| PRODUCT CODE | BARCODE | COLOUR | INNER QTY | OUTER QTY |
|--------------|---------------|--------|-----------|-----------|
| OX-S240220 | 9341231011337 | Smoke | 12 | 144 |



Blue Mirror

SAFETY GLASSES – BLUE MIRRORED

FEATURES

- Stylish design with adjustable nose bridge for comfort
- Medium impact anti-scratch, anti-fog lens
- 99.9% UV protection for outdoor wear
- Complies with AS/NZS1337



| PRODUCT CODE | BARCODE | COLOUR | INNER QTY | OUTER QTY |
|--------------|---------------|---------------|-----------|-----------|
| OX-S240230 | 9341231011344 | Blue mirrored | 12 | 144 |



SAFETY LATEX GLOVES - POLYESTER LINED

FEATURES

- Gauge polyester, knit wrist, latex crinkle coated palm
- Made of a high-performance latex, providing outstanding combination of strength and chemical resistance
- Offers protection against snags, punctures, abrasions, and cuts
- Minimum perspiration
- Comply with CE standard regulations, meet with EN420 and EN388

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-S481310 | 9341231037610 | 10 | 12 | 144 |



SAFETY NITRILE GLOVES - NYLON LINED

FEATURES

- 15 Gauge nylon, knit wrist, nitrile foam coated palm
- Made of a high-performance nitrile, providing outstanding combination of strength and chemical resistance
- Offers excellent dry grip by moving oils and liquids away from the glove surface
- Excellent breathability
- Comply with CE standard regulations, meet with EN420 and EN388

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-S481410 | 9341231037627 | 10 | 12 | 144 |



SAFETY POLYESTER LINED NITRILE GLOVE - 5 PACK

FEATURES

- Durable rubber face with foam 'liner'
- 13 Gauge polyester knit wrist with a smooth nitrile coated palm
- Made of high-performance nitrile, provides outstanding combination of strength and grip
- Offers excellent dry grip by moving oils and liquids away from the glove surface. Prevents grease oil and water penetration
- Complies with CE standard regulations, meet with EN420 and EN388

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-S484609 | 9341231018732 | 9 | 1 | 25 |
| OX-S484610 | 9341231017513 | 10 | 1 | 25 |

SAFETY EQUIPMENT



Available in medium, large and extra large

Breathable Design reducing sweat build-up and keeping your hands cool and dry

Velcro tag for added security


Meets CE Standard safety regulations, including EN388 and 2111XP

Padded palms for enhanced comfort to reduce vibration

Reinforced design to increase durability and grip

Impact rubber TPR protection across hand and fingers






SAFETY DEMOLITION GLOVES

FEATURES

- Reinforced design
- Padded palms
- Velcro tag
- Impact rubber TPR protection
- Comply with CE standard regulations, meet with EN420 and 2111XP

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-S489702 | 9341231057069 | M | 6 | 60 |
| OX-S489703 | 9341231057076 | L | 6 | 60 |
| OX-S489704 | 9341231057083 | XL | 6 | 60 |




SAFETY GLOVES - CUT D

FEATURES

- Lycra & nylon blend
- Textured nitrile palm for grip
- High dexterity finger tips
- Excellent breathability
- Comply with CE standard regulations, meet with EN388 and 4X420

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-S489842 | 9341231057151 | M | 6 | 120 |
| OX-S489843 | 9341231057168 | L | 6 | 120 |
| OX-S489844 | 9341231057175 | XL | 6 | 120 |



SAFETY GLOVES - CUT E

FEATURES

- Nylon & HPPE liner material
- Breathable glove design
- Double dipped nitrile
- Comply with CE standard regulations, meet with EN388 and 424XE

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|------|-----------|-----------|
| OX-S489852 | 9341231057717 | M | 6 | 120 |
| OX-S489853 | 9341231057724 | L | 6 | 120 |
| OX-S489854 | 9341231057731 | XL | 6 | 120 |



SAFETY GEL FILLED KNEE PAD - HEAVY DUTY

FEATURES

- Ergonomic shape for stability and comfort for use over long periods
- Anti compression air injected gel and foam EVA core for maximum cushioning
- Perforated neoprene lining to keep away moisture
- One size fits all
- Easy positioning of knee pad

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------------|-----------|-----------|
| OX-S585702 | 5060530356553 | One size fits all | 0 | 12 |



SAFETY RED/WHITE DOUBLE SIDED BARRIER TAPE - BOX OF 20

FEATURES

- Heavy duty plastic
- Red and white striped
- Double sided print

| PRODUCT CODE | BARCODE | SIZE | INNER QTY | OUTER QTY |
|--------------|---------------|-------------|-----------|-----------|
| OX-S243210 | 9341231011979 | 75mm x 100m | 1 | 10 |

SPARE PARTS



INDUSTRIAL
CONCRETE
SPRAYER

















13.2L

(3.5 Gallons)

Crack Compound | Patch Oil
Release Agent | Groutage

SPARE PARTS

CONCRETING TOOLS

| PRODUCT IMAGE | PRODUCT CODE | BARCODE | DESCRIPTION | PAGES | SUITS |
|---|--------------|---------------|--|-------|--|
|  | OX-P021901 | 9341231021640 | OX Professional Screed Spare Part - Handle | 47 | OX-P0214XX Pro Clamped Handle Screeds |
|  | OX-P021902 | 9341231021657 | OX Professional Screed Spare Part - Handle with vial | 47 | OX-P0213XX Pro Clamped Handle Screeds with Vial |
|  | OX-P021903 | 9341231021664 | OX Professional Screed Spare Part - Clamp set, fixed | 47 | OX-P0213XX & OX-P0214XX Pro Clamped Handle Screeds |
|  | OX-P021904 | 9341231021671 | OX Professional Screed Spare Part - Clamp set, clamped | 47 | OX-P0213XX & OX-P0214XX Pro Clamped Handle Screeds |
|  | OX-P021905 | 9341231021688 | OX Professional Screed Spare Part - End Cap Set, fixed | 47 | OX-P0213XX & OX-P0214XX Pro Clamped Handle Screeds |
|  | OX-P021906 | 9341231021695 | OX Professional Screed Spare Part - End Cap Set, clamped | 47 | OX-P0213XX & OX-P0214XX Pro Clamped Handle Screeds |
|  | OX-P021907 | 9341231021701 | OX Professional Screed Spare Part - End Cap Set, Screed handle | 47 | OX-P0213XX & OX-P0214XX Pro Clamped Handle Screeds |
|  | OX-P029601 | 9341231021633 | OX Replacement Tilt Mechanism for Bullfloat | 48 | OX-P0166XX Pro Aluminium Bullfloats |
|  | OX-P029801 | 9341231021718 | OX Professional Straight Edge Spare Part - '16' End Cap | 47 | OX-P0216XXX Pro Straight Edges |
|  | OX-P029802 | 9341231021725 | OX Professional Straight Edge Spare Part - '17' End Cap | 47 | OX-P0216XXX Pro Straight Edges |
|  | OX-P049301 | 9341231014505 | OX Brass Fan Nozzle - 1.0 GPM | 58 | OX-P040713 Pro Concrete Sprayer |
|  | OX-P049302 | 9341231014512 | OX 600mm Stainless Steel Spray Wand | 58 | OX-P040713 Pro Concrete Sprayer |
|  | OX-P049303 | 9341231014529 | OX Trigger Assembly | 58 | OX-P040713 Pro Concrete Sprayer |
|  | OX-P049304 | 9341231014536 | OX 1200mm Chemical Resistant Hose with Connections | 58 | OX-P040713 Pro Concrete Sprayer |
|  | OX-P049305 | 9341231014543 | OX Genuine OXSeal and Gasket Kit | 58 | OX-P040713 Pro Concrete Sprayer |
|  | OX-P049306 | 9341231014550 | OX Stainless Steel Pump Assembly | 58 | OX-P040713 Pro Concrete Sprayer |


CONCRETING TOOLS

| PRODUCT IMAGE | PRODUCT CODE | BARCODE | DESCRIPTION | PAGES | SUITS |
|--|--------------|---------------|---|-------|---------------------------------|
|  | OX-P049307 | 9341231014567 | OX Plunger Assembly | 58 | OX-P040713 Pro Concrete Sprayer |
|  | OX-P049308 | 9341231014574 | OX Replacement Holster | 58 | OX-P040713 Pro Concrete Sprayer |
| | OX-P049309 | 9341231014581 | OX Replacement Complete Pump Assembly | 58 | OX-P040713 Pro Concrete Sprayer |
|  | OX-P049310 | 9341231014598 | OX Supply Tube Assembly | 58 | OX-P040713 Pro Concrete Sprayer |
|  | OX-P049311 | 9341231056048 | OX Pressure Relief Valve | 58 | OX-P040713 Pro Concrete Sprayer |
|  | OX-P480401 | 9341231018442 | OX 15L Manual Backpack Sprayer Spares Kit | 58 | OX-P044715 Pro Backpack Sprayer |






RENDERING TOOLS

| PRODUCT IMAGE | PRODUCT CODE | BARCODE | DESCRIPTION | PAGES | SUITS |
|---|--------------|---------------|--|-------|-----------------------------|
|  | OX-P049701 | 9341231034497 | OX Professional Hopper Gun Spare Part - Aluminium Body | 82 | OX-T040308 Trade Hopper Gun |
|  | OX-P049702 | 9341231034503 | OX Professional Hopper Gun Spare Part - Retaining Ring | 82 | OX-T040308 Trade Hopper Gun |
|  | OX-P049703 | 9341231021886 | OX Professional Hopper Gun Spare Part - 4mm Nozzle | 82 | OX-T040308 Trade Hopper Gun |
|  | OX-P049704 | 9341231021893 | OX Professional Hopper Gun Spare Part - 6mm Nozzle | 82 | OX-T040308 Trade Hopper Gun |


RENDERING TOOLS

| PRODUCT IMAGE | PRODUCT CODE | BARCODE | DESCRIPTION | PAGES | SUITS |
|---|--------------|---------------|---|-------|-----------------------------|
|  | OX-P049705 | 9341231021909 | OX Professional Hopper Gun Spare Part - 8mm Nozzle | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049706 | 9341231034510 | OX Professional Hopper Gun Spare Part - Fitting | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049707 | 9341231034527 | OX Professional Hopper Gun Spare Part - O-Ring | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049708 | 9341231034534 | OX Professional Hopper Gun Spare Part - Needle Shaft | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049709 | 9341231034541 | OX Professional Hopper Gun Spare Part - O-Ring | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049710 | 9341231034558 | OX Professional Hopper Gun Spare Part - Regulator Guide | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049711 | 9341231034565 | OX Professional Hopper Gun Spare Part - Assembly | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049712 | 9341231034572 | OX Professional Hopper Gun Spare Part - Gasket | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049713 | 9341231034589 | OX Professional Hopper Gun Spare Part - O-Ring | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049714 | 9341231034596 | OX Professional Hopper Gun Spare Part - E-Ring | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049715 | 9341231034602 | OX Professional Hopper Gun Spare Part - Spring | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049716 | 9341231034619 | OX Professional Hopper Gun Spare Part - Pin | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049717 | 9341231034626 | OX Professional Hopper Gun Spare Part - Trigger | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049718 | 9341231034633 | OX Professional Hopper Gun Spare Part - Connection | 82 | OX-T040308 Trade Hopper Gun |

RENDERING TOOLS

| PRODUCT IMAGE | PRODUCT CODE | BARCODE | DESCRIPTION | PAGES | SUITS |
|---|--------------|---------------|---|-------|--------------------------------|
| | OX-P049719 | 9341231034640 | OX Professional Hopper Gun Spare Part - O-Ring | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049720 | 9341231034657 | OX Professional Hopper Gun Spare Part - Clip Ring | 82 | OX-T040308 Trade Hopper Gun |
|  | OX-P049721 | 9341231034664 | OX Professional Hopper Gun Spare Part - Clamp | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049722 | 9341231034671 | OX Professional Hopper Gun Spare Part - Square Hopper | 82 | OX-T040308 Trade Hopper Gun |
|  | OX-P049723 | 9341231034688 | OX Professional Hopper Gun Spare Part - Round Hopper | 82 | OX-T040308 Trade Hopper Gun |
|  | OX-P049724 | 9341231034695 | OX Professional Hopper Gun Spare Part - 45c Elbow | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049725 | 9341231034701 | OX Professional Hopper Gun Spare Part - On/Off Ball Valve | 82 | OX-T040308 Trade Hopper Gun |
| | OX-P049727 | 9341231035371 | OX Hopper Gun Part - Air Flow Regulator | 82 | OX-T040308 Trade Hopper Gun |
|  | OX-P049799 | 9341231021916 | OX Professional Hopper Gun Repair Kit | 82 | OX-T040308 Trade Hopper Gun |
|  | OX-P188001 | 9341231039348 | OX Trigger Switch for OX-P286 | 84 | OX-P286 Pro 1600W Mixing Drill |

WOODWORKING TOOLS

| PRODUCT IMAGE | PRODUCT CODE | BARCODE | DESCRIPTION | PAGES | SUITS |
|---|--------------|---------------|--|-------|-------------------------------------|
|  | OX-P203502 | 9341231055836 | Pro Heavy Duty Bar Clamp 300kg - Replacement Pads – 2pcs | 141 | OX-P2035XX Pro Heavy Duty Bar Clamp |

SITE TOOLS & ACCESSORIES

| PRODUCT IMAGE | PRODUCT CODE | BARCODE | DESCRIPTION | PAGES | SUITS |
|---|--------------|---------------|--|-------|--|
|  | OX-P049101 | 9341231045578 | OX Pro Replacement Honeycomb Plunger Cap | 150 | OX-P045560 Pro Dual Thrust Sealant Gun |
|  | OX-P049102 | 9341231045752 | OX Pro Replacement Barrel End Cap | 150 | OX-P045560 Pro Dual Thrust Sealant Gun |
|  | OX-P049802 | 9341231011757 | Sealant Gun Plunger Cup | 150 | OX-P045560 Pro Dual Thrust Sealant Gun |
|  | OX-P049803 | 9341231013508 | Black Collar to suit OX-P040215 | 151 | OX-P040215 Pro Tubular Sealant Gun |
|  | OX-P049804 | 9341231013515 | OX Blue Threaded Stopper for Sealant Gun | 150 | OX-P045560 Pro Dual Thrust Sealant Gun |


MERCHANDISING



MERCHANDISING



Also for storing products
inside the stand



ME-DSMS04

Versatile display option for stocking a wide range of OX products with 4 sides and the ability to move easily.

Dimensions:

W: 66CM x H: 178CM x D: 66CM

Compact low gondola stand with double sided kit available for extra flexibility.

Dimensions:

103CM x 151CM x 52/98.5CM



OX BASEBALL CAP - FLAT BRIM

OXPOS-CAP02
9341231035036



OX BASEBALL CAP - CURVED BRIM, BLACK COTTON TWILL, BLACK MESH & BLACK SNAP BACK

OXPOS-CAP04
9341231051067



OX PROMOTIONAL SUNGLASSES BLACK/CYAN

OXPOS-SUNGLASSES
9341231018800



**OX CATALOGUE
HOLDER**
ME-DSCH01
9341231014352



**OX HAMMER
RACK - 4 LEVELS**
ME-DSHR04
9341231056086



**OX SAFETY
DUMPBIN**
OX-D45101
9341231044618



**OX STACKABLE BOX
DISPLAY - 34CM WIDE**
OX-D452534
9341231016448



**CSB DUMPBIN
THUNDER & LIGHTNING**
OX-D450209
9341231059834



**OX SAW BLADE
COUNTER DISPLAY**
OX-D670101
9341231053351



**200MM WIRE
DISPLAY HOOK**
OX-D310120
9341231015168



**300MM WIRE
DISPLAY HOOK**
OX-D310130
9341231007347



**OX EASY START
HANDSAW DUMPBIN**
OX-D455401
9341231059865



**OX TRADE HANDSAW
DISPLAY CARTON - 36PCS**
OX-D456836
9341231056901



**OX PRO HANDSAW
DISPLAY CARTON - 36PCS**
OX-D455436
9341231055706



**OX BOLT CUTTER
DISPLAY STAND**
OX-D455305
9341231054204



**OX HERO
MERCHANDISER,
DOUBLE SIDED -
1550 X 805**
OX-D456515
9341231055973



**PLUMBING RANGE
INNOVATION
FRAME**
OX-D456948
9341231057823



**OX DISPLAY
BACKBOARD -
GLOVES**
OX-GLOVEBACKBOARD
9341231017605



**OX LEVEL
DISPLAY STAND**
OXPOS-LEVEL1
9341231035463

DIAMOND BLADE TROUBLESHOOTING GUIDE

LOSS OF TENSION



CAUSES

Using the wrong blade on a specific material. A blade specifically designed and manufactured for cutting tiles will wear out extremely fast if used on highly-abrasive material such as block.

Inadequate water is supplied to the blade.

Bad spindle bearings, worm mounting arbor, or misaligned shaft.

Loss of power, resulting from loose drive belts or improper voltage.

REMEDIES


Avoid using general purpose specifications for cutting a single specific material. General purpose diamond blades are designed to cut a wide range of materials. Since it is unlikely an operator will be cutting an equal amount of both hard and soft materials at all times, this is not the most economical method of cutting.

Make sure water hoses are clean and free from any blockages. Approximately nine litres of water per minute are required to properly cool a masonry saw blade. On concrete saws, 9-22 litres per minute are required.

Replace defective parts.

See machine manual for proper belt tightening, replace worn belts, make sure proper line voltage is being supplied to the motor.

BLADE WOBBLES



Blade is too hard for material being cut.

Blade has become dull as a result of being used on too hard a material.

Blade does not cut material it was specified for.

Insufficient power, not allowing blade to cut properly. Often, the blade will stall in the cut.

Select the proper blade specification for the material being cut. Consult blade recommendation chart.


Dress or sharpen with mortar droppings or by cutting a lightweight abrasive building block to expose diamonds. If continual dressing is required, the blade specification is too hard for the material being cut.

First, make sure the blade is correct according to the blade recommendation chart. If the blade is correct, allow it to dress itself on the material to be cut. If it does not dress itself, sharpen it as you would a dull blade, according to the procedure described above.

Tighten belts in accordance with machine maintenance instructions. Use correct voltage at motor and adequate horsepower for cutting application.

DIAMOND BLADE TROUBLESHOOTING GUIDE

SEGMENT
LOSS



CAUSES

On masonry saws, the material is not held firmly, which causes the blade to twist or jam in the cut and loosen the segment.

Overheating is due to inadequate supply of water or complete loss of water. This is usually accompanied by discolourations which appear on the steel centre near the area of segment loss.

Steel centre is worn thin as a result of undercutting by abrasive fines generated during cutting. The steel centre (blank) wears to a knife edge, weakens and causes a segment to be separated.

Defective blade collars cause the blade to flutter in the cut or fail to adequately support the blade in perfect alignment.

Blade is too hard for material being cut, causing excessive dullness and segment separation due to impact or fatigue. This can also cause frictional heat that can melt the braze when insufficient water is supplied to the blade.

Blade is cutting out of round resulting in a pounding impact.

Improper blade tension causes high pressure on the segments and subsequent failure of the brazed joint.

REMEDIES

Hold the material firmly against the backstop.

Provide adequate water flow to both sides of the blade. Look for line blockages. On concrete saws, temporary complete loss of water can result from equipment running over the water feed hoses.

Use sufficient water to flush fines out of the cut. If generated fine s are highly abrasive, blades with undercut protection.

Clean foreign material from the blade clamping disc surfaces, ore replace clamping discs if they are under manufacturer's recommended diameter.

Use the proper blade specifications for the material being cut.

Replace worn bearing, realign blade shaft, or replace worn spindle.

Make sure the running speed of equipment is specified when ordering blades. On concrete saws, the spindle speed should be checked with a tachometer to ensure that each diameter blade is running at the recommended cutting speed and blade-tensioned speed.

DISTORTED
CENTRE STEEL



Inadequate tightening of the blade on concrete saw mounting shaft. This causes drive pin to force its way through blade blank.

Dropping saw head with mounted blade particularly on concrete saws. Also dropping objects on unmounted blade distorts blade blanks.

Tighten clamping nut securely.

Avoid dropping the blade. Protect blade from abuse and handle with care.

DIAMOND BLADE TROUBLESHOOTING GUIDE

UNEVEN
SEGMENT



CAUSES

Insufficient water, generally to one side of the blade, reduces side clearance and does not flush out fines.

Equipment defects cause the segment to wear unevenly.

Saw head is misaligned.


REMEDIES

Flush out the water system. Make certain that water is adequately and evenly distributed to both side of the blade.

Replace bad bearings, worn or misaligned spindle. On concrete saws, the engine must run smoothly to prevent harmonic vibrations which cause the blade to pound on a regular cycle basis.

Check saw head alignment for squareness both vertically and horizontally.


CRACKS IN
SEGMENTS



The blade is too hard for the material being cut.

Use blade with a softer bond.

CRACKS IN
STEEL
CENTER



Blade flutters in a cut as a result

Blade specification is too hard for material being cut.

Forcing blade in operation.

Twisting blade in cut.

Tighten the blade clamping disc nut. Be sure that the blade is running at the properly tensioned speed and that the drive pin is functioning properly.

Use softer blade bond to eliminate stresses which create cracks.

Allow blade to cut freely without bouncing.

Ensure blade is kept in straight line do not force around corners.

DIAMOND BLADE TROUBLESHOOTING GUIDE

SHORT LIFE



CAUSES

Using the wrong blade on a specific material. A blade specifically designed and manufactured for cutting tiles will wear out extremely fast if used on highly-abrasive material such as block.

Inadequate water is supplied to the blade.

Bad spindle bearings, worm mounting arbor, or misaligned shaft.

Loss of power, resulting from loose drive belts or improper voltage.

REMEDIES


Avoid using general purpose specifications for cutting a single specific material. General purpose diamond blades are designed to cut a wide range of materials. Since it is unlikely an operator will be cutting an equal amount of both hard and soft materials at all times, this is not the most economical method of cutting.

Make sure water hoses are clean and free from any blockages. Approximately nine litres of water per minute are required to properly cool a masonry saw blade. On concrete saws, 9-22 litres per minute are required.

Replace defective parts.

See machine manual for proper belt tightening, replace worn belts, make sure proper line voltage is being supplied to the motor.

BLADE WILL NOT CUT



Blade is too hard for material being cut.

Blade has become dull as a result of being used on too hard a material.

Blade does not cut material it was specified for.

Insufficient power, not allowing blade to cut properly. Often, the blade will stall in the cut.

Select the proper blade specification for the material being cut. Consult blade recommendation chart.


Dress or sharpen with mortar droppings or by cutting a lightweight abrasive building block to expose diamonds. If continual dressing is required, the blade specification is too hard for the material being cut.

First, make sure the blade is correct according to the blade recommendation chart. If the blade is correct, allow it to dress itself on the material to be cut. If it does not dress itself, sharpen it as you would a dull blade, according to the procedure described above.

Tighten belts in accordance with machine maintenance instructions. Use correct voltage at motor and adequate horsepower for cutting application.

DIAMOND BLADE TROUBLESHOOTING GUIDE

BLADE BORE
OUT-OF-ROUND



CAUSES

Blade collar is not properly tightened, permitting blade to either rotate or vibrate on shaft.

Blade collars are worn or dirty not allowing proper blade clamping.

Blade is not properly mounted.

REMEDIES

Tighten the spindle nut with a spanner to make certain that the blade is adequately secured to prevent rotation on shaft.

Clean blade collars, making sure they are not worn. Tighten arbor nut properly.

Make certain the blade is mounted on the proper shaft diameter before tightening arbor nut. On concrete saws, make certain the pin hole slides over arbor drive pin. Never depend on the drive pin to actually drive the blade. A drive pin is simply a safety measure to prevent the blade from spinning on its spindle should the nut become loose.


UNDERCUTTING
STEEL CENTRE



Abrading or wearing away of the steel centre faster than the diamond segment is due to highly abrasive fines generated during cutting.

Use as much water as possible to flush out fines generated during cutting or use blades with undercut protection. NOTE: Blades with undercut protection are not always the final answer to eliminating undercutting. There must still be taken to provide sufficient water to the steel centre are immediately adjacent to the segment. This is especially important when making deep cuts.

BLADE WORN
OUT-OF-ROUND



Shaft bearings on masonry or concrete saws are worn, causing the blade to run eccentrically and wear out-of-round.

Engine is not properly tuned on concrete saws, causing surges in blade rotation.

Blade spindle hole is damaged from previous mismounting.

Blade mounting spindle is worn. A groove may have been scoured on the mounting spindle as a result of previous blades spinning on the arbor. When a new blade is placed on such a worn spindle, it seats improperly and runs eccentrically.

Blade slips on arbor shaft.

Bond is too hard for material causing machine to 'pound' at regular intervals, wearing one half of the blade more than the other half.

Install new blade shaft bearings or blade shaft, as required.

Tune engine according to saw manufacturer's manual.

For large diameter blades it may be possible to rebraze segments to a new centre.

Replace worn shaft or spindle bushing.

On a masonry saw, tighten the blade collar. On a concrete saw, make certain that the drive pin is functioning.

Use proper blade specification.

FAQ'S

ANSWERS

| | |
|--|--|
| Can I place an order without an account?..... | An account application must be completed and approved as an eligible distributor before placing orders. |
| How do I apply for an account?..... | Email the Customer Service Team at sales.au@doxtools.com for an account application form. |
| How long will it take for my account to be opened? | Once the application has been submitted, it will be reviewed within 5 business days. |
| Do you provide your pricelist in an excel version? | Contact the Customer Service Team at sales.au@doxtools.com to receive a copy. |
| Do you accept credit cards?..... | Mastercard, VISA and Amex are accepted. |
| Do you have a minimum order value? | \$50 is the minimum order value. |
| Do you offer same day dispatch?..... | All orders placed by 12:00pm AEST will be dispatched the same day |
| Does OX sell to the public? | OX only sells to authorised resellers, these distributors can be located on our website. |
| How long has the OX brand been around? | Our tool range was born in 1974 in Perth, Australia and was launched under the OX brand at the beginning of 2010. |
| What are the pack quantities? | All pack quantities are listed in this catalogue. |
| What category do you specialise in?..... | OX Tools has 50 years of experience in the wet trade tool market, diamond tool market and offers a range in multiple categories in the construction industry. |
| What is my sales representative's mobile number?..... | Call the Customer Service Team on 02 8845 6600 and they can provide your sales representative's mobile number. |
| What is our minimum order value for FIS? | Metro Areas: FIS Minimum Order Value: \$350 Regional Areas & Tasmania: FIS Minimum Order Value: \$500 Far Regional Areas (Far North Queensland, Northern Territory and Northern Western Australia): FIS Minimum Order Value: \$750 |
| What is the freight charge under FIS?..... | Metro Areas: Freight Charge for Orders Under FIS MOV: \$60 Regional Areas & Tasmania: Freight Charge for Orders Under FIS MOV: \$100 Far Regional Areas (Far North Queensland, Northern Territory and Northern Western Australia): Freight Charge for Orders Under FIS MOV: \$150 |
| What is your returns policy? | At OX, we have a sale or return policy. If you cannot sell an OX brand product within 3 months of purchase, simply return it in a suitable/saleable condition for a full refund. |

TERMS & CONDITIONS

1. INTERPRETATION

- (a) 'Contract' means the standard trading terms and conditions of sale (which applies to each and every Quotation and/or Order) and includes any Quotation and Order.
- (b) 'OX Tools' means OX Tools AU Pty Ltd (ABN 41151919569).
- (c) 'Customer' means the entity to which 'OX Tools' enters into a Contract for the sale of Goods.
- (d) 'Goods' means the products described in the Quotation or Order and includes replacement products.
- (e) 'Order' means a written or verbal order from the Customer to OX Tools.
- (f) 'Quotation' means a written or verbal quotation provided by OX Tools to the Customer.

2. ORDERS

- (a) Orders for Goods will be binding upon OX Tools and the Customer. However, OX Tools reserves the right to accept orders in whole or in part.
- (b) Once OX Tools has accepted and Order, the customer may not alter or modify the Order without the prior written consent of OX Tools.
- (c) A 30% restocking fee applies to all returned goods providing they are in re-saleable condition.

3. PRICES

- (a) All prices contained in the Quotation and/or Order will be exclusive of GST. All prices are in Australian dollars and subject to alteration without notice. All invoices are in Australian dollars and must be settled in Australian dollars.
- (b) Any order placed with a value of under \$50.00 excluding GST will not be processed.
- (c) Metro orders with an invoice value of over \$350.00 excluding GST will be shipped free in-store. Regional & Tasmanian orders with an invoice value of over \$500.00 excluding GST will be shipped free in-store. Far Regional orders (Far North Queensland, Northern Territory and Northern Western Australia) with an invoice value of over \$750.00 excluding GST will be shipped free in-store.
- (d) Metro orders with an invoice value of under \$350.00 excluding GST will incur a freight charge of \$60.00 + GST. Regional & Tasmanian orders with an invoice value of under \$500.00 excluding GST will incur a freight charge of \$100.00 + GST. Far Regional orders with an invoice value of under \$750.00 excluding GST will incur a freight charge of \$150.00 + GST. Freight charges are subject to change.

4. PAYMENT AND CREDIT TERMS

- (a) Unless otherwise agreed in writing, the payment due date is strictly thirty (30) days from the end of the month in which the Goods are sold to the Customer.
- (b) Accounts with overdue balances will automatically have credit withdrawn until all outstanding balances are cleared. OX Tools reserves the right to charge interest at the rate of 2% on all overdue balances calculated on a daily basis from the due date until such amount is paid.
- (c) If the Customer defaults in payment of any invoice when due, the Customer will indemnify OX Tools from and against all OX Tools' costs and disbursements including a solicitor and own client basis and in addition to OX Tools' nominee's costs of collection.

5. DELIVERY OF GOODS AND RISK

- (a) Delivery of the Goods shall be made to the Customer's address. The Customer shall make all arrangements necessary to take delivery of the Goods whenever they are tendered for delivery.
- (b) The failure of OX Tools to deliver will not entitle the Customer to treat this Contract as cancelled.
- (c) OX Tools will not be liable for any loss or damage whatever due to failure by OX Tools to deliver the Goods (or any part of them) promptly or at all.
- (d) All risk for the Goods passes to the Customer on delivery even if OX Tools retains ownership.
- (e) Delivery will be free in store (FIS) Australia wide for Metro orders with an invoice value of over \$350.00 excluding GST, Regional & Tasmanian orders with an invoice value of over \$500.00 excluding GST and Far Regional orders (Far North Queensland, Northern Territory and Northern Western Australia) with an invoice value of over \$750.00 excluding GST. However, the Customer will be liable delivery charges if a delivery date is required outside of usual delivery times. Metro orders with an invoice value of under \$350.00 excluding GST will incur a freight charge of \$60.00 + GST. Regional & Tasmanian orders with an invoice value of under \$500.00 excluding GST will incur a freight charge of \$100.00 + GST. Far Regional orders

with an invoice value of under \$750.00 excluding GST will incur a freight charge of \$150.00 + GST. Freight charges are subject to change.

6. RETENTION OF TITLE

- (a) All Goods remain the property of OX Tools until the Customer has paid for the Goods in full. If payment is made by cheque, payment will not be deemed to have been made until the cheque has been honoured.
- (b) If the Goods are on-sold by the Customer before payment to OX Tools, the proceeds of sale will become property of OX Tools.
- (c) If the Goods are not paid for pursuant to clause 4, OX Tools may give notice in writing to the Customer to return the Goods or any part of them to OX Tools.
- (d) OX Tools may enter the Customer's premises without notice at any time and take possession of the Goods and without being responsible for any damage thereby caused if:
 - (i) The Customer does not pay for the Goods under clause 4;
 - (ii) The Customer fails to return the Goods upon demand;
 - (iii) A trustee in bankruptcy, administrator or receiver is appointed over the Customer;
 - (iv) Winding-up proceedings in relation to the Customer are commencing; or
 - (v) The Customer becomes bankrupt.

7. CLAIMS

- (a) The Customer will inspect the Goods on delivery and will within seven (7) days of delivery notify OX Tools in writing of any alleged defect, shortage in quantity, errors, omissions or failure to comply with the Order or Quotation.
- (b) The Customer will afford OX Tools the opportunity to inspect the Goods within a reasonable time of delivery if the Customer believed the Goods are defective in any way. If the Customer fails to comply with these provisions, the Goods will be deemed to be free from any defect or damage and payment will be owing under this Contract.
- (c) If OX Tools agrees in writing that the Customer is entitled to reject the Goods because they are defective:
 - (i) The Goods must have a corresponding invoice number quoted;
 - (ii) Freight charges incurred for the return of the Goods being returned is at the expense of the Customer, unless otherwise agreed; and
 - (iii) OX Tools' liability is limited to either replacing or repairing the Goods at its discretion.
- (d) OX Tools does not warrant that the Goods are fit for any particular purpose or an intended use by the Customer.

8. LIMITATION OF LIABILITY

- (a) Subject to clause 8(b), OX Tools will have no liability whatsoever for any direct or indirect losses, expenses, damages and costs incurred by the Customer caused by any breach by OX Tools of this Contract or any negligent act or omission.
- (b) The liability of OX Tools to the Customer in the event of any breach of this Contract or other cause of action will not exceed the prices of the Goods.

9. PRIVACY ACT 1998

- (a) The Customer agrees for OX Tools to obtain from a credit-reporting agency and the trade referees a credit report containing personal credit information about the Customer and any additional information required by OX Tools.
- (b) OX Tools may exchange information about the Customer with those trade referees name in the application form for a trading account or named in a consumer credit report issued by reporting agency to:
 - (i) Assess the Customer's application;
 - (ii) Notify other credit providers of a default by the Customer;
 - (iii) Exchange other information with other credit providers as to the status of the trading account, if the Customer is in default with other credit providers; and
 - (iv) Assess the credit worthiness of the Customer.

10. GENERAL

- (a) If any provision of these terms and conditions becomes void or unenforceable, it will be severed from this agreement without affecting the enforceability of the other provision, which will continue to have full force and effect.
- (b) These terms and conditions are governed by the laws of New South Wales and each party irrevocably and unconditionally submit to the nonexclusive jurisdiction

of the courts of New South Wales.

- (c) OX Tools may terminate or vary this Contract or cancel delivery of Goods at any time before the Goods are delivered by giving written notice. OX Tools will not be liable for any loss or damage whatever arising from termination or cancellations.
- (d) The Customer acknowledges and agrees that the goods sold to the Customer by OX Tools cannot be offered for sale through third party shopping websites or platforms (including but not limited to Amazon and Ebay) without the express written authorisation of OX Tools.

11. PERSONAL PROPERTY SECURITY ACT (PPSA)

- 11.1 The Customer agrees, at the request of OX Tools, to enter into a Security Agreement with OX Tools to grant in favour of OX Tools a Security Interest in all the Customer's present and after acquired property relating to the Goods.
- 11.2 The Customer acknowledges and agrees that it shall, within 14 days of request from OX Tools, do all things and sign all documents as required by OX Tools to register, confirm or validate the Security Interest created over the Customer's assets by any Security Agreement.
- 11.3 OX Tools may exercise its rights under the Security Agreement any time after the Customer fails to comply with this Agreement, without OX Tools first having to take any action or enforce any of its other rights against the Customer.
- 11.4 The Customer will be entitled to a release of the Security Agreement when all its obligations under this Agreement have been satisfied.
- 11.5 The Customer shall not without OX Tools' prior written consent, which will not be unreasonably withheld, do any of the following:
 - (a) acquire any asset which is, or upon acquisition, will be subject to a Security Interest which is not a Permitted Security Interest; or
 - (b) give any person other than OX Tools control or possession of the Goods (other than under a Permitted Security Interest).
- 11.6 The Customer agrees that it will promptly take such action as OX Tools may require (including providing information or signing documents) to ensure that any Security interest granted in favour of OX Tools attaches to the secured property and to enable OX Tools to perfect any such Security Interest or otherwise exercise any rights that it may have under the PPS Law in relation to the secured property.
- 11.7 The Customer acknowledges and agrees that, from the registration commencement time under the PPSA:
 - (a) it shall not cause or permit any person to take a Security Interest over, or to register a financing statement in relation to, any secured property without the prior written consent of OX Tools and will immediately notify OX Tools if it becomes aware of any person taking steps to register a financing statement in relation to such secured property;
 - (b) it has no rights under, or by reference to, sections 125, 142 and 143 of the PPSA if it defaults and OX Tools takes enforcement action under this Agreement in respect of the secured property;
 - (c) it waives its rights to:
 - (i) receive any notice under sections 95, 130 and 135 of the PPSA in relation to the enforcement of any Security Interest over the secured property;
 - (ii) receive a statement of account under section 132(3) [d] and 132(4) of the PPSA if OX Tools disposes of any of the secured property following repossession of that secured property; and
 - (iii) receive a copy of, or notice of, any verification statement confirming registration of a financing statement or a financing change statement relating to any Security Interest under, or provided for by, this Agreement.
- 11.8 Except if section 275(7) of the PPSA applies, each party to this Agreement agrees not to disclose any information of the kind referred to in section 275(1) of the PPSA that is not publicly available.

OX Tools AU Pty Ltd (OX Tools) warrants that all goods supplied by it and purchased by you from Authorised OX Tools Dealers throughout Australia are free of defects except for those goods listed under Warranty Exclusions.

WARRANTY CLAIMS

If you consider that any goods supplied by OX Tools is defective, you can lodge a claim under this Warranty and any apparent fault will be rectified free of charge by OX Tools or an Authorised OX Tools Dealer within the Warranty Period, which is effective from the date of purchase provided that you meet the following conditions;

- You must produce the original invoice/receipt or other proof of purchase document disclosing the purchase date.
- All costs of installation, cartage, freight, travelling expenses, hiring tools and insurance are paid by the customer.
- The goods, being precision equipment, has not been misused, adjusted or serviced by any person other than an Authorised OX Tools Dealer.
- The equipment has been installed correctly and is used in accordance with the OX Tools instructions supplied with the goods.

OX Tools provides this warranty in addition to all other rights and remedies that you may have under law in relation to the goods to which this warranty relates.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage.

You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Notwithstanding the preceding clause, OX Tools' liability in respect of a breach of a consumer guarantee or any warranty made under these Conditions of Warranty for any goods not of a kind ordinarily acquired for personal, domestic or household use is limited, to the extent permissible by law and at the option of OX Tools to:

1. Replacing the goods or the supply of equivalent goods;
2. The repair of the goods;
3. The payment of the cost of replacing the goods or of acquiring equivalent goods; or
4. The payment of the cost of having the products repaired.

To the extent permitted by law, all other warranties whether implied or otherwise, not set out in these Conditions of Warranty are excluded and OX Tools is not liable in contract, tort (including, without limitation, negligence or breach of statutory duty) or otherwise to compensate the customer for:

1. Any increased cost or expenses;
2. Any loss of profit, revenue, business, contracts or anticipated savings;
3. Any loss or expense resulting from a claim by a third party; or
4. Any special, indirect or consequential loss or damage of any nature whatsoever.

If you wish to make a claim under this Warranty, you should:

- Contact by Phone: +612 8845 6600;
- Visit your nearest Authorised OX Tools Dealer;
- Visit OX Tools website for details: www.oxtools.com

These conditions may only be varied with the written approval of the directors of OX Tools.

WARRANTY PERIOD

| PRODUCT TYPE | WARRANTY PERIOD |
|------------------|-----------------|
| Diamond Tools | 12 Months |
| Hand Tools | 12 Months |
| Safety Equipment | 12 Months |

WARRANTY EXCLUSIONS

This section identifies what is excluded under this Warranty. This Warranty does not cover damage caused by:

- Misusing, overloading or abusing the OX goods,
- Operating the goods in a manner that is not in accordance with the OX Tools instructions supplied with the goods (the "Instruction Manual"),
- Failing to clean the goods in accordance with the instructions for correct and regular cleaning as set out in the Instruction Manual,
- Not carrying out periodic maintenance,
- Neglecting or otherwise failing to maintain the goods in accordance with the instructions for maintenance of the goods including regular tune-ups, lubrication etc,
- Using incorrect voltage or non-authorised electrical connections with the goods,
- Installing the goods incorrectly,
- Using non authorised/non-standard parts, non-genuine OX Tools parts in connection with the goods,
- Repairing or carrying out any work on the goods by someone other than an Authorised OX Tools Dealer,
- Causing a double burnout - field and armature burnout,

- Operating the goods with any guard, shield or line cutting knife removed, repositioned, or that is incomplete or damaged,
- Using or operating the goods with any evidence of partial failure of goods or damage being present,
- Tampering with the goods in any way other than in accordance with the manual,
- Not having taken reasonable steps to prevent the damage or failure from occurring to the goods,
- Storing the goods inconsistently with manufacturer's recommendations or where the goods is exposed to corrosive substances such as fertilisers, grass and plant residue including palm tree sap, bore water and other detrimental environmental exposure,
- Making mechanical adjustments that are inconsistent with the Manual- including, chains, bars, engine tuning etc,
- Operating the goods with incorrect fuel to oil ratio,
- Having made improper adjustments of ignition timing or the carburettor,
- Using the goods with clogged or removed filters (i.e. fuel filter, oil filter, air filter),
- Using incorrect chain and bar oil/lubricant for the oil pump.

In addition to the above, this Warranty DOES NOT cover the following:

- Goods purchased:
 - Outside of Australia,
 - from a non-Authorised OX Tools Dealer (such as purchases from unauthorised retailers and purchases over the internet, from local/ international sellers or sites such as, but not limited to, Amazon and Ebay),
 - at an auction, or
 - from a private seller.
- Accidental damage or damage caused by an extra ordinary event or circumstance beyond your or anyone else's control including damage caused by:
 - environmental factors,
 - natural discolouration of material due to ultraviolet light,
 - crushing, impact with hard surface or damage caused in the transit of the goods, foreign material, or exposure of the goods to excessive heat or cold or to solvents, or water entry into the goods,
 - abnormal goods performance caused by any ancillary equipment interference or other external factors,
- Damage or failure that occurs for a reason or reasons that were already disclosed to you (in writing or otherwise), prior to your purchase of the goods,
- Damage or defects to the goods that ought reasonably to have been revealed to you by an examination of the goods, where you conducted such an examination before acquiring the goods,
- Normal wear and tear due to the course of normal use,
- Freight costs associated transporting the goods between you, the place of purchase, the Authorised OX Tools Dealer and OX Tools for the purposes of making a claim pursuant to this Warranty or otherwise,
- Repairs that are required by you to be made to the goods which are simply due to a clogged or restricted exhaust system, carbon deposits in exhaust ports, piston crown or combustion chamber or periodic decarbonising,
- Goods with serial number altered or removed,
- Refurbished, ex display or factory second goods,
- Consumable items supplied with the goods or that are a part of the goods,
- Service parts,
- Accessories, that for the avoidance of doubt include but are not limited to the following:
 - those included with the goods at the time the goods was purchased by you including cases & site bags, brushes, chucks, cord sets, bulbs, LED's & lamps, driver & drill bits, blades, driver blades, o-rings, switches & triggers, power tool attachments, blades and cutters, spark plugs, carburettor kits, filters, bars & chains, cutting equipment, recoil springs, rope, belts, measuring devices, air (pneumatic) fittings, nose caps, gaskets, fuel hoses,
 - The goods coming into contact with sand, water, rust, corrosion, fire, vermin and insect infestation, power outages or surges or inadequate voltage or current.

If the goods you are using has been rented or leased by you, and you consider a claim might be made under this Warranty, you should refer the matter to the rental or leasing company immediately and they will handle the matter.

This Warranty does not cover service costs in replacing and maintaining consumable parts and accessories that have ceased working through normal wear and tear such as, but not limited to: drill heads, blades, cutters and other parts classifiable as a consumable part or accessory.

OX Tools AU Pty Ltd
 ABN 41 151 919 569
 PO Box 498, Ermington, NSW, 1700, AUSTRALIA
 (612) 8845 6600
www.oxtools.com.au

NOTES

NOTES



SAFETY

Safety is not something that is taken lightly at OX. When we design and build our tools the safety of the operator and safety of the tool is always the most important factor that is well thought-out during the whole process.

Safety when using OX tools is of paramount importance. Ultimately safety comes down to the operator which is why instructions need to be read and adhered to. It is also important to ensure the correct safety clothing is worn whilst working on a construction site.

ENVIRONMENTAL

OX Tools is committed to managing environmental impact as an integral part of our operations. In particular, it is our policy to assure the environmental integrity of our processes and facilities at all times. We will do so by adhering to the following principles:

We employ management systems and procedures specifically designed to minimise the use of hazardous materials, energy and other natural resources, to minimise the generation of waste and to enable recycling and reuse of materials.

We continually seek opportunities to improve our environmental performance by establishing objectives and targets, measuring progress, and reporting our results; including but not limited to energy, water, paper and fuel consumption and vehicle miles travelled.

We promote participation and communicate our commitment to responsible environmental management by promoting environmental responsibility among our employees; by providing the necessary training and support to enable them to implement this policy; by informing suppliers of our environmental policy and encouraging them to adopt effective environmental management practices; and by soliciting input from our employees, suppliers, customers and board members in meeting our environmental goals.

TUFF CLUB

JOIN AT WWW.OXTTOOLS.COM

**FOR ALL THE LATEST
PRODUCT INFORMATION,
INSIGHT AND BENEFITS.
JOIN THE TUFF CLUB.**

OX Tools AU Pty Ltd
PO Box 498, Ermington
NSW 2115 AUSTRALIA

T: 02 8845 6600
E: sales.au@oxtools.com

For more information visit: oxtools.com

Subject to availability and OX Tools AU terms and conditions of sale. E & OE. © OX Tools AU

